

(Click on Well Log ID to Access Image of Well Strip Log)

PHELPS

(Records are Sorted by Township, Range, and Section)

LOG ID: 026696

WELL TYPE Private Well

DRILL DATE:

1969/02/

TOWNSHIP 34N

RANGE SECTION

8W

ELEVATION:

1,214FT

County Base Map

DRILL DEPTH:

200FT

20

UTM X 603,392.73

UTM Y 4,166,505.35

DEPTH TO BED: 35FT

S.W.L. (BEFORE CASING):

REMARKS: 3 MI S OF EDGAR SPRINGS

S.W.L. (AFTER CASING):

LOG ID: 010108

WELL TYPE Private Well

DRILL DATE:

1948/04/11

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,099FT

ZONE 15

DRILL DEPTH:

128FT

8W 34N 4

UTM X UTM Y 4,171,592.41

604,566.69 ZONE 15

DEPTH TO BED:

20FT

83

REMARKS: 3 MI E OF EDGAR SPRINGS

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 024780

WELL TYPE Private Well

DRILL DATE:

1966/08/09

225FT

TOWNSHIP 34N

SECTION RANGE 8W 5

ELEVATION:

1,132FT

DRILL DEPTH: DEPTH TO BED:

60FT

185

UTM X UTM Y

602,946.69 4,171,595.41

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

LONG 1 X 2.25 MI SECTION; 2 MI SE OF EDGAR SPRINGS ON HWY

Ν

LOG ID: 000475

WELL TYPE Private Well

1907/03/05

TOWNSHIP 34N

RANGE SECTION

1

ELEVATION:

1.200FT

DRILL DATE: DRILL DEPTH:

60FT

9W

UTM X

UTM Y

DEPTH TO BED:

15FT

599,734.69

4,172,740.42

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

TWO SAMPLES, 15-20' & 55-60', MOSTLY RESIDUAL ROUBIDOUX

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 001966

DEPTH TO BED:

WELL TYPE Private Well

1915/11/02 **SECTION** DRILL DATE: **TOWNSHIP RANGE**

> 34N 9W

ELEVATION:

1,184FT

DRILL DEPTH: 202FT

600,234.68

UTM X **UTMY** 4,173,446.43

ZONE 15

S.W.L. (BEFORE CASING):

see also log #001972 - 0.25 MI W OF EDGAR SPRINGS **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 001972

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1915/11/02

55FT

TOWNSHIP 34N

SECTION RANGE 9W

1

ELEVATION: 1,184FT

DRILL DEPTH: 203FT

UTM X

UTMY

599,434.68

4,173,446.43

ZONE 15

S.W.L. (BEFORE CASING):

SEE LOG #1966 REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 002320

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

292FT

TOWNSHIP 34N

RANGE SECTION **ELEVATION:**

1,261FT

9W

UTM X

UTM Y

DEPTH TO BED:

100FT

SECTION

599,234.70 4,170,622.39

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

34N

"HOLE DRY BELOW 135"; FARM S OF EDGAR SPRINGS

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

002629

Dry Oil &/or Gas Well

DRILL DATE:

1932/09/

TOWNSHIP RANGE

9W

ELEVATION: 1,190FT

DRILL DEPTH: DEPTH TO BED: 135FT 70FT

UTM X

UTM Y 4,172,504.41

599.434.69 ZONE 15

S.W.L. (BEFORE CASING):

LONG 1 X 2.25 MI SECTION; NEAR EDGAR SPRINGS **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

599,634.68

ELEVATION:

UTM X

599,834.69

ELEVATION:

UTM X

599,634.69

ELEVATION:

ZONE 15

ZONE 15

ZONE 15

1,200FT

UTMY

4,173,446.43

1,225FT

UTMY

4,172,976.42

1,196FT

UTM Y

4,172,034.41

1,213FT

LOG ID: 002913

WELL TYPE

Community Public Well

1934/09/03 DRILL DATE:

DRILL DEPTH: 500FT

DEPTH TO BED: 35FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 315

TOWNSHIP

34N

TOWNSHIP

34N

TOWNSHIP

34N

SCHOOL HOUSE LOT, NEVER USED; LONG SECTION' ERA **REMARKS:**

SECTION

1

DROUGHT RELIEF WELL

RANGE

RANGE

9W

9W

RANGE

9W

LOG ID:

WELL TYPE

Private Well 018522

DRILL DATE:

DRILL DEPTH: 355FT

DEPTH TO BED: 55FT

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

FT

FT

SE CORNER OF EDGAR SPRINGS; LONG 1 X 2.25 MI SECTION

SECTION

SECTION

1

S.W.L. (AFTER CASING): 288

LOG ID: 022102

WELL TYPE

Noncommunity Public Well

DRILL DATE:

DRILL DEPTH: 280FT

DEPTH TO BED: 25FT

S.W.L. (BEFORE CASING):

210 S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 023885

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED: 350FT

395FT

SECTION TOWNSHIP RANGE 34N 9W

UTM X UTM Y

> 599.834.68 4.173.446.43

ZONE 15

LONG 1 X 2.25 MI SECTION; OLD WELL DEEPENED 350-395' **REMARKS:**

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024880

DRILL DEPTH:

WELL TYPE

Community Public Well

DRILL DATE:

950FT

332

DEPTH TO BED: 90FT

SECTION TOWNSHIP RANGE 34N 9W

1

ELEVATION:

1,227FT

UTM X 600,158.68

UTMY 4,173,371.43

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

LONG 1 X 2.25 MI SECTION; EDGAR SPRINGS **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 006874

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1941/05/23

TOWNSHIP 34N

RANGE 9W

SECTION

10

ELEVATION: 1,074FT

UTM X

596,180.71

UTMY 4,169,787.38

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

40FT

56

80FT

REMARKS:

0.25 MI S OF B.L. MACE SINKHOLE

S.W.L. (AFTER CASING):

LOG ID: 006894

WELL TYPE

Private Well

DRILL DATE:

1941/05/13

114FT

TOWNSHIP 34N

34N

RANGE 9W

SECTION

ELEVATION:

1,075FT

DRILL DEPTH:

10

UTM X 596,180.71

UTM Y 4,169,787.38

DEPTH TO BED:

5FT

92

REMARKS:

1/8 MI N OF M. MACE; BIG SINK HOLE BETWEEN THE TWO WELLS

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 023667

WELL TYPE Private Well

DRILL DATE:

1965/06/

TOWNSHIP

RANGE

SECTION 12

ELEVATION:

1,227FT

DRILL DEPTH:

DEPTH TO BED:

248FT

40FT

9W

UTM X 599,350.71

UTM Y 4,169,794.38

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

2 MI S OF EDGAR SPRINGS ON HWY 63

S.W.L. (AFTER CASING):

200



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 000289

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,180FT

> 34N 9W

DRILL DEPTH: 178FT UTM X **UTMY** DEPTH TO BED: 40FT

2

597,303.70 4,170,919.39

ZONE 15

S.W.L. (BEFORE CASING): 2 MI W OF EDGAR SPRINGS **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** 004994 Private Well

1938/08/ **TOWNSHIP SECTION** DRILL DATE: **RANGE ELEVATION:** 1,266FT

34N 9W 2 DRILL DEPTH: 161FT

UTM X UTMY DEPTH TO BED: 20FT 598,203.69 4,172,975.42

ZONE 15

UTM Y

S.W.L. (BEFORE CASING): FT LONG 1 X 2+ MI SECTION; 1 MI S & 0.5 MI W OF EDGAR SPRINGS **REMARKS**:

S.W.L. (AFTER CASING): 139

LOG ID: **WELL TYPE** Private Well 022157

DRILL DATE: 1963/07/09 **TOWNSHIP RANGE SECTION ELEVATION:** 1.221FT

34N 9W 23 **DRILL DEPTH:** 200FT

UTM X UTM Y

DEPTH TO BED: 598,665.73 4,165,895.34 75FT

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: 0.5 MI N OF RAMBO CHURCH ON HWY K S.W.L. (AFTER CASING): 115

LOG ID: **WELL TYPE**

DRILL DEPTH:

Private Well 027836

245FT

1971/01/30 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,228FT 34N 9W 23

UTM X DEPTH TO BED: 598.665.74 4,165,491.33 55FT

ZONE 15 S.W.L. (BEFORE CASING):

0.5 MI N OF JCT OF HWYS 63 & K; SCANNED, NO LITHOLOGIES **REMARKS**: S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012529

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,237FT

34N 9W 24 **DRILL DEPTH:** 210FT

UTM X **UTMY** DEPTH TO BED: 160FT 599,883.73 4,166,674.35

ZONE 15

S.W.L. (BEFORE CASING): OLD WELL DEEPENED 160-210'; YIELD 10 GPM @ 210' **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Private Well 010495

DRILL DATE: 1948// **TOWNSHIP SECTION RANGE ELEVATION:** 34N

DRILL DEPTH: 245FT **UTM X UTMY**

DEPTH TO BED: 80FT 4,173,452.41 593,565.69 ZONE 15

9W

5

S.W.L. (BEFORE CASING): FT ELEV. MAY BE 1078'; 2.75 MI W OF EDGAR SPRINGS **REMARKS**:

S.W.L. (AFTER CASING): 230

LOG ID: **WELL TYPE**

Noncommunity Public Well 002928

365FT

DRILL DATE: 1934/08/ **TOWNSHIP RANGE SECTION ELEVATION:** 1,150FT

34N 9W 7 **DRILL DEPTH:** 450FT

UTM X UTM Y

DEPTH TO BED: 70FT 590,695.72 4,168,593.36 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** C SW/4 ON DRILLERS LOG: 3 MI N OF BLOOMING ROSE

190 S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE** Private Well 026471

DRILL DEPTH:

1968/11/ **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,111FT

UTM X UTM Y DEPTH TO BED: 85FT 587.120.72 4,168,906.36

10W

10

ZONE 15

34N

S.W.L. (BEFORE CASING): SCANNED, DESCRIPTIONS, BUT NO COLORING **REMARKS:**

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017126

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

1958/04/23 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 34N 10W 11

UTM X **UTMY** DEPTH TO BED: 80FT 588,126.72 4,169,914.37

ELEVATION:

ZONE 15

1,201FT

S.W.L. (BEFORE CASING): FT **REMARKS:**

440FT

S.W.L. (AFTER CASING): 375

LOG ID: 027698

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 1,142FT

34N 10W 11 DRILL DEPTH: 444FT

UTM X UTMY DEPTH TO BED: 60FT 4,169,104.36 587,926.72

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: SAMPLES ON FILE - NOT LOGGED; 0.75 MI N OF DUKE

S.W.L. (AFTER CASING): 300

LOG ID: 017123

WELL TYPE

Private Well

DRILL DATE: 1958/04/30 **TOWNSHIP RANGE SECTION ELEVATION:** 1,099FT

34N 10W 2 **DRILL DEPTH:** 252FT

UTM X UTM Y

DEPTH TO BED: 40FT 587,721.71 4,171,737.38

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** LONG 1 X 2.25 MI SECTION; 4 MI NW OF DUKE

140 S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 011983

1951/10/08 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,142FT

DRILL DEPTH: 316FT UTM X

35N

DEPTH TO BED: 600,633.64 4,178,989.50 35FT

W8

18

ZONE 15

UTM Y

S.W.L. (BEFORE CASING): FT 3 MI N OF EDGAR SPRINGS ON HWY 63 **REMARKS**:

280 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013882

DRILL DEPTH:

WELL TYPE Private Well

1955/08/ DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,147FT

> 35N 8W 20 395FT

UTM X **UTMY** DEPTH TO BED: 50FT 602,867.65 4,177,589.49

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 215

LOG ID: 025008

WELL TYPE Private Well

1967/01/ **TOWNSHIP SECTION** DRILL DATE: **RANGE ELEVATION:** 1,178FT

35N 8W 30 DRILL DEPTH: 385FT

UTM X UTMY DEPTH TO BED: 55FT 600,865.66 4,176,178.46

ZONE 15

S.W.L. (BEFORE CASING): FT 1 MI N OF EDGAR SPRINGS ON HWY 63 **REMARKS**:

REMARKS:

REMARKS:

S.W.L. (AFTER CASING): 320

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 000479

DRILL DATE: 1906// **TOWNSHIP RANGE SECTION ELEVATION:** 1,050FT

35N **8W** 33 **DRILL DEPTH:** 400FT

UTM X UTM Y **DEPTH TO BED:** 5FT 604,677.68 4,173,867.44

NEAR EDGAR SPRINGS, MINERAL PROSPECT

33

ZONE 15 S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

002252

WELL TYPE Private Well

1929// **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,162FT

DRILL DEPTH: 324FT UTM X UTM Y

W8

DEPTH TO BED: 603.877.67 4,174,171.45 75FT

ZONE 15 S.W.L. (BEFORE CASING): FT 3 WELLS DRILLED; "PLUGGED WITH ROCKS" AUG., 1934

35N

220 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 02252A

WELL TYPE

Exploratory Hole (Mineral Prospect)

1929/00/00 DRILL DATE:

TOWNSHIP RANGE SECTION 35N 8W 33

ELEVATION:

1,150FT

DRILL DEPTH:

169FT

UTM X **UTMY** 603,877.67 4,174,171.45

DEPTH TO BED:

80FT

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 014565

WELL TYPE

Private Well

DRILL DATE:

1956/01/

TOWNSHIP

SECTION RANGE

4

6

7

ELEVATION:

925FT

DRILL DEPTH:

140FT

35N 8W

UTM X

UTMY

DEPTH TO BED:

35FT

604,021.60

4,181,820.57

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

FT

95

LOG ID: 026847

WELL TYPE

Private Well

DRILL DATE:

1969/06/

TOWNSHIP

RANGE SECTION 8W

ELEVATION:

1,103FT

DRILL DEPTH:

300FT

35N

UTM X

UTM Y

DEPTH TO BED:

30FT

601,802.61 4,181,800.56

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

290

LOG ID:

WELL TYPE

013380

Private Well

DRILL DATE:

1955//

TOWNSHIP 35N

RANGE SECTION **ELEVATION:**

600,421.63

1,117FT

DRILL DEPTH:

DEPTH TO BED:

210FT

W8

UTM X

ZONE 15

UTM Y 4,180,197.52

155FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

OLD WELL DEEPENED 155-210' **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018525

WELL TYPE Private Well

1959// DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,150FT

35N 8W 7 **DRILL DEPTH:** 275FT

UTM X **UTMY** DEPTH TO BED: 60FT 600,521.62 4,180,805.53

ZONE 15

S.W.L. (BEFORE CASING): FT 3 MI S OF VIDA ON HWY 63, S OF PHILADELPHIA CHURCH **REMARKS**:

S.W.L. (AFTER CASING): 225

LOG ID: 019568

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: 1960/10/ **RANGE ELEVATION:** 1,142FT

35N 8W DRILL DEPTH: 330FT

UTM X UTMY DEPTH TO BED: 20FT 600,821.62 4,181,009.54

7

ZONE 15

S.W.L. (BEFORE CASING): FT PHILADELPHIA CHURCH, E SIDE OF ROAD AT EDGAR SPRINGS **REMARKS**:

S.W.L. (AFTER CASING): 245

LOG ID: 026130

WELL TYPE Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,125FT

35N **8W** 7 **DRILL DEPTH:** 350FT

UTM X UTM Y

DEPTH TO BED: 600,621.62 4,181,211.54 45FT

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** SCANNED - TOPS ONLY: "BY PHILADELPHIA CHURCH 2 MILES

SOUTH" S.W.L. (AFTER CASING): 260

LOG ID: 017643

WELL TYPE Private Well

1958/10/ **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,015FT

35N **DRILL DEPTH:** 238FT

UTM X UTM Y

W8

8

DEPTH TO BED: 10FT 602.631.61 4,181,222.55

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: S.W.L. (AFTER CASING): 120



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014479

WELL TYPE Private Well

DRILL DATE: 1956/02/

35N

REMARKS:

TOWNSHIP

RANGE SECTION

ELEVATION:

1,128FT

DRILL DEPTH:

200FT

9W 11

UTM X

<u>UTM Y</u> 4,180,196.51

DEPTH TO BED: 85FT

__

597,594.63

ZONE 15

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING): 140

LOG ID: 012435

WELL TYPE Private Well

DRILL DATE:

1953/09/19

TOWNSHIP

<u>RANGE</u>

SECTION

ELEVATION:

1,002FT

DRILL DEPTH:

200FT

35N 9W 12

UTM X

UTM Y

DEPTH TO BED:

40FT

599,605.63

ZONE 15

4,180,382.52

S.W.L. (BEFORE CASING):

FT

REMARKS: 6 MI N OF EDGAR SPRINGS

S.W.L. (AFTER CASING):

105

LOG ID: 027726

WELL TYPE Private Well

DRILL DATE:

vate vveii

260FT

TOWNSHIP 35N

RANGE SECTION

ELEVATION:

1,141FT

DRILL DEPTH:

2007 1

9W 15

UTM X

<u>UTM Y</u>

DEPTH TO BED:

15FT

596,784.64 4 ZONE 15

4,179,793.50

S.W.L. (BEFORE CASING):

4 MI E OF FLAT, 0.25 MI E OF HWY T; NO SAMPLES RUN, NO DATA

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

027857 Pri

Private Well

1971/07/

TOWNSHIP 35N RANGE SECTION

ELEVATION:

595.984.64

1,147FT

DRILL DATE:
DRILL DEPTH:

400FT

9W 15

UTM X

<u>UTM Y</u> 4,179,593.49

ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

80FT

FT REMARKS:

REMARKS:

NO SAMPLES 335-400'; 13 MI OUT HWY T

S.W.L. (AFTER CASING):

300



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027631

DEPTH TO BED:

WELL TYPE Private Well

1971/01/04 DRILL DATE: **TOWNSHIP**

75FT

10FT

RANGE SECTION 35N 9W 17

ELEVATION: 1,140FT

DRILL DEPTH: 340FT

UTM X **UTMY**

593,575.65 4,179,599.48

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

"CAVE OPENING" 220-230', NO SAMPLES 220-260' **REMARKS**:

S.W.L. (AFTER CASING): 242

LOG ID: 012934

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1954/04/21 **TOWNSHIP SECTION RANGE** 35N

ELEVATION: 1,139FT

DRILL DEPTH: 318FT 9W 18

UTM X UTMY

591,004.65 4,179,799.48

ZONE 15 **REMARKS**: "RED CLAY SEAM" 122-125', NO SAMPLES 125-175'

S.W.L. (AFTER CASING): 45

S.W.L. (BEFORE CASING):

LOG ID: 006443

WELL TYPE Private Well

DRILL DATE: 1940/10/19

TOWNSHIP RANGE SECTION 35N

ELEVATION: 1,136FT

DRILL DEPTH: 220FT 9W 21

UTM X UTM Y

DEPTH TO BED: 50FT 594,071.66 4,178,299.46

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 180

LOG ID:

WELL TYPE

013889

Noncommunity Public Well

245FT

1955// **DRILL DATE:**

DEPTH TO BED:

TOWNSHIP 35N

SECTION RANGE

ELEVATION: 1,157FT

DRILL DEPTH: 310FT

9W 21

> UTM X UTM Y

594.371.66 4,178,197.46

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: NO SAMPLES 0-245'

250 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010676

DRILL DEPTH:

WELL TYPE Private Well

1947/06/30 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,154FT

> 35N 9W 26 335FT

UTM X UTMY DEPTH TO BED: 20FT 598,595.67 4,175,763.45

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** formerly in name of John N. Thomas - changed to David Brown in 1966

S.W.L. (AFTER CASING): 260

LOG ID: 023672

WELL TYPE Private Well

1965/03/ **TOWNSHIP SECTION** DRILL DATE: **RANGE ELEVATION:** 1,197FT

35N 9W 26 DRILL DEPTH: 430FT

UTM X UTMY DEPTH TO BED: 597,395.67 4,175,555.44 45FT

ZONE 15 310 FT

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING): 310 FT

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 004429

DRILL DATE: 1937// **TOWNSHIP RANGE SECTION ELEVATION:** 1,047FT

35N 9W 3 **DRILL DEPTH:** 29FT

UTM X UTM Y **DEPTH TO BED:** 596,118.60 4,182,902.55

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** PYRITE PROSPECT

S.W.L. (AFTER CASING):

LOG ID: 017762

DRILL DEPTH:

WELL TYPE Private Well

1958/10/01 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,106FT 35N 9W 30

UTM X UTM Y

DEPTH TO BED: 40FT 591,142.67 4,176,797.44

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

160FT

92 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010484

WELL TYPE Private Well

1948// DRILL DATE: **TOWNSHIP RANGE SECTION**

> 35N 9W 34

ELEVATION: 1,191FT

DRILL DEPTH: 285FT UTM X **UTMY** DEPTH TO BED: 60FT

596,176.68 4,173,949.42

ZONE 15

S.W.L. (BEFORE CASING): FT

20FT

REMARKS: 2 MI E OF EDGAR SPRINGS

S.W.L. (AFTER CASING): 185

LOG ID: 011982

WELL TYPE Private Well

DRILL DATE: 1951/10/06 **TOWNSHIP SECTION RANGE**

9W

36

ELEVATION: 1,184FT

DRILL DEPTH: 128FT

UTM X UTMY

4,175,179.45

600,041.67 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 1 MI N OF EDGAR SPRINGS

35N

S.W.L. (AFTER CASING):

LOG ID: 019395

DRILL DATE:

DEPTH TO BED:

WELL TYPE Private Well

TOWNSHIP RANGE SECTION 35N 9W 36

ELEVATION: 1,255FT

DRILL DEPTH: 75FT

UTM X UTM Y 599,841.67 4,174,973.44

DEPTH TO BED:

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: "NEAR EDGAR SPRINGS" - ALL RESIDUAL ROUBIDOUX

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well 006253

52FT

15FT

1940/08/ **DRILL DATE:**

RANGE SECTION TOWNSHIP 35N

10W 10 **ELEVATION:** 768FT

DEPTH TO BED:

UTM X UTM Y

586.617.64 4,180,214.48

ZONE 15

S.W.L. (BEFORE CASING):

FT **REMARKS:**

S.W.L. (AFTER CASING): 15



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013496

DEPTH TO BED:

WELL TYPE Private Well

1955/04/ DRILL DATE:

78FT 15FT

TOWNSHIP 35N

RANGE SECTION 10W 10

ELEVATION:

UTM X

795FT

DRILL DEPTH:

UTMY

586,617.64

4,180,214.48

ZONE 15

S.W.L. (BEFORE CASING):

FT

NEAR SCHOOL HOUSE & BRIDGE ON S SPRING CREEK **REMARKS**:

S.W.L. (AFTER CASING): 55

LOG ID: 027064

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP

RANGE

SECTION 10

ELEVATION:

766FT

DRILL DEPTH:

90FT

15

35N 10W

UTM X

UTMY

DEPTH TO BED: 10FT 586,617.63

4,181,234.50

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: **NEAR DUKE**

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

DRILL DATE:

013506

1955/04/

TOWNSHIP

RANGE

SECTION 22

ELEVATION:

802FT

DRILL DEPTH:

85FT

35N

10W

UTM X

UTM Y

DEPTH TO BED:

20FT

585,951.66 4,178,220.45

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

33

REMARKS:

LOG ID: 013491

WELL TYPE Private Well

DRILL DATE:

1955/04/

TOWNSHIP 35N

RANGE

SECTION

ELEVATION:

895FT

4,227

DRILL DEPTH:

175FT

140

10W 3

UTM X UTM Y 586,052.60 4,183,054.53

ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028009

WELL TYPE Private Well

1976/10/18 DRILL DATE: **TOWNSHIP**

RANGE SECTION 35N 10W

ELEVATION:

1,005FT

DRILL DEPTH:

395FT

34

UTM X

UTMY 4,174,414.41

587,299.69

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

25FT

REMARKS:

S.W.L. (AFTER CASING):

270

LOG ID:

WELL TYPE

004177

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1936//

TOWNSHIP

RANGE

SECTION

10

ELEVATION: 1,083FT

DRILL DEPTH:

37FT

6W 36N

UTM X

UTMY

DEPTH TO BED:

625,808.42

4,190,916.85 ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: **PYRITE PROSPECT - RESIDUUM**

S.W.L. (AFTER CASING):

LOG ID: 004178

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1936//

TOWNSHIP RANGE **SECTION** 10

ELEVATION:

1,083FT

DRILL DEPTH:

37FT

36N 6W

UTM X

UTM Y

DEPTH TO BED:

5FT

625,808.42

4,190,916.85

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

009569

Private Well

DRILL DATE:

1947/07/

TOWNSHIP 36N

RANGE SECTION **ELEVATION:**

1,080FT

DRILL DEPTH:

354FT

6W 10

> UTM X 624,808.43

> > ZONE 15

UTM Y 4,190,110.82

DEPTH TO BED:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027280

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1970/03/ DRILL DATE:

403FT

275

FT

145FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP RANGE 36N 14

6W

ON HWY 68 13 MI FROM ST JAMES

SECTION

ELEVATION:

1,157FT

UTM X 627,025.43

ELEVATION:

ELEVATION:

UTM X

622,997.46

UTMY 4,189,730.83

ZONE 15

LOG ID: 019023

WELL TYPE Private Well

DRILL DATE:

320FT

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

65FT

TOWNSHIP SECTION RANGE 36N

6W 17

UTM X

1,106FT **UTMY**

995FT

UTM Y

4,188,668.79

622,797.45 4,189,670.81

ZONE 15

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

NO CONSTRUCTION DATA

RANGE

6W

LOG ID: 024347

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1966/08/09

DEPTH TO BED: 28FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

64FT

REMARKS: ADAMS FARM

TOWNSHIP

36N

29

LOG ID: 024348

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1966/08/09

67FT

30FT

TOWNSHIP RANGE 36N

6W

SECTION 17

SECTION

17

ELEVATION:

995FT

UTM X UTM Y 622.797.46 4,188,668.79

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: ADAMS FARM

S.W.L. (AFTER CASING): 34



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024983

WELL TYPE Private Well

1966/04/ DRILL DATE:

TOWNSHIP 36N

RANGE SECTION **ELEVATION:**

991FT

DRILL DEPTH:

66FT

6W 17

UTMY

DEPTH TO BED:

30FT

UTM X 622,997.46

4,188,668.79

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: ADAMS FARM

S.W.L. (AFTER CASING):

36

LOG ID: 027417

WELL TYPE Private Well

DRILL DATE:

1970/09/18

TOWNSHIP

SECTION RANGE

ELEVATION:

1,094FT

DRILL DEPTH:

404FT

36N 6W 17

UTM X

UTMY

DEPTH TO BED: 115FT

621,997.46 4,189,268.79

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

ON HWY F, 2 MI OFF HWY 68

S.W.L. (AFTER CASING):

LOG ID: 023397

WELL TYPE

DRILL DATE:

Private Well

TOWNSHIP RANGE 36N

SECTION

ELEVATION: 1,144FT

DRILL DEPTH:

225FT

6W 22

> UTM X UTM Y

DEPTH TO BED:

55FT

625,003.47 4,187,315.77

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

NO SAMPLES 60-195'; "ALL SPLS DOWN THRU 225' ARE U. GAS.

TYPE CHERT"

LOG ID:

WELL TYPE

027902

Private Well

DRILL DATE:

1975/04/14

TOWNSHIP 36N

SECTION RANGE

ELEVATION:

1,050FT

DRILL DEPTH:

DEPTH TO BED:

231FT 40FT

6W 24

UTM X UTM Y

628.430.46 4,187,509.79

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

ON HWY YY, 1.5 MI E OF HWY 68

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004218

WELL TYPE Private Well

1937/04/24 DRILL DATE: **TOWNSHIP**

110

RANGE SECTION 36N 6W 27

ELEVATION:

1,197FT

DRILL DEPTH: 210FT

S.W.L. (BEFORE CASING):

UTM X **UTMY** 4,186,518.76

626,202.48 ZONE 15

DEPTH TO BED: 75FT

FT

REMARKS: 15 MI S OF ST JAMES ON HWY 68

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 004179

DRILL DATE:

1936//

TOWNSHIP

SECTION RANGE

ELEVATION: 1,040FT

DRILL DEPTH: 36FT 36N

6W 3

UTM X

UTMY

DEPTH TO BED: 3FT 624,813.41

4,191,512.85

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

008190 Exploratory Hole (Mineral Prospect)

DRILL DATE:

1943/04/15

TOWNSHIP RANGE **SECTION** 3

ELEVATION: 1,040FT

DRILL DEPTH: 81FT 36N 6W

UTM X UTM Y

DEPTH TO BED: 70FT 624,813.41 4,191,710.86

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: IRON PROSPECT

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 008859

1945/07/

TOWNSHIP RANGE **SECTION**

ELEVATION: 1,057FT

DRILL DATE:

246FT

36N

6W 3

UTM X

DRILL DEPTH: DEPTH TO BED:

90FT

626,213.41 4,191,512.86

UTM Y

ZONE 15

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

125

REMARKS: "CAN'T BAIL DOWN"



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019636

WELL TYPE

Exploratory Hole (Mineral Prospect)

1960/06/20 DRILL DATE:

TOWNSHIP RANGE **ELEVATION:**

1,115FT

DRILL DEPTH:

1,635FT

31

SECTION

UTM X UTMY

DEPTH TO BED:

560FT

620,496.54

4,183,783.67 ZONE 15

S.W.L. (BEFORE CASING):

OB PH-2 **REMARKS**:

36N

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

007933

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1942/09/

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,100FT

DRILL DEPTH:

70FT

34 36N 6W

6W

UTM X **UTMY**

DEPTH TO BED:

626,112.51

4,184,417.71

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

IRON PROSPECT - RESIDUAL ROUBIDOUX

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

002205

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1927/11/

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,040FT

DRILL DEPTH:

94FT

36N 6W 6

> UTM X 620,759.42

UTM Y 4,192,189.85

DEPTH TO BED:

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: KELLY #3 MINE, RESIDUAL ROUBIDOUX - IRON ORE ABUNDANT

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

002206

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1927/11/

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,040FT

36N

6W

ZONE 15

UTM Y

DRILL DEPTH: DEPTH TO BED: 75FT

40FT

6

UTM X 620.759.42

4,192,189.85

S.W.L. (BEFORE CASING):

KELLY #3 MINE REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024159

DRILL DEPTH:

WELL TYPE Private Well

350FT

DRILL DATE: 1966/03/22 TOWNSHIP RANGE SECTION ELEVATION:

36N 6W

UTM X UTM Y

1,070FT

<u>DEPTH TO BED:</u> 50FT 623,814.43 4,190,892.84

9

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: VERY POOR SAMPLES - USE WITH CAUTION

S.W.L. (AFTER CASING): 296

LOG ID: 013937

WELL TYPE
Private Well

DRILL DATE: 1955/09/ TOWNSHIP RANGE SECTION ELEVATION: 1,060FT

DRILL DEPTH: 250FT 36N 7W 10

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 30FT 615,900.45 4,191,393.81

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 180

LOG ID: 007919

WELL TYPE
Private Well

<u>DRILL DATE:</u> 1942/08/08 <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> ELEVATION: 987FT

DRILL DEPTH: 122FT 36N 7W 11

UTM X UTM Y

<u>DEPTH TO BED:</u> 40FT 617,834.46 4,190,022.79

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: ON HWY 0 ABOUT 4 MI S OF ROLLA

S.W.L. (AFTER CASING): 80

LOG ID: 008045

WELL TYPE Private Well

<u>DRILL DATE:</u> 1942/12/ <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 986FT

DRILL DEPTH: 217FT UTM Y UTM Y

7W

11

<u>DEPTH TO BED:</u> 40FT 617,934.46 4,190,328.80

S.W.L. (BEFORE CASING): FT PERMANA A SAME OF FLACED AND PROPERTY OF THE PROPER

36N

S.W.L. (AFTER CASING): REMARKS: 1 MI E, 0.5 MI S OF ELK PRAIRIE STONE ON DRY FORK
S.W.L. (AFTER CASING): 160



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011694

WELL TYPE Private Well

1950// DRILL DATE:

TOWNSHIP 36N

RANGE SECTION **ELEVATION:**

980FT

DRILL DEPTH:

198FT

133

7W 11

UTM X

UTMY

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

617,834.46

4,190,226.79 ZONE 15

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 013732

WELL TYPE Private Well

DRILL DATE:

1955/06/

TOWNSHIP

SECTION RANGE

ELEVATION: 1,089FT

DRILL DEPTH:

330FT

36N 14 7W

UTM X

DEPTH TO BED:

10FT

UTMY 618,104.48 4,188,419.76

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

50

FT

REMARKS:

REMARKS:

LOG ID:

WELL TYPE

011356

Private Well

DRILL DATE:

1950/04/

TOWNSHIP

SECTION RANGE

ELEVATION: 1,014FT

DRILL DEPTH:

123FT

85

36N 7W 15

HOBSON STAR ROUTE

UTM X UTM Y

ZONE 15

615,269.49

DEPTH TO BED:

FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 007897

WELL TYPE Private Well

1942/07/16

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,167FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

120FT

25FT

36N

7W 18

UTM X

611.658.49

UTM Y 4,189,847.76

4,188,520.75

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: YIELD - 1.5 GPM

S.W.L. (AFTER CASING): 40

4,234 2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005295

DRILL DEPTH:

WELL TYPE Private Well

1939/03/ DRILL DATE:

432FT

DEPTH TO BED: 260FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING):

TOWNSHIP RANGE SECTION 36N 7W 19

OLD WELL DEEPENED 260-432'

ELEVATION:

1,230FT

UTM X 610,249.52

UTMY 4,188,244.72

ZONE 15

LOG ID: 014504

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1956/02/

285FT

5FT

255

270

TOWNSHIP 36N

TOWNSHIP

36N

SECTION RANGE 19 7W

ELEVATION: 1,225FT

1,220FT

UTM Y

4,188,250.72

UTM X 610,331.52

UTMY 4,187,786.71

ELEVATION:

UTM X

610,631.52

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 026702

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1968/06/

315FT

25FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 026990

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1969/07/28

335FT

25FT

TOWNSHIP 36N

RANGE 7W

RANGE

7W

3 MI N OF LACOMA ON HWY O

SECTION

19

SECTION

19

ELEVATION:

1,218FT

UTM X

UTM Y

610,631.52

4,187,554.71

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

6 MI S OF ROLLA ON HWY O



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028007

WELL TYPE Private Well

1976/06/09 DRILL DATE:

TOWNSHIP RANGE 36N

SECTION

ELEVATION:

1,194FT

DRILL DEPTH:

335FT

225

19

UTM X 610,931.52

UTMY 4,187,437.71

ZONE 15

DEPTH TO BED:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

FT

REMARKS:

LOG ID:

WELL TYPE Private Well

015438

DRILL DATE:

1956/09/

TOWNSHIP

SECTION RANGE 2

ELEVATION: 1,022FT

DRILL DEPTH:

150FT

36N 7W

7W

UTM X

DEPTH TO BED:

50FT

112

616,923.43

UTMY 4,192,547.84

ZONE 15

S.W.L. (BEFORE CASING):

FT

ABT 1 MI E OF ELK PRAIRIE STORE REMARKS:

S.W.L. (AFTER CASING):

WELL TYPE

Private Well

DRILL DATE:

LOG ID:

007896

1942/07/21

TOWNSHIP

SECTION RANGE

ELEVATION: 1,156FT

DRILL DEPTH:

96FT

36N **7W** 20

> UTM X UTM Y

DEPTH TO BED:

20FT

4,188,163.73

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: formerly in name of W.M. Crissey

S.W.L. (AFTER CASING):

40

LOG ID: 010287

WELL TYPE Private Well

DRILL DATE:

1948/06/04

TOWNSHIP

RANGE SECTION **ELEVATION:**

611,973.51

987FT

DRILL DEPTH:

150FT

36N

7W 21 UTM X

UTM Y

DEPTH TO BED:

42FT

615,003.52

4,186,713.71

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026810

WELL TYPE Private Well

1969/05/16 DRILL DATE:

TOWNSHIP 36N

RANGE SECTION 7W 21

ELEVATION: 1,083FT

DRILL DEPTH:

DEPTH TO BED:

315FT 90FT

UTM X 614,003.51

UTMY 4,187,329.72

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 014030

WELL TYPE Private Well

DRILL DATE:

1955/10/

TOWNSHIP

SECTION RANGE

ELEVATION: 1,020FT

DRILL DEPTH:

230FT

36N 22 7W

> UTM X **UTMY**

> > ZONE 15

4,186,703.71

615,443.52

DEPTH TO BED:

35FT

190

FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 017044

WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1958/03/

TOWNSHIP RANGE SECTION 36N

ELEVATION: 1,077FT

DRILL DEPTH:

505FT

7W 28

UTM X UTM Y

DEPTH TO BED:

180FT

613,587.54 4,185,506.68 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: IRON ORE WASHING PLANT; NO SAMPLES 0-180'

S.W.L. (AFTER CASING):

LOG ID: 016581

WELL TYPE

S.W.L. (BEFORE CASING):

Private Well

1957/08/29

RANGE TOWNSHIP

SECTION

ELEVATION: 1,147FT

DRILL DATE: DRILL DEPTH:

268FT

7W 29

> UTM X UTM Y

611.960.54

4,186,120.68

ZONE 15

DEPTH TO BED:

5FT

FT

REMARKS:

36N

S.W.L. (AFTER CASING): 210

4,237 2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008061

DRILL DEPTH:

WELL TYPE Private Well

1942// DRILL DATE:

211FT

DEPTH TO BED: 5FT

FT

TOWNSHIP RANGE SECTION 36N 7W 31

ELEVATION:

1,189FT

UTM X 611,218.57

UTMY 4,183,619.63

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 170

11 MI S OF ROLLA ON HWY O (LACOMA RD) **REMARKS**:

LOG ID: 027203

WELL TYPE

Noncommunity Public Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

110

293FT

30FT

TOWNSHIP 36N

RANGE 7W

SECTION 32

ELEVATION:

1,191FT

UTM X

UTMY

612,352.56

4,184,297.65 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: AT RADIO TOWER

S.W.L. (AFTER CASING):

LOG ID: 013190

WELL TYPE Private Well

DRILL DATE:

1954/12/

FT

TOWNSHIP 36N

RANGE 7W

SECTION

ELEVATION:

1,068FT

DRILL DEPTH:

270FT

34

UTM X

616,380.54

UTM Y

4,184,503.67

DEPTH TO BED:

155FT

120

REMARKS:

0-155' ALL RESIDUUM

ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 015640

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE:

1956/12/

TOWNSHIP 36N

RANGE 7W

SECTION 34

ELEVATION:

UTM X

1,123FT

UTM Y

4,184,905.68

615,380.54

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

70FT

226FT

FT

REMARKS:

POOR SAMPLES - USE WITH CAUTION

S.W.L. (AFTER CASING): 115

2/27/2007

4,238



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013195

WELL TYPE Private Well

DRILL DATE: 1954/11/

TOWNSHIP RANGE 36N 7W

<u>SECTION</u>

ELEVATION: 1,039FT

OIN.

ZONE 15

DRILL DEPTH:

199FT

7W 35

UTM X

617,395.55

<u>UTM Y</u> 4,183,881.66

DEPTH TO BED: 90FT S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

169

LOG ID: 026041

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

DIVILL DIVIL

TOWNSHIP 36N RANGE SECTION

ELEVATION: 1

1,112FT

DRILL DEPTH:

2,601FT

7W 36

UTM X

<u>UTM Y</u> 4,184,173.68

DEPTH TO BED:

619,099.54

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 61-W-48 - Well LS-1

S.W.L. (AFTER CASING):

LOG ID: 013306

WELL TYPE Private Well

DRILL DATE:

1955/01/

TOWNSHIP

RANGE SECTION 4

ELEVATION: 1,135FT

DRILL DEPTH:

DEPTH TO BED:

245FT 30FT

176

36N 7W

UTM X

614,068.45 4,192,376.82

UTM Y

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

KS: formerly in name of Joe Denny - HWY 72 @ ELK PRAIRIE, E. SIDE

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

027600

mate men

DRILL DATE:

1974/06/06

<u>TOWNSHIP</u>

RANGE SECTION

ELEVATION:

1,124FT

UTM Y

DRILL DEPTH:

DEPTH TO BED:

275FT 45FT 36N

7W 5

UTM X

613,424.46 4,191,551.80

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

"FUNNY" FARM



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010408

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1948/08/ DRILL DATE:

112FT

40FT

TOWNSHIP 36N

RANGE 7W

SECTION 6

ELEVATION:

1,207FT

UTM X

UTMY 4,192,977.82

610,270.46

ZONE 15

S.W.L. (BEFORE CASING):

70

FT

REMARKS:

8 MI S OF ROLLA ON HWY O (LACOMA RD); YIELD 2.5 GPM

S.W.L. (AFTER CASING):

LOG ID: 006013

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1940//

120FT

20FT

TOWNSHIP 36N

TOWNSHIP

36N

RANGE 7W

SECTION 7

SECTION

7

ELEVATION: 1,178FT

UTM X

UTMY

1,160FT

UTM Y

4,190,081.76

610,258.49

4,190,783.77

ZONE 15

ELEVATION:

UTM X

610,258.49

S.W.L. (BEFORE CASING):

REMARKS: 7 MI S OF ROLLA ON HWY O (LACOMA RD)

S.W.L. (AFTER CASING):

LOG ID: 013509

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1955/04/

286FT

DEPTH TO BED: 150FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

82

FT

REMARKS:

ON HWY O; NO SAMPLES 0-150'

RANGE

7W

LOG ID:

017037

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1958/01/

185FT

50FT

TOWNSHIP 36N

RANGE SECTION 7W

7

ELEVATION:

1,183FT

UTM X 610.258.48

UTM Y 4,191,251.78

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

5 MI S OF ROLLA ON HWY O **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026596

WELL TYPE Private Well

1970/06/ DRILL DATE:

SECTION TOWNSHIP RANGE 36N

7W

ELEVATION:

1,155FT

UTMY

DRILL DEPTH: 360FT DEPTH TO BED: 25FT

UTM X 610,258.49

4,190,549.77

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: **HWY O**

S.W.L. (AFTER CASING):

LOG ID: 015109

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1956/05/

TOWNSHIP

SECTION RANGE

ELEVATION:

1,131FT

DRILL DEPTH:

230FT 30FT

169

36N 7W 8

UTM X

UTMY

613,408.46 4,191,383.80

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 021310

WELL TYPE Private Well

DRILL DATE:

1962//

TOWNSHIP RANGE **SECTION**

ELEVATION: 1,118FT

DRILL DEPTH:

217FT

36N **7W** 8

> UTM X UTM Y

DEPTH TO BED:

35FT

612,808.47

4,191,177.79

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

0.25 MI W OF ELK PRAIRIE STORE S OF RD; WATER HIGH IN

NITRATES

LOG ID:

WELL TYPE

008005

Private Well

DRILL DATE:

1942/10/

TOWNSHIP

SECTION RANGE

ELEVATION: 1,069FT

DRILL DEPTH:

DEPTH TO BED:

135FT

5FT

36N 7W 9

> UTM X UTM Y

614.450.48 4,190,142.78

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 8 MI S OF ROLLA ON HWY 72

S.W.L. (AFTER CASING):

100



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020908

DRILL DEPTH:

WELL TYPE Private Well

1962// DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,089FT

> 36N 7W 170FT

UTM X **UTMY** DEPTH TO BED: 15FT 614,450.46 4,191,388.80

ZONE 15

0.5 MI E OF HWY 72 @ ELK PRAIRIE STORE **REMARKS**:

9

1

S.W.L. (AFTER CASING): 120

S.W.L. (BEFORE CASING):

LOG ID: 022227

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1964/01/16 **RANGE ELEVATION:** 1,171FT

36N 8W DRILL DEPTH: 320FT

FT

UTM X UTMY DEPTH TO BED: 20FT 609,907.47 4,192,164.80

ZONE 15 S.W.L. (BEFORE CASING): FT

5 MI S OF ROLLA ON HWY O REMARKS:

S.W.L. (AFTER CASING): 230

LOG ID: 025478

WELL TYPE Private Well

DRILL DATE: 1967/12/12 **TOWNSHIP RANGE SECTION ELEVATION:** 1.226FT

36N **8W**

DRILL DEPTH: 365FT UTM X UTM Y

DEPTH TO BED: 45FT 609,907.46 4,192,994.81

4 MI S OF ROLLA ON HWY 0, W SIDE

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

280 S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Noncommunity Public Well 008636

DRILL DATE: 1944/09/08 **RANGE SECTION TOWNSHIP ELEVATION:** 1,026FT 36N W8 10

DRILL DEPTH: 91FT UTM X UTM Y

DEPTH TO BED: 10FT 605.243.50 4,190,325.74

ZONE 15

S.W.L. (BEFORE CASING): PHELPS COUNTY SCHOOL BOARD

REMARKS: S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019909

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,030FT

36N 8W 10 **DRILL DEPTH:** 200FT

UTM X **UTMY** DEPTH TO BED: 10FT 605,843.49 4,190,531.74

ZONE 15

S.W.L. (BEFORE CASING):

NO PRODUCTION OR CONSTRUCTION DATA **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 022247

WELL TYPE

Noncommunity Public Well

TOWNSHIP SECTION DRILL DATE: 1964/02/11 **RANGE ELEVATION:** 1,021FT

36N 8W 10 DRILL DEPTH: 410FT

UTM X UTMY DEPTH TO BED: 25FT 605,643.49 4,190,531.74

@ VIDA STORE

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 027457

WELL TYPE Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,007FT

36N **8W** 10 **DRILL DEPTH:** 220FT

UTM X UTM Y

DEPTH TO BED: 45FT 605,943.49 4,190,633.75 ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**: 5 MI S OF ROLLA ON HWY 63, W SIDE; SECTION # QUESTIONED

S.W.L. (AFTER CASING):

LOG ID: 011325

WELL TYPE Private Well

1950/02/ **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 908FT

DRILL DEPTH: UTM X UTM Y

W8

11

DEPTH TO BED: 20FT 607.362.48 4,191,365.77

ZONE 15

36N

S.W.L. (BEFORE CASING): "FLOWS" **REMARKS**:

S.W.L. (AFTER CASING):

90FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027763

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u>

DRILL DEPTH: 36N 8W 11

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 607,562.49 4,190,652.75

ZONE 15

1,011FT

S.W.L. (BEFORE CASING): REMARKS: NO DATA OR SAMPLES RUN; SECTION QUESTIONED

S.W.L. (AFTER CASING):

LOG ID: 018302

WELL TYPE Private Well

DRILL DATE: 1959/06/ TOWNSHIP RANGE SECTION ELEVATION: 1,168FT

DRILL DEPTH: 365FT 36N 8W 12

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 20FT 609,902.49 4,190,548.76

S.W.L. (BEFORE CASING): FT PEMARKO

REMARKS:

S.W.L. (AFTER CASING): 85

LOG ID: 020100

WELL TYPE Private Well

<u>DRILL DATE:</u> 1961// <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 956FT

DRILL DEPTH: 125FT 36N 8W 14

REMARKS:

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 10FT 606,858.50 4,189,748.73

ON HWY 63, 1ST RD S OF VIDA, TURN E 5/8 MI

15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 008935

WELL TYPE Private Well

<u>DRILL DATE:</u> 1945/07/ <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,079FT

36N

DRILL DEPTH: 66FT UTM X UTM Y

W8

<u>DEPTH TO BED:</u> 15FT 605,729.51 4,189,224.72

S.W.L. (BEFORE CASING): REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013308

WELL TYPE Private Well

1955/01/ DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,075FT

36N 8W 15 **DRILL DEPTH:** 199FT

UTM X **UTMY** DEPTH TO BED: 20FT

605,629.51 4,189,328.72

ZONE 15

UTM X

UTM Y

S.W.L. (BEFORE CASING): FT

1 MI S OF VIDA STORE ON HWY 63, E SIDE **REMARKS**:

S.W.L. (AFTER CASING): 150

LOG ID: 018329

WELL TYPE Private Well

RANGE DRILL DATE: 1959/03/06 **TOWNSHIP SECTION ELEVATION:** 1,062FT

36N 8W 15 DRILL DEPTH: 209FT

UTM X UTMY DEPTH TO BED: 20FT 605,729.50 4,189,638.73

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 140

LOG ID: 014578

WELL TYPE Private Well

DRILL DATE: 1956/03/ **TOWNSHIP RANGE SECTION ELEVATION:** 811FT

36N **8W** 19 **DRILL DEPTH:** 97FT

UTM X UTM Y **DEPTH TO BED:** 25FT 600,370.55 4,186,613.64

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: 1 MI S OF VIDA, 3 MI W TO LITTLE PINEY CK, UP CK (S) 0.5 MI

S.W.L. (AFTER CASING): 15

LOG ID: 027206

WELL TYPE Private Well

RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION: 986FT

36N W8 19 **DRILL DEPTH:** 100FT

DEPTH TO BED: 601.770.53 4,187,643.67 25FT

ZONE 15

S.W.L. (BEFORE CASING):

VIDA REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003396

WELL TYPE Private Well

1935/07/ DRILL DATE:

TOWNSHIP 36N

RANGE SECTION 8W 2

ELEVATION:

919FT

DRILL DEPTH: 180FT

UTMY

DEPTH TO BED: 70FT

UTM X 607,586.46

4,192,843.80

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO SAMPLES 0-80', 100-175'

S.W.L. (AFTER CASING):

LOG ID: 005537

WELL TYPE Private Well

DRILL DATE:

1939/07/28

TOWNSHIP

36N

SECTION RANGE

ELEVATION: 919FT

DRILL DEPTH:

DEPTH TO BED:

50FT

8W 2

UTM X UTMY 4,192,843.80

607,586.46 ZONE 15

S.W.L. (BEFORE CASING):

8FT

FT

FT

REMARKS: 1 OR 2 MI NW OF ROLLA

S.W.L. (AFTER CASING): 14

LOG ID: 008997

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP 36N

RANGE SECTION **ELEVATION:**

ZONE 15

919FT

DRILL DEPTH:

65FT

8W 2

UTM X

607,586.46

UTM Y 4,192,843.80

DEPTH TO BED:

20FT

20

REMARKS: 2 MI W OF ROLLA RR STATION

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

003375

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP 36N

SECTION RANGE

ELEVATION:

900FT

DRILL DEPTH:

76FT

W8 20

UTM X

UTM Y

DEPTH TO BED:

20FT

602.898.53

4,187,965.68

ZONE 15

S.W.L. (BEFORE CASING):

PYRITE PROSPECT REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005681

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1939/10/ **TOWNSHIP RANGE** 36N

ELEVATION:

994FT

DRILL DEPTH:

74FT

8W

UTM X

UTMY 4,187,965.68

DEPTH TO BED:

602,898.53

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

Moselle #10 - PYRITE TEST HOLE; DRILLED AT BOTTOM OF PIT,

SECTION

20

TOP 140' BELOW TOP OF GRD

LOG ID:

WELL TYPE

005719

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1939/11/

TOWNSHIP

RANGE

SECTION

20

ELEVATION:

994FT

DRILL DEPTH:

81FT

36N 8W

UTM X

UTMY

DEPTH TO BED:

70FT

602,898.53

ZONE 15

4,187,965.68

MOSELLE #10; TOP 180' BELOW RIM OF PIT

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 006321

WELL TYPE

Private Well

DRILL DATE:

1940/09/

TOWNSHIP

RANGE

SECTION

ELEVATION:

941FT

DRILL DEPTH:

107FT

36N

8W 21

UTM X

DEPTH TO BED:

30FT

UTM Y 4,187,881.69

604,814.53

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: FOX FARM (WELL #3)

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

006322

Private Well

DRILL DATE:

1940//

TOWNSHIP 36N

RANGE

SECTION

ELEVATION:

965FT

DRILL DEPTH:

DEPTH TO BED:

100FT

W8 21

UTM X

UTM Y 4,187,984.68

603.714.53

ZONE 15

S.W.L. (BEFORE CASING):

20FT

Fox Farm Well #4 **REMARKS:**

S.W.L. (AFTER CASING):



RANGE

RANGE

RANGE

8W

TOTAL DD (T), CAN BE BAILED DRY

8W

8W

SECTION

22

SECTION

22

SECTION

23

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

605,739.53

ELEVATION:

UTM X

605,839.52

ELEVATION:

UTM X

606,956.53

ZONE 15

ZONE 15

ZONE 15

995FT

UTMY

4,187,801.69

1,080FT

UTMY

4,188,111.70

1,054FT

UTM Y

4,187,614.69

LOG ID: 004472

WELL TYPE Private Well

1937/10/04 DRILL DATE:

TOWNSHIP 36N

392FT

DEPTH TO BED:

DRILL DEPTH:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

FT

FT

49

115

REMARKS: SILVER FOX FARM

TOWNSHIP

36N

TOWNSHIP

36N

WELL TYPE

LOG ID: 015855

DRILL DEPTH:

Private Well

DRILL DATE:

1957/01/

70

200FT

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

S.W.L. (AFTER CASING): 135

LOG ID: 004267

WELL TYPE Private Well

DRILL DATE: 1937/05/

94FT

DRILL DEPTH:

DEPTH TO BED: 7FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 015117

WELL TYPE Private Well

DRILL DATE:

1956/06/

DRILL DEPTH: 175FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP RANGE

36N

W8

SECTION 23

ELEVATION:

1,064FT

UTM X UTM Y 606,856.53 4,187,614.69

ZONE 15

REMARKS: ON HWY 63 1.75 MI S OF VIDA, 0.75 MI E



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014570

WELL TYPE Private Well

1956/01/ DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,085FT

> 36N 8W 24 140FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 10FT

608,891.53 4,187,309.69

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 101

LOG ID: 022811

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1964/04/13 **RANGE ELEVATION:** 1,126FT

36N 8W 25 DRILL DEPTH: 200FT

UTM X UTMY

DEPTH TO BED: 5FT 609,786.54 4,186,417.68 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: formerly in name of Ralph Moss - 5 MI S OF ROLLA ON HWY O

S.W.L. (AFTER CASING): 120 (LACOMA RD)

LOG ID: 008840

WELL TYPE Private Well

DRILL DATE: 1945/05/ **TOWNSHIP RANGE SECTION ELEVATION:** 1,086FT

36N 8W 26

DRILL DEPTH: 92FT UTM X UTM Y

DEPTH TO BED: 20FT 608,266.56 4,185,079.65

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

40 S.W.L. (AFTER CASING):

LOG ID: 008841

WELL TYPE Private Well

1945/01/ **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,050FT

DRILL DEPTH: 90FT UTM X UTM Y

W8

26

DEPTH TO BED: 607.866.54 4,186,501.67 5FT

ZONE 15

36N

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 27



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008059

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1942// <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,163FT

DRILL DEPTH: 240FT 36N 8W 27

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 5FT 605,441.55 4,186,282.66

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: DRY HOLE TO 225'; ON HWY 63 S OF ROLLA

S.W.L. (AFTER CASING): 209

LOG ID: WELL TYPE
006284 Private Well

DRILL DATE: 1940/08/ TOWNSHIP RANGE SECTION ELEVATION: 1,085FT

DRILL DEPTH: 205FT 36N 8W 28

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 30FT 605,028.55 4,186,259.66

<u>EPTH TO BED.</u> 30FT 605,028.55 4,186,259. ZONE 15

S.W.L. (BEFORE CASING): REMARKS: FOX FARM

S.W.L. (AFTER CASING):

LOG ID: WELL TYPE
013853 Private Well

<u>DRILL DATE:</u> 1955/09/ <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,074FT

DRILL DEPTH: 201FT 36N 8W 28

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 604,628.55 4,186,057.65 ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 127

LOG ID: WELL TYPE
013969 Private Well

<u>DRILL DATE:</u> 1955/09/ <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,086FT

DRILL DEPTH: 165FT UTM X UTM Y

W8

28

<u>DEPTH TO BED:</u> 605,028.56 4,185,039.63

S.W.L. (BEFORE CASING): FT PENABLO

36N

REMARKS:

S.W.L. (AFTER CASING): 130



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019539

WELL TYPE

Noncommunity Public Well

1961/03/02 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 944FT

36N 8W 3 **DRILL DEPTH:** 179FT

UTM X **UTMY** DEPTH TO BED: 10FT 4,192,745.79

606,249.47 ZONE 15

S.W.L. (BEFORE CASING): FT LITTLE BEAVER RANGE, HWY 63 S OF ROLLA **REMARKS**:

S.W.L. (AFTER CASING): 120

LOG ID:

WELL TYPE

026829 Community Public Well

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 961FT

36N 8W 3 DRILL DEPTH: 460FT

UTM X UTMY

DEPTH TO BED: 15FT 605,716.47 4,192,404.78 ZONE 15

S.W.L. (BEFORE CASING): also in name of Ken Moore - HWY 63 S. REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 027100

WELL TYPE Private Well

DRILL DATE: 1969/09/24 **TOWNSHIP RANGE SECTION ELEVATION:** 935FT

36N 8W 3 **DRILL DEPTH:** 170FT

UTM X UTM Y **DEPTH TO BED:** 15FT 605,649.47 4,192,745.79

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: 5 MI S OF ROLLA IN COOL BROOK ESTATES

S.W.L. (AFTER CASING): 115

LOG ID: 025145

WELL TYPE Private Well

1967/08/ **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 818FT

DRILL DEPTH: 125FT UTM X UTM Y

W8

32

DEPTH TO BED: 602,218.58 4,184,225.60 15FT

ZONE 15 S.W.L. (BEFORE CASING):

36N

"FLOWING" - USE LOG WITH CAUTION **REMARKS**: S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

604,846.57

ELEVATION:

ELEVATION:

UTM X

609,288.57

1,082FT

UTMY

4,184,650.62

1,063FT

1,160FT

UTM Y

4,184,491.64

LOG ID: 016985

DRILL DEPTH:

WELL TYPE Private Well

1958/01/ DRILL DATE:

150FT

97

FT

FT

FT

FT

140

125

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

002484

LOG ID:

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH: 133FT

DEPTH TO BED: 19FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP 36N

TOWNSHIP

36N

REMARKS:

REMARKS:

REMARKS:

RANGE 8W

NEAR YANCY MILLS

RANGE

10 MIS OF ROLLA

8W

RANGE

8W

SECTION

SECTION

33

34

SECTION

36

UTM X

UTMY 605,265.56 4,184,876.63

ZONE 15

ZONE 15

65

LOG ID: 020872

WELL TYPE Private Well

DRILL DATE:

1962/02/

DRILL DEPTH: 200FT

DEPTH TO BED: 85FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 027851

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH: 295FT DEPTH TO BED: 55FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP 36N

TOWNSHIP

36N

RANGE 8W

SECTION

36

ELEVATION:

1,135FT

UTM X UTM Y 609.188.57 4,184,188.63

ZONE 15

ZONE 15

REMARKS: SCANNED, NO LITHOLOGIES



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015118

WELL TYPE Private Well

1956/05/ DRILL DATE:

TOWNSHIP 36N

SECTION

ELEVATION: 1,033FT

DRILL DEPTH:

175FT

8W 8

RANGE

UTM X

603,402.50

UTMY 4,189,879.72

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

REMARKS: 1.5 MI W OF VIDA STORE ZONE 15

S.W.L. (AFTER CASING):

LOG ID: 015862

WELL TYPE

Noncommunity Public Well

132

DRILL DATE:

1957/02/

TOWNSHIP

SECTION RANGE

9

ELEVATION: 1,036FT

DRILL DEPTH:

200FT

36N 8W

UTM X UTMY

DEPTH TO BED: 25FT

603,820.50 4,189,896.72

ZONE 15

S.W.L. (BEFORE CASING):

FT **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 002470

WELL TYPE

Noncommunity Public Well

130

DRILL DATE:

1931/08/15

TOWNSHIP RANGE

SECTION

ELEVATION: 1,026FT

DRILL DEPTH:

207FT

36N

9W 10

UTM X UTM Y

DEPTH TO BED:

90FT

596,958.50 4,190,430.70

ZONE 15

S.W.L. (BEFORE CASING):

125

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

027946

Private Well

DRILL DATE:

TOWNSHIP 36N

RANGE

SECTION 11

ELEVATION:

1,030FT

DRILL DEPTH: DEPTH TO BED: 321FT 35FT

221

9W

UTM X

UTM Y 4,189,836.69

597,139.51

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

REMARKS:

2/27/2007

4,253



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011037

WELL TYPE Private Well

1949/03/29 DRILL DATE:

TOWNSHIP 36N

RANGE SECTION **ELEVATION:**

820FT

DRILL DEPTH:

282FT

9W 17

UTMY

DEPTH TO BED:

5FT

UTM X

593,576.53 4,188,238.64

ZONE 15

S.W.L. (BEFORE CASING):

FLOWS 1 GPM **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 013197

WELL TYPE Private Well

DRILL DATE:

1954/11/

TOWNSHIP

SECTION RANGE

ELEVATION:

819FT

DRILL DEPTH:

95FT

36N

9W 17

UTM X

UTMY

DEPTH TO BED:

30FT

35

4,189,440.66

592,576.52

ZONE 15

FT **REMARKS:**

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

WELL TYPE

Private Well

1937/05/

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,060FT

DRILL DATE: DRILL DEPTH:

LOG ID:

004235

130FT

36N

9W 23

UTM X

UTM Y

DEPTH TO BED:

30FT

597,556.54 4,187,416.64

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

004439

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1937//

TOWNSHIP

RANGE

SECTION 23

ELEVATION:

945FT

DRILL DEPTH:

30FT

36N

9W

UTM X

UTM Y

4,187,911.66

DEPTH TO BED:

598,056.53

Piney Creek lease - PYRITE PROSPECT **REMARKS:**

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007028

WELL TYPE Private Well

1941/07/24 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,057FT

36N 9W 23 **DRILL DEPTH:** 178FT

UTM X **UTMY** DEPTH TO BED: 116FT 597,156.54 4,187,218.64

ZONE 15

S.W.L. (BEFORE CASING):

FT

OLD WELL DEEPENED 116-178' - AT VESSIE **REMARKS**:

S.W.L. (AFTER CASING): 150

LOG ID:

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 007272

DRILL DATE: **TOWNSHIP SECTION** 1941/10/29 **RANGE ELEVATION:** 974FT

9W 23 36N DRILL DEPTH: 100FT

UTM X UTMY DEPTH TO BED: 30FT 598,056.55 4,186,723.63

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE Noncommunity Public Well 016030

DRILL DATE: 1957/03/ **TOWNSHIP RANGE SECTION ELEVATION:** 1,057FT

> 36N 9W 23 150FT

REMARKS:

DRILL DEPTH: UTM X **UTMY DEPTH TO BED:** 597,356.54 4,187,614.65 5FT

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING): 115

LOG ID:

WELL TYPE

007269 Exploratory Hole (Mineral Prospect)

1941// **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 992FT

36N

DRILL DEPTH: 90FT UTM X UTM Y

DEPTH TO BED: 45FT 598.774.56 4,185,407.61

9W

25

ZONE 15

S.W.L. (BEFORE CASING): MINERAL PROSPECT **REMARKS:**

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007270

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1941//

TOWNSHIP 36N

RANGE SECTION **ELEVATION:**

896FT

DRILL DEPTH:

60FT

9W 25

> UTM X **UTMY**

DEPTH TO BED:

40FT

599,974.56 4,185,811.62

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

formerly in name of V. Gable - MINERAL PROSPECT

S.W.L. (AFTER CASING):

LOG ID: 007271

WELL TYPE Private Well

DRILL DATE:

1941/10/

TOWNSHIP

SECTION RANGE

ELEVATION:

863FT

DRILL DEPTH:

50FT

36N 9W 25

UTM X

UTMY

DEPTH TO BED:

20FT

30

598,774.57

4,185,005.60

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 007367

WELL TYPE

Exploratory Hole (Mineral Prospect)

FT

DRILL DATE:

1941/11/

TOWNSHIP RANGE

SECTION

ELEVATION:

916FT

DRILL DEPTH:

75FT

36N 9W 26

UTM X

598,564.55

UTMY 4,186,414.63

DEPTH TO BED:

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 015235

WELL TYPE Private Well

1956/08/

TOWNSHIP 36N

RANGE

SECTION

ELEVATION:

1,064FT

DRILL DATE: DRILL DEPTH:

265FT

9W 27

> UTM X 596.161.56

UTM Y 4,185,812.61

ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

200

REMARKS:

2/27/2007

4,256



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015237

WELL TYPE Private Well

1956/08/ DRILL DATE:

90FT

TOWNSHIP 36N

RANGE SECTION

29

3

ELEVATION:

868FT

DRILL DEPTH:

9W

UTM X

UTMY

DEPTH TO BED:

35FT

12

593,366.56

4,186,023.60

ZONE 15

S.W.L. (BEFORE CASING):

FT

ABT 5 MI UP MILL CRK - "OLD YELLOW PLACE" **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 019809

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP 36N

REMARKS: FLAT

RANGE SECTION **ELEVATION:** 1,005FT

DRILL DEPTH:

300FT

9W

UTM X

UTMY

DEPTH TO BED: 80FT 596,942.48

4,192,218.73

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 024973

WELL TYPE Private Well

DRILL DATE:

1967/05/

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,006FT

DRILL DEPTH:

180FT

36N

9W 3

UTM X

UTMY

DEPTH TO BED:

50FT

596,942.49 4,191,442.72

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

025809

Private Well

DRILL DATE:

1968/11/

TOWNSHIP 36N

RANGE

SECTION

ELEVATION:

1,016FT

DRILL DEPTH:

DEPTH TO BED:

195FT

120FT

9W

3

UTM X UTM Y 596.942.48 4,192,024.73

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002907

WELL TYPE Private Well

1934/08/15 DRILL DATE:

TOWNSHIP RANGE 36N

SECTION 34

ELEVATION:

1,083FT

DRILL DEPTH:

64FT

9W

UTM X 596,282.58

UTMY 4,184,108.58

DEPTH TO BED: 20FT

> 8 MI S OF NEWBURG ON MILL CRK RD **REMARKS**:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 003612

WELL TYPE Private Well

DRILL DATE:

1936/05/

TOWNSHIP

SECTION RANGE

4

ELEVATION:

DRILL DEPTH:

196FT

36N 9W

UTM X

DEPTH TO BED: 20FT

UTMY 594,748.48 4,192,039.72

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: FLOWS

S.W.L. (AFTER CASING):

LOG ID: 021565

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1963/02/

TOWNSHIP

RANGE SECTION 4

ELEVATION:

751FT

DRILL DEPTH:

140FT

36N 9W

UTM X 594,110.48

UTMY 4,192,281.72

DEPTH TO BED:

FLOWS 30" ABOVE GROUND

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

006983

Noncommunity Public Well

DRILL DATE:

1941/04/

TOWNSHIP

SECTION RANGE

ELEVATION:

1,011FT

DRILL DEPTH:

36N

9W 5

UTM X

ZONE 15

DEPTH TO BED:

172FT 50FT

130

592.761.48

UTM Y 4,192,256.71

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017644

DRILL DEPTH:

WELL TYPE Private Well

<u>DRILL DATE:</u> 1958// <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u>

300FT 36N 10W 10

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 30FT 586,644.50 4,191,078.66

ZONE 15

1,052FT

S.W.L. (BEFORE CASING): FT REMARKS: YIELD - 14 GPM @ 285'; 1ST HOUSE ON HWY J S OF HWY 66

S.W.L. (AFTER CASING): 235

LOG ID: 017646

WELL TYPE Private Well

<u>DRILL DATE:</u> 1958/11/ <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,070FT

DRILL DEPTH: 328FT 36N 10W 11

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 50FT 587,624.51 4,189,884.64

.W.L. (BEFORE CASING): FT

S.W.L. (BEFORE CASING): FT REMARKS: YIELD - 11 GPM @ 268'

S.W.L. (AFTER CASING): 248

LOG ID: 018893

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 1,043FT

DRILL DEPTH: 310FT 36N 10W 11

UTM X UTM Y

<u>DEPTH TO BED:</u> 30FT 589,024.50 4,190,684.66 ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 125

LOG ID: 003551

WELL TYPE Private Well

DRILL DATE: 1936/03/25 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,085FT

DRILL DEPTH: 327FT UTM X UTM Y

<u>DEPTH TO BED:</u> 25FT 586,881.54 4,187,881.61

10W

22

ZONE 15

S.W.L. (BEFORE CASING): FT PENARKO: AT ARUNOTON

36N

S.W.L. (AFTER CASING): 276

REMARKS: AT ARLINGTON



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013855

WELL TYPE Private Well

1955/09/ DRILL DATE:

TOWNSHIP 36N

SECTION 3

ELEVATION:

987FT

DRILL DEPTH:

320FT

RANGE 10W

UTM X

UTMY 4,192,104.68

879FT

DEPTH TO BED:

35FT

586,234.48

ELEVATION:

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 210

121FT

LOG ID:

WELL TYPE

002835

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP

DRILL DEPTH:

SECTION RANGE 37N 6W

DEPTH TO BED:

1

UTM X UTMY 628,168.24 4,202,077.08

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 PETER GRAY OPTION

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

002836

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP RANGE SECTION **ELEVATION:**

856FT

DRILL DEPTH:

15FT

37N 6W

> UTM X **UTMY**

DEPTH TO BED:

628,468.24 4,202,174.09

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: PETE GRAY OPTION #2

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

007152

Noncommunity Public Well

DRILL DATE:

1941/07/

SECTION TOWNSHIP RANGE 37N 6W

ELEVATION: 830FT

DRILL DEPTH:

245FT

UTM X

UTM Y

DEPTH TO BED:

30FT

120

628.568.24

4,201,885.08

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

formerly Episcopal Diocese well located @ Meramec Springs - see also

log #18331



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018331

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Noncommunity Public Well

1959/07/ DRILL DATE:

245FT

145FT

65

TOWNSHIP 37N

RANGE 6W

SECTION 1

ELEVATION:

830FT

UTM X 628,497.24

UTMY 4,201,966.08

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

OLD WELL (SEE LOG #7152) DEEPENED 145-245'

LOG ID:

024359

WELL TYPE Private Well

DRILL DATE:

1966/08/15

80FT

TOWNSHIP

RANGE

SECTION 10

ELEVATION:

1,027FT

DRILL DEPTH: 245FT 37N 6W

UTM X

UTMY

625,991.28

4,200,095.03

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

DEPTH TO BED:

WELL TYPE Private Well

025737

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1967//

30FT

200FT

40

169

37N

TOWNSHIP

37N

RANGE 6W

SECTION 10

ELEVATION:

843FT

UTM X

UTM Y 4,199,585.02

624,891.30 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT **REMARKS:**

HWY 68 - 5 MI S OF ST. JAMES

LOG ID:

024346

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1966/08/09

88FT

15FT

TOWNSHIP

RANGE SECTION 6W

ELEVATION:

880FT

UTM X

UTM Y 4,200,304.04

627.376.27

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

WELL DEEPENED 50-88' (#25010) IN 1967; MO CONSERVATION

11

COMM #1

S.W.L. (AFTER CASING): 38



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025010

WELL TYPE Private Well

1966/08/09 DRILL DATE:

TOWNSHIP 37N

RANGE SECTION 11

ELEVATION:

880FT

DRILL DEPTH:

88FT

6W

UTM X

UTMY

DEPTH TO BED:

15FT

627,376.27

4,200,304.04

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: SEE LOG #24346

S.W.L. (AFTER CASING):

38

LOG ID: 010675

WELL TYPE Private Well

DRILL DATE:

1947/05/09

TOWNSHIP 37N

SECTION RANGE

ELEVATION:

943FT

DRILL DEPTH:

167FT

6W 16

UTM X

UTMY

DEPTH TO BED:

40FT

120

623,579.33

4,198,082.98

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

ON DRY FORK NEAR WOLFE SCHOOL

LOG ID:

WELL TYPE

Outcrop Description

DRILL DATE:

012772

1954/07/

TOWNSHIP

37N

RANGE SECTION **ELEVATION:**

974FT

DRILL DEPTH:

156FT

6W 16

UTM X

UTMY

DEPTH TO BED:

623,279.31 4,199,181.00 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 017124

WELL TYPE

Private Well

DRILL DATE:

1958/02/

TOWNSHIP 37N

RANGE

SECTION

ELEVATION:

1,048FT

DRILL DEPTH:

DEPTH TO BED:

310FT

65FT

245

6W 19

UTM X

UTM Y

620.978.36

4,196,577.94

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

7 MI FROM HWY 72 ON HWY F

2/27/2007

4,262



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017449

WELL TYPE Private Well

1958/02/22 DRILL DATE:

37N

RANGE SECTION 6W

ELEVATION:

1,024FT

DRILL DEPTH:

460FT

2

UTM X

UTMY

DEPTH TO BED:

65FT

627,372.25

4,202,098.08

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: YIELD - 18 GPM @ 290'

TOWNSHIP

S.W.L. (AFTER CASING):

LOG ID: 022320

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP

SECTION RANGE

ELEVATION: 1,051FT

DRILL DEPTH:

330FT

267

6W 20 37N

UTM X

UTMY

DEPTH TO BED: 70FT 621,567.36

4,196,502.94

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 022939

WELL TYPE

Private Well

DRILL DATE:

1964//

TOWNSHIP 6W

RANGE SECTION **ELEVATION:** 1,049FT

DRILL DEPTH:

315FT

37N

20

UTM X **UTMY**

ZONE 15

DEPTH TO BED:

100FT

621,567.36

4,196,698.94

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

027602

Private Well

DRILL DATE:

1970/11/13

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,075FT

DRILL DEPTH:

DEPTH TO BED:

380FT 85FT

37N

6W 23

UTM X UTM Y

626,567.33 4,196,896.97

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

SCANNED

4,263 2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025004

WELL TYPE Private Well

1967/01/ DRILL DATE:

TOWNSHIP 37N

RANGE SECTION **ELEVATION:** 1,025FT

DRILL DEPTH:

DEPTH TO BED:

300FT 60FT 25

UTM X **UTMY**

628,981.33

4,196,116.97

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

240

LOG ID: 023866

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP 37N

SECTION RANGE

6W

ELEVATION:

1,067FT

DRILL DEPTH:

205FT

6W 27

UTM X

UTMY

DEPTH TO BED:

65FT

625,180.36

4,194,902.92

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: SMALLWOOD FARM

S.W.L. (AFTER CASING):

LOG ID: 024343

WELL TYPE Private Well

DRILL DATE:

1966/08/09

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,020FT

DRILL DEPTH:

115FT

37N 6W

UTM X

UTMY

DEPTH TO BED:

80FT

625,666.26 4,201,517.06

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

026363

Private Well

DRILL DATE:

1968/01/

TOWNSHIP

37N

NO DATA

RANGE 6W

SECTION 3

3

ELEVATION:

979FT

DRILL DEPTH:

DEPTH TO BED:

305FT 95FT

UTM X

UTM Y

625.566.26

4,201,719.06

ZONE 15

REMARKS:

REMARKS:

formerly in name of Richard Shuey - SE OF ST. JAMES ON HWY 8

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027270

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

342FT

140FT

TOWNSHIP RANGE SECTION 37N 6W

3

ELEVATION:

1,012FT

UTM X 625,766.27

UTMY 4,201,317.06

ZONE 15

S.W.L. (BEFORE CASING):

SCANNED REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 023294

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

315FT

TOWNSHIP 37N

RANGE

SECTION

ELEVATION: 1,050FT

6W 30

UTM X UTMY

ZONE 15

620,281.37

DEPTH TO BED:

75FT

REMARKS: 9 MI OUT HWY F

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

004176

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1937/04/10

TOWNSHIP

RANGE

SECTION 31

ELEVATION:

1,008FT

DRILL DEPTH:

69FT

37N

6W

UTM X

UTMY

4,196,027.92

DEPTH TO BED:

30FT

620,574.39

4,194,360.89

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

formerly in name of Reed Mine - PYRITE PROSPECT

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

004184

Exploratory Hole (Mineral Prospect)

37

DRILL DATE:

1937/04/

TOWNSHIP

RANGE

SECTION

ELEVATION:

994FT

DRILL DEPTH:

DEPTH TO BED:

65FT

37N 6W 31

UTM X UTM Y

620.374.39

4,194,360.89

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

formerly in name of Reed Mine - PYRITE PROSPECT - LOWER HOLE

S.W.L. (AFTER CASING):

20



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004187

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1937/04/17 **TOWNSHIP RANGE SECTION** 37N 6W 31

ELEVATION: 1,001FT

DRILL DEPTH: 61FT

UTM X

UTMY 4,193,812.88

DEPTH TO BED: 5FT 620,774.40

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: formerly in name of Reed Mine - HOLE AT CREST OF RIDGE

S.W.L. (AFTER CASING):

LOG ID: 015439

WELL TYPE

Private Well

DRILL DATE:

1956/10/

TOWNSHIP

SECTION RANGE

ELEVATION:

981FT

DRILL DEPTH:

235FT

37N 6W 32

UTM X

UTMY

DEPTH TO BED:

25FT

170

622,912.40

4,193,201.88

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 026809

WELL TYPE

Private Well

DRILL DATE:

1969/04/09

TOWNSHIP

RANGE

SECTION

ELEVATION: 1,039FT

DRILL DEPTH:

305FT

37N 6W 33

UTM X

623,208.39

DEPTH TO BED:

65FT

UTMY 4,193,897.89

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: ON HWY 68, 8 MI S OF ST. JAMES

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

017893

Private Well

DRILL DATE:

1958/12/31

TOWNSHIP

RANGE

SECTION 34

ELEVATION:

1,013FT

DRILL DEPTH:

280FT

40FT

37N

6W

UTM X

UTM Y 4,193,502.90

625.606.38 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

192



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019940

DRILL DEPTH:

WELL TYPE Private Well

290FT

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,022FT

37N 6W 35

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 100FT 627,601.36 4,194,512.93

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 10 MI S OF ST. JAMES ON HWY 68

S.W.L. (AFTER CASING):

LOG ID: 023761

WELL TYPE Private Well

DRILL DATE: 1965/10/02 TOWNSHIP RANGE SECTION ELEVATION: 1,093FT

DRILL DEPTH: 300FT 37N 6W 35

REMARKS:

REMARKS:

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 70FT 626,401.37 4,194,112.91

ON E SIDE HWY 68 AT JCT W/ DECAMP RD

10TH ST RD - 1ST HOUSE W OF MT. ZION CHURCH

7

S.W.L. (BEFORE CASING): FT PEMARKO ON FIGURE HARVING AT LOT MY RECAMB DR

S.W.L. (AFTER CASING): 168

LOG ID: 016287

WELL TYPE Private Well

<u>DRILL DATE:</u> 1957/05/ <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,030FT

DRILL DEPTH: 121FT 37N 6W 7

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 40FT 620,597.30 4,200,720.02

S.W.L. (BEFORE CASING): FT PEMARKS 15TH OF RE 10TH OF R

S.W.L. (AFTER CASING): 30

LOG ID: 027223

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,010FT

DRILL DEPTH: 157FT UTM X UTM Y

<u>DEPTH TO BED:</u> 30FT 621,197.32 4,199,684.00

6W

ZONE 15

37N

S.W.L. (BEFORE CASING): FT REMARKS: 5 MI S OF ST. JAMES ON HWY BB

S.W.L. (AFTER CASING): 90



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028710

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

210FT

70FT

37N 6W

TOWNSHIP

UTM X **UTMY**

620,797.31 4,200,202.01

ELEVATION:

ZONE 15

S.W.L. (BEFORE CASING): NO PRODUCTION OR CONSTRUCTION DATA **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 015253

WELL TYPE Private Well

DRILL DATE:

1956/08/

TOWNSHIP

SECTION RANGE

ELEVATION: 1,012FT

DRILL DEPTH: 230FT

6W 37N 8

RANGE

SECTION

UTM X UTMY

621,778.30

DEPTH TO BED: 40FT

ZONE 15

4,200,695.03

974FT

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 004428

WELL TYPE

Exploratory Hole (Mineral Prospect)

150

DRILL DATE: 1937//

TOWNSHIP RANGE **ELEVATION:** 1,047FT

DRILL DEPTH:

34FT

37N **7W**

UTM X **UTMY**

DEPTH TO BED:

619,504.30 4,201,862.04

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

004430

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1937//

TOWNSHIP

37N

SECTION RANGE

PYRITE PROSPECT - GERMAN CLOTHER BANK

SECTION

ELEVATION: 1,047FT

DRILL DEPTH:

22FT

7W

UTM X UTM Y

DEPTH TO BED:

619.504.30 4,201,862.04

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002549

WELL TYPE Private Well

1932/05/ DRILL DATE:

TOWNSHIP

RANGE SECTION 7W

ELEVATION:

968FT

DRILL DEPTH: DEPTH TO BED: 124FT 25FT

10

UTM X

615,472.33

UTMY 4,200,926.00

ZONE 15

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

80

REMARKS:

LOG ID: 002232

WELL TYPE Private Well

DRILL DATE:

1928/12/14

TOWNSHIP

37N

SECTION RANGE

ELEVATION: 1,028FT

DRILL DEPTH:

137FT 20FT

37N 12 7W

UTM X **UTMY**

619,403.31

4,200,588.01

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

87

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 022803

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION 37N

ELEVATION:

995FT

DRILL DEPTH:

215FT

7W 12

UTM X

UTMY

DEPTH TO BED:

40FT

620,097.31 4,200,460.01

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028272

Private Well

DRILL DATE:

1979/08/03

TOWNSHIP

37N

RANGE SECTION **ELEVATION:**

1,010FT

DRILL DEPTH:

DEPTH TO BED:

295FT

55FT

7W

UTM X

UTM Y

REMARKS:

619,503.31

ZONE 15

4,200,894.02

S.W.L. (BEFORE CASING):

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

12

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008503

WELL TYPE Private Well

1943/08/ DRILL DATE:

RANGE TOWNSHIP 37N 7W

ELEVATION:

1,007FT

4,198,299.95

DRILL DEPTH: DEPTH TO BED: 107FT 35FT

SECTION 15

UTM X **UTMY**

616,259.36

ZONE 15

S.W.L. (BEFORE CASING):

FT

81

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 008521

WELL TYPE Private Well

DRILL DATE:

1944/04/13

TOWNSHIP

SECTION RANGE

ELEVATION: 1,039FT

DRILL DEPTH:

136FT

37N 15 7W

UTM X

615,359.36

UTMY 4,198,603.95

DEPTH TO BED: 30FT

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 015115

WELL TYPE Private Well

DRILL DATE:

1956/06/

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,050FT

DRILL DEPTH:

235FT

37N **7W** 15

> UTM X **UTMY**

DEPTH TO BED:

30FT

616,559.36 4,198,603.96

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: 1 MI E OF BELVIEW CHURCH

155

LOG ID: 025849

WELL TYPE Private Well

DRILL DATE:

1968/07/29

TOWNSHIP

RANGE SECTION **ELEVATION:**

999FT

220FT

37N

7W 15

UTM X

UTM Y

DRILL DEPTH: DEPTH TO BED:

148FT

616.259.36 4,198,299.95

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

POSSIBLY OLD WELL DEEPENED, NO SAMPLES ABOVE 148'



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007351

DRILL DEPTH:

WELL TYPE Private Well

1941/10/ DRILL DATE:

171FT

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP RANGE SECTION 37N

ROLLA ORCHARD

7W 16 **ELEVATION:**

1,047FT

UTM X 614,743.36

UTMY 4,199,028.96

ZONE 15

ZONE 15

ZONE 15

LOG ID: 008216

WELL TYPE Private Well

DRILL DATE:

1942//

TOWNSHIP

REMARKS:

RANGE

SECTION

SECTION

18

ELEVATION:

966FT

DRILL DEPTH:

65FT

47

FT

FT

37N 17 7W

RANGE

7W

UTM X 612,133.39

ELEVATION:

UTM X

610,715.38

UTMY 4,198,025.93

984FT

UTMY

4,198,876.94

DEPTH TO BED: 5FT

REMARKS:

TOWNSHIP

TOWNSHIP

37N

37N

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 002695

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1933/02/

166FT

5FT

52

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 007026

WELL TYPE Private Well

DRILL DATE:

1941/06/

DRILL DEPTH: 218FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

52FT

REMARKS:

RANGE 7W

SECTION 18

ELEVATION:

1,077FT

UTM X 610.920.39

UTM Y 4,198,014.92

ZONE 15

S.W.L. (AFTER CASING): 150

FT

REMARKS:

OLD WELL DEEPENED 52-218'; 0.5 MI NW OF GREEN ACRES

2/27/2007

4,271



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008217

WELL TYPE Private Well

1942// DRILL DATE:

TOWNSHIP 37N

RANGE SECTION **ELEVATION:**

1,004FT

DRILL DEPTH:

80FT

7W 18

UTM X **UTMY**

ZONE 15

ZONE 15

DEPTH TO BED: 5FT 610,715.38

4,199,132.94

S.W.L. (BEFORE CASING):

FT

FT

FT

REMARKS: ON HWY 72 0.25 MI W OF F. WHITES

S.W.L. (AFTER CASING): 50

LOG ID: 013307

WELL TYPE Private Well

DRILL DATE:

1955/01/

TOWNSHIP

SECTION RANGE

ELEVATION:

985FT

DRILL DEPTH:

140FT

37N 18 7W

> **UTM X** 611,520.39

UTM Y 4,198,014.92

DEPTH TO BED:

15FT

REMARKS:

1ST HOUSE W OF DRY FORK CRK ON HWY 72 SE OF ROLLA

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

75

LOG ID: 016029

WELL TYPE Private Well

DRILL DATE:

1957/03/

TOWNSHIP

RANGE SECTION **ELEVATION:**

986FT

DRILL DEPTH:

125FT

37N **7W** 18

UTM X

ZONE 15

610,915.39

UTM Y 4,198,622.93

DEPTH TO BED:

23

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

018405

Private Well

DRILL DATE:

130FT

TOWNSHIP 37N

RANGE SECTION

18

7W

ELEVATION:

UTM X

1,025FT

DRILL DEPTH: DEPTH TO BED:

UTM Y

611.115.39

4,198,112.92

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 1250' N & 3000' W OF SE CORNER OF SEC. 18

S.W.L. (AFTER CASING): 70



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019003

WELL TYPE Private Well

1960/05/ DRILL DATE:

TOWNSHIP

RANGE SECTION 18

ELEVATION:

1,079FT

DRILL DEPTH:

37N 7W

> UTM X 610,815.39

UTMY 4,197,984.92

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

ZONE 15

S.W.L. (AFTER CASING):

150

REMARKS:

LOG ID: 019005

WELL TYPE

Noncommunity Public Well

235FT

DRILL DATE:

1960/04/

TOWNSHIP

SECTION RANGE

18

ELEVATION:

965FT

DRILL DEPTH:

260FT

37N 7W

UTM X

UTMY 4,199,386.95

DEPTH TO BED:

20FT

611,315.37

ZONE 15

S.W.L. (BEFORE CASING):

39

FT

REMARKS: ON LOVES CREEK

S.W.L. (AFTER CASING):

55 FT

LOG ID: 019569

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION 37N

ELEVATION: 1,064FT

DRILL DEPTH:

231FT 15FT

7W 18

> UTM X **UTMY**

DEPTH TO BED:

611,215.39 4,197,984.92

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 147

LOG ID: 021512

WELL TYPE Private Well

DRILL DATE:

1962/10/05

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,025FT

DRILL DEPTH:

184FT

130

37N

7W 18

UTM X

DEPTH TO BED: 15FT

UTM Y 610,309.38 4,199,458.94

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

2/27/2007

4,273



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022099

WELL TYPE

Noncommunity Public Well

1963/07/18 DRILL DATE:

> 37N 225FT

RANGE 7W 18 **ELEVATION:**

1,035FT

DRILL DEPTH: DEPTH TO BED:

UTM X 610,515.38

UTMY 4,199,386.94

UTMY

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: S EDGE OF ROLLA ON HWY 72

S.W.L. (AFTER CASING):

145

LOG ID: 025969

WELL TYPE Private Well

DRILL DATE:

1968/07/

TOWNSHIP 37N

TOWNSHIP

SECTION RANGE 7W

ELEVATION: 1,076FT

ZONE 15

DRILL DEPTH: 280FT DEPTH TO BED: 15FT

610,915.39 4,198,112.92

UTM X

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: LIBNE BARNITZ FOREST SUBDIVISION - 1 MI S OF ROLLA OF HWY

18

SECTION

72

LOG ID: 026046

WELL TYPE

Private Well

DRILL DATE:

1969/02/20

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,018FT

610,815.39

DRILL DEPTH:

260FT

170

37N **7W** 18

> UTM X **UTMY**

DEPTH TO BED:

15FT

150

ZONE 15 **REMARKS:** 1 MI S OF ROLLA - LINE BARNITZ FOREST SUBDIVISION

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 026051

WELL TYPE Private Well

DRILL DATE:

1969/02/20

TOWNSHIP

37N

RANGE SECTION **ELEVATION:**

1,025FT

4,197,984.92

DRILL DEPTH:

DEPTH TO BED:

245FT 5FT **7W** 18

UTM X UTM Y

611.015.38

4,198,749.93

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

LINE BARNITZ FOREST SUBIDVISION, 1 MI S OF ROLLA **REMARKS:**

S.W.L. (AFTER CASING):

155



RANGE

RANGE

RANGE

RANGE

7W

7W

7W

7W

SECTION

18

TOWNSHIP

37N

TOWNSHIP

TOWNSHIP

TOWNSHIP

37N

37N

37N

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026432

DRILL DEPTH:

WELL TYPE

Community Public Well

DRILL DATE: 1969/11/

670FT

DEPTH TO BED:

5FT

S.W.L. (BEFORE CASING): 132

S.W.L. (AFTER CASING): FT

LOG ID: 002696

WELL TYPE Private Well

DRILL DATE:

1933/01/

DRILL DEPTH:

100FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

SECTION

19

SECTION

19

SECTION

19

LOG ID: 004186

WELL TYPE

Private Well

DRILL DATE:

1937/03/22

5FT

40

FT

DRILL DEPTH: 175FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 007062

WELL TYPE Private Well

DRILL DATE:

1941/08/

DRILL DEPTH: 105FT

DEPTH TO BED:

35FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

2/27/2007 4,275

ELEVATION:

1,030FT

UTMY

UTM X 611,309.39

ELEVATION:

UTM X

610,820.40

ELEVATION:

UTM X

611,720.41

ELEVATION:

UTM X

610.820.41

4,198,404.93

1,080FT

UTMY

4,197,381.91

990FT

UTMY

4,196,748.90

1,113FT

UTM Y

4,196,622.89

ZONE 15

ZONE 15

ZONE 15

ZONE 15

formerly in name of Huffman Trailer Court - located at Love Creek



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008504

WELL TYPE Private Well

1944/01/ DRILL DATE:

TOWNSHIP RANGE SECTION 37N 7W 19

ELEVATION: 1,039FT

DRILL DEPTH: 165FT

UTM X

611,115.39 4,197,856.92

UTMY

4,196,496.89

ZONE 15

DEPTH TO BED: 5FT S.W.L. (BEFORE CASING):

FT

125

REMARKS: CONTACT IN SAMPLE SKIP 60-95'

S.W.L. (AFTER CASING):

LOG ID: 011695

WELL TYPE Private Well

DRILL DATE:

1950/10/

TOWNSHIP 37N

SECTION RANGE

ELEVATION: 1,065FT

DRILL DEPTH: 252FT

19 7W

UTM X **UTMY**

611,720.41 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

REMARKS: ON HWY 72 JUST SE OF GREEN ACRE FARM

S.W.L. (AFTER CASING): 122

LOG ID: 016298

WELL TYPE Private Well

DRILL DATE: 1957/06/

TOWNSHIP RANGE SECTION 37N **7W** 19

ELEVATION: 1,044FT

DRILL DEPTH: 196FT

UTM X **UTMY** 610,315.40 4,197,856.91

DEPTH TO BED: 5FT

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** HWY O S OF ROLLA

85 S.W.L. (AFTER CASING):

LOG ID: 020992

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1960//

230FT

15FT

RANGE TOWNSHIP 37N

SECTION 19

ELEVATION: 1,063FT

REMARKS:

7W

611.115.39

UTM X

UTM Y 4,197,856.92

ZONE 15

S.W.L. (BEFORE CASING):

FT

1.5 MI SE OF ROLLA ON HWY 72; SHORT SECTION

S.W.L. (AFTER CASING): 140



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025477

WELL TYPE Private Well

DRILL DATE: 1968/03/04

TOWNSHIP RANGE 37N 7W SECTION

ELEVATION:

1,065FT

DRILL DEPTH:

245FT

7W 19

<u>UTM X</u>

<u>UTM Y</u>

DEPTH TO BED:

15FT

610,320.41

4,197,002.90

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: HWY O S OF ROLLA

S.W.L. (AFTER CASING):

<u>ASING):</u> 150

.....

LOG ID: 025756

WELL TYPE Private Well

DRILL DATE:

1967/06/

TOWNSHIP

<u>RANGE</u>

SECTION ELEVA

ELEVATION: 1,060FT

DRILL DEPTH:

200FT

150

37N 7W

UTM X

DEPTH TO BED: 55FT

610,715.40

<u>UTM Y</u> 4,197,856.91

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: SCANNED - NO SAMPLES RUN

S.W.L. (AFTER CASING):

<u>.</u>

WELL TYPE

LOG ID: 025808

Private Well

DRILL DATE:

1968/08/14

TOWNSHIP RANGE

SECTION

19

ELEVATION: 1,070FT

DRILL DEPTH:

195FT

37N 7W 19

LONGVIEW SUBDIVISION

UTM X UTM Y

DEPTH TO BED:

25FT

611,115.39 4,197,856.92

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 026052

WELL TYPE

Private Well

DRILL DATE:

1969/02/20

TOWNSHIP 37N RANGE

SECTION

ELEVATION:

1,050FT

DRILL DEPTH:

DEPTH TO BED:

230FT 15FT 7W 19

UTM X UTM Y

610,915.40 4,197,856.92

ZONE 15

ZOINL 13

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

NO SAMPLES RUN, SCANNED; IN LINE BARNITZ SUBDIVISION

S.W.L. (AFTER CASING):

125



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026104

WELL TYPE Private Well

RANGE DRILL DATE: **TOWNSHIP SECTION**

> 37N 7W 19

ELEVATION: 1,030FT

DRILL DEPTH: 260FT UTM X **UTMY** DEPTH TO BED: 85FT 610,320.40 4,197,760.91

ZONE 15

S.W.L. (BEFORE CASING): NO PRODUCTION OR CONSTRUCTION DATA - SCANNED, NO **REMARKS**:

SAMPLES RUN

LOG ID: 028891

S.W.L. (AFTER CASING):

WELL TYPE

Community Public Well

DRILL DATE: 2003/01/ **TOWNSHIP RANGE SECTION ELEVATION:** 990FT

37N 19 7W DRILL DEPTH: 1,155FT

UTM X UTMY DEPTH TO BED: 15FT 611,220.39 4,197,887.92

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING): 69

LOG ID:

WELL TYPE

Private Well 006358

DRILL DATE: 1940/09/ **TOWNSHIP RANGE SECTION ELEVATION:** 1,028FT

37N **7W** 20 **DRILL DEPTH:** 137FT

UTM X UTM Y

DEPTH TO BED: 20FT 612,519.39 4,197,424.91 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

275FT

79 S.W.L. (AFTER CASING):

LOG ID: 022893

DRILL DEPTH:

WELL TYPE Private Well

1964/05/30 **DRILL DATE:**

TOWNSHIP RANGE SECTION ELEVATION: 1,084FT 37N 7W 20

UTM X UTM Y

DEPTH TO BED: 20FT 612.719.40 4,196,814.90

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 130



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006303

WELL TYPE Private Well

1940/08/ DRILL DATE:

TOWNSHIP

RANGE SECTION 37N 7W 21

ELEVATION:

DRILL DEPTH: DEPTH TO BED: 100FT 15FT

UTM X

615,135.39

ZONE 15

UTMY

4,196,597.91

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

50

WELL TYPE

DRILL DATE:

DEPTH TO BED:

LOG ID:

014813

Private Well

1956/04/14

245FT

35FT

150

TOWNSHIP RANGE SECTION **ELEVATION:** 1,103FT

DRILL DEPTH:

37N 21 7W

UTM X **UTMY**

613,935.40 4,196,597.91

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 017601

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1958/10/24 **TOWNSHIP RANGE SECTION** 37N 7W 21

ELEVATION: 1,048FT

DRILL DEPTH: 168FT

UTM X UTM Y 614,535.39 4,196,597.91

ZONE 15

S.W.L. (BEFORE CASING):

20FT

150

87

15FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 017895

DEPTH TO BED:

WELL TYPE Private Well

1958/11/ **DRILL DATE:**

RANGE SECTION TOWNSHIP 37N

7W

21

ELEVATION: 1,089FT

DRILL DEPTH: 250FT

UTM X UTM Y

613.935.40 4,196,597.91

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING):

REMARKS: ON HWY F, 1 MI E OF HWY 72

4,279 2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018316

DRILL DEPTH:

WELL TYPE Private Well

RANGE DRILL DATE: **TOWNSHIP SECTION ELEVATION:** 1,092FT

> 37N 7W 21

UTM X **UTMY** DEPTH TO BED: 25FT

613,735.40 4,196,597.90

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

255FT

S.W.L. (AFTER CASING): 55

LOG ID: 018320

WELL TYPE Private Well

DRILL DATE: 1959/03/ **TOWNSHIP SECTION RANGE ELEVATION:** 1,090FT

37N 21 7W DRILL DEPTH: 250FT

UTM X **UTMY** DEPTH TO BED: 613,735.40 15FT 4,196,597.90

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING): 150

LOG ID: 022913

WELL TYPE Private Well

DRILL DATE: 1964/05/14 **TOWNSHIP RANGE SECTION ELEVATION:** 1,061FT

> 37N 7W 21 212FT

DRILL DEPTH: UTM X UTM Y **DEPTH TO BED:** 30FT 614,335.39 4,196,597.91

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 130

LOG ID: 024769

WELL TYPE Private Well

1966/06/ **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,028FT

DRILL DEPTH: 160FT UTM X UTM Y

7W

21

DEPTH TO BED: 20FT 614,535.40 4,196,393.90

ZONE 15

37N

S.W.L. (BEFORE CASING): ON HWY F 4 MI E OF HWY 72 **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026771

WELL TYPE Private Well

1969/04/23 DRILL DATE:

TOWNSHIP 37N

RANGE SECTION 7W

ELEVATION:

1,025FT

DRILL DEPTH:

DEPTH TO BED:

155FT 15FT 21

UTM X

UTMY 4,196,393.90

614,735.39 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: ON HWY F, 3 MI E OF HWY 72

S.W.L. (AFTER CASING):

90

FT

LOG ID: 026975

WELL TYPE Private Well

DRILL DATE:

1969/08/

TOWNSHIP

SECTION RANGE

ELEVATION: 1,058FT

DRILL DEPTH:

215FT

110

37N 21 7W

UTM X

UTMY

DEPTH TO BED: 10FT

4,196,597.91

614,335.39

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: 3 MI E OF HWY 72 ON HWY F; SCANNED, NO CARBONATE

LOGGED

LOG ID:

WELL TYPE

027834

Private Well

1971/04/01

TOWNSHIP RANGE 37N

SECTION 21

ELEVATION:

991FT

DRILL DATE: DRILL DEPTH:

185FT

7W

2 MI E OF HWY 72 ON HWY F

UTM X 615,135.39

ZONE 15

UTM Y 4,196,393.91

DEPTH TO BED:

15FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 015234

WELL TYPE

Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

140FT

70FT

62

TOWNSHIP 37N

RANGE 7W

SECTION

ELEVATION:

942FT

22

UTM X

UTM Y

616.144.39 4,196,382.91

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

2/27/2007

4,281



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026911

WELL TYPE Private Well

DRILL DATE: 1969/05/07 TOWNSHIP RANGE SECTION ELEVATION: 1,006FT

DRILL DEPTH: 275FT 37N 7W 22

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 55FT 616,544.39 4,196,382.91

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: ON HWY F, 4 MI E OF HWY 72, NEAR DRY FORK CK.

S.W.L. (AFTER CASING): 170

LOG ID: 013717

WELL TYPE Private Well

DRILL DATE: 1955/05/ TOWNSHIP RANGE SECTION ELEVATION: 1,061FT

DRILL DEPTH: 310FT 37N 7W 23

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 55FT 617,966.38 4,196,369.92

.W.L. (BEFORE CASING): FT

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 260

LOG ID: 013729

WELL TYPE
Private Well

<u>DRILL DATE:</u> 1955/05/ <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,042FT

DRILL DEPTH: 300FT 37N 7W 23

UTM X UTM Y

<u>DEPTH TO BED:</u> 50FT 617,566.38 4,196,369.92 ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: YIELD - 18 GPM @ 275'

S.W.L. (AFTER CASING): 225

LOG ID: 015567

WELL TYPE Private Well

DRILL DATE: 1956/10/ <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 1,034FT

DRILL DEPTH: 253FT UTM X UTM Y

<u>DEPTH TO BED:</u> 40FT 616,966.37 4,197,189.93

7W

23

ZONE 15

37N

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 193



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003016

DRILL DEPTH:

WELL TYPE Private Well

1923/08/07 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,073FT

> 37N 7W 24 336FT

UTM X **UTMY** DEPTH TO BED: 60FT 619,081.37

4,196,463.93

ZONE 15

S.W.L. (BEFORE CASING): DRILLERS LOG, SAMPLE, LOG INCOMPLETE, 240-336' ONLY; 9 MI **REMARKS**:

SE OF ROLLA

LOG ID: 011349

S.W.L. (AFTER CASING):

WELL TYPE Private Well

DRILL DATE: 1950/04/ **TOWNSHIP SECTION RANGE ELEVATION:** 1,081FT

37N 25 7W DRILL DEPTH: 220FT

FT

UTM X UTMY DEPTH TO BED: 619,164.38 30FT 4,195,968.92

ZONE 15

S.W.L. (BEFORE CASING): WELL LATER DEEPENED TO 312' (NOT LOGGED) REMARKS:

S.W.L. (AFTER CASING): 200

LOG ID: **WELL TYPE** Private Well 014022

DRILL DATE: 1955/09/ **TOWNSHIP RANGE SECTION ELEVATION:** 1,070FT

37N **7W** 25 **DRILL DEPTH:** 320FT

UTM X UTM Y

DEPTH TO BED: 30FT 618,764.38 4,195,762.91

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

270 S.W.L. (AFTER CASING):

LOG ID: 027839

WELL TYPE Private Well

1974/06/06 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 980FT

DRILL DEPTH: 275FT UTM X UTM Y

7W

27

DEPTH TO BED: 30FT 616.132.40 4,195,779.90

ZONE 15

37N

S.W.L. (BEFORE CASING): HWY F AT DRY FORK CK **REMARKS:**

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028002

DRILL DEPTH:

WELL TYPE Private Well

1975/06/00 DRILL DATE:

345FT

DEPTH TO BED: 45FT **TOWNSHIP RANGE SECTION** 37N 7W 28

ELEVATION:

1,042FT

UTM X 614,622.41

UTMY 4,194,885.87

ZONE 15

S.W.L. (BEFORE CASING):

NO CONSTRUCTION OR PRODUCTION DATA **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 004758

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1938/05/

TOWNSHIP

RANGE

SECTION

ELEVATION: 1,103FT

ZONE 15

FT

FT

225FT

37N 29 7W

UTM X

613,113.41

UTMY 4,195,605.88

DEPTH TO BED: 104FT

REMARKS:

OLD WELL DEEPENED 104-225'; EAST OF FAIR VIEW SCHOOL

S.W.L. (AFTER CASING): 80

S.W.L. (BEFORE CASING):

LOG ID: 016646

WELL TYPE Private Well

DRILL DATE:

1957/08/

270FT

TOWNSHIP 37N

SECTION RANGE 7W

ELEVATION:

1,103FT

DRILL DEPTH:

29

UTM X

UTM Y

DEPTH TO BED:

15FT

157

612,313.41

4,195,809.88

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 016873

WELL TYPE Private Well

DRILL DATE:

1957/10/

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,037FT

DRILL DEPTH:

150FT

37N

7W 29

UTM X

UTM Y

DEPTH TO BED:

10FT

613,513.41 4,195,399.88

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: NEAR FAIRVIEW SCHOOL

S.W.L. (AFTER CASING):

83



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018311

WELL TYPE Private Well

RANGE DRILL DATE: **TOWNSHIP SECTION ELEVATION:** 1,110FT

> 37N 7W 29

DRILL DEPTH: 200FT UTM X **UTMY** DEPTH TO BED: 15FT

612,913.41 4,195,605.88

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 150

LOG ID: 018519

WELL TYPE Private Well

DRILL DATE: 1959/10/27 **TOWNSHIP SECTION RANGE ELEVATION:** 1,116FT

37N 29 7W DRILL DEPTH: 253FT

UTM X **UTMY** DEPTH TO BED: 25FT 612,713.42 4,195,399.88

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 168

LOG ID: 024223

WELL TYPE Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,081FT

37N 7W 29 **DRILL DEPTH:** 275FT

UTM X UTM Y **DEPTH TO BED:** 20FT 612,513.41 4,195,809.88

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING): 175

LOG ID: 024224

WELL TYPE Private Well

1966/04/08 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,110FT

DRILL DEPTH: 275FT UTM X UTM Y

7W

29

DEPTH TO BED: 20FT 612,313.41 4,195,809.88

ZONE 15 S.W.L. (BEFORE CASING):

37N

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026079

WELL TYPE Private Well

DRILL DATE: 1966/11/25 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,110FT

DRILL DEPTH: 230FT 37N 7W 29

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 20FT <u>UTM Y</u>
612,313.41 4,195,809.88

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: SCANNED - NO SAMPLES RUN - TOPS ONLY

S.W.L. (AFTER CASING): 125

LOG ID: 026109

WELL TYPE
Private Well

DRILL DATE: 1968/06/21 TOWNSHIP RANGE SECTION ELEVATION: 1,115FT

DRILL DEPTH: 183FT 37N 7W 29

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 10FT 612,313.42 4,195,605.88

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: SCANNED - NO SAMPLES RUN, TOPS ONLY

S.W.L. (AFTER CASING): 70

LOG ID: 010674

WELL TYPE Private Well

<u>DRILL DATE:</u> 1947/07/01 <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> ELEVATION: 1,108FT

_____ 37N 7W 31

<u>DEPTH TO BED:</u> 10FT 610,314.44 4,194,645.85

S.W.L. (BEFORE CASING): FT PEMARKS

REMARKS:

S.W.L. (AFTER CASING): 45

LOG ID: 006254

WELL TYPE Private Well

DRILL DATE: 1940/08/ TOWNSHIP RANGE SECTION ELEVATION: 1,130FT

DRILL DEPTH: 137FT UTM X UTM Y

7W

32

<u>DEPTH TO BED:</u> 50FT 613,505.44 4,193,583.84

ZONE 15

37N

S.W.L. (BEFORE CASING): FT REMARKS: ON HWY 72, 6 MI S OF ROLLA

S.W.L. (AFTER CASING): 40



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020885

WELL TYPE Private Well

DRILL DATE: 1962//

<u>TOWNSHIP</u> <u>RANGE</u> 37N 7W

37N

SECTION ELEVATION: 32

1,098FT

DRILL DEPTH: 245FT

<u>UTM X</u>

<u>UTM Y</u> 4,193,787.85

613,305.43

DEPTH TO BED:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING): FT

95

30FT

REMARKS: 7 MI S OF ROLLA ON HWY 72

ZONE 15

LOG ID:

WELL TYPE
Private Well

018314

DRILL DATE:

1959/04/

TOWNSHIP RANGE SECTION

ELEVATION: 1,058FT

4,193,570.85

DRILL DEPTH: 155FT

S.W.L. (BEFORE CASING):

7W 33

UTM X UTM Y

614,912.43 4 ZONE 15

DEPTH TO BED:

REMARKS:

FT

S.W.L. (AFTER CASING): 104

LOG ID: 027976

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION 37N 7W 33

ELEVATION: 1,025FT

DRILL DEPTH:

DEPTH TO BED:

330FT

UTM X UTM Y

45FT

615,112.42 4,194,588.87

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016783

Noncommunity Public Well

DRILL DATE:

1957/09/05

TOWNSHIP RANGE

<u>SECTION</u>

ELEVATION: 1,098FT

DRILL DEPTH:

DEPTH TO BED:

530FT

37N

7W 4

UTM X UTM Y

613,749.32

4,202,651.03

ZONE 15

S.W.L. (BEFORE CASING):

20FT

135 FT

FΤ

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

155

2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019941

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

175FT

25FT

SECTION DRILL DATE: **TOWNSHIP RANGE**

> 37N 7W

ELEVATION:

UTM X **UTMY**

1,089FT

613,749.33 4,202,041.01

ZONE 15

S.W.L. (BEFORE CASING):

NEAR ENTRANCE TO OAK MEADOWS GOLF COURSE **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 026097

WELL TYPE Private Well

DRILL DATE:

1968/09/06

TOWNSHIP 37N

SECTION RANGE

ELEVATION:

1,056FT

DRILL DEPTH:

190FT

7W 4

UTM X

UTMY

DEPTH TO BED:

10FT

613,749.33 4,201,431.00

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 011348

Private Well

DRILL DATE:

1950//

TOWNSHIP RANGE SECTION 5

ELEVATION:

1,118FT

DRILL DEPTH:

230FT

37N **7W**

UTM X UTM Y

DEPTH TO BED:

20FT

612,335.33 4,202,669.02

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

134

LOG ID:

WELL TYPE Private Well

019938

1961/07/

TOWNSHIP

37N

RANGE SECTION **ELEVATION:**

1,008FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

235FT 20FT

7W 5

> UTM X UTM Y

612.135.34 4,201,657.00

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

NEAR OAK MEADOW COUNTRY CLUB

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013640

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1955// DRILL DATE:

280FT

5FT

TOWNSHIP RANGE 37N

7W 6

SECTION

ELEVATION:

1,036FT

UTM X 611,701.34

UTMY 4,201,842.00

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

85

S.W.L. (AFTER CASING):

LOG ID: 015440

WELL TYPE Private Well

DRILL DATE:

1956/09/

TOWNSHIP 37N

SECTION RANGE 7W 6

ELEVATION:

1,107FT

4,202,230.00

DRILL DEPTH: 260FT

UTM X **UTMY**

610,801.34 ZONE 15

S.W.L. (BEFORE CASING):

DEPTH TO BED:

FT

FT

FT

S.W.L. (AFTER CASING):

180

REMARKS: "TOTAL DRAW DOWN" = DRDWN = T

LOG ID: 017372

WELL TYPE Private Well

DRILL DATE:

1958/08/11

336FT

REMARKS:

RANGE 7W

SECTION

ELEVATION:

1,097FT

DRILL DEPTH: DEPTH TO BED:

45FT

210

37N

TOWNSHIP

6

UTM X

UTM Y

610,901.35 4,201,323.99 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

021923

DRILL DATE:

1963/10/05

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,129FT

DRILL DEPTH:

335FT

37N 7W 6

UTM X

UTM Y 4,202,748.01

DEPTH TO BED:

20FT

610.401.34 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

230

REMARKS:

COLLEGE HILLS SUBDIVISION

2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021953

DRILL DEPTH:

LOG ID:

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1963/11/11 DRILL DATE:

380FT

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP RANGE SECTION 37N 7W

6

ELEVATION:

1,123FT

UTM X 610,501.34

UTMY 4,202,618.01

ZONE 15

REMARKS: **COLLEGE HILLAS SUBDIVISION**

WELL TYPE

022805 Private Well

DRILL DATE: 1964/04/02

60FT

280

265

TOWNSHIP 37N

TOWNSHIP

37N

37N

SECTION RANGE 6

ELEVATION: 1,176FT

410FT

7W

UTM X

UTMY

610,301.34

4,202,618.01

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: **COLLEGE HILLS SUBDIVISION**

S.W.L. (AFTER CASING):

LOG ID: 022943

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1964/07/07

350FT

DEPTH TO BED: 25FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

230

FT **REMARKS:** **7W** 6

SECTION

RANGE

UTM X

ELEVATION:

1,120FT UTM Y

610,901.35 4,201,711.99

ZONE 15

IN ROLLA, 2 BLKS E OF ROLLA ST ON 10TH ST., 1 BLK N.

LOG ID: 022944

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1964/07/08

15FT

215

350FT

TOWNSHIP

RANGE SECTION

6

7W

ELEVATION:

1,127FT

UTM X 610.801.35

UTM Y 4,201,193.98

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023281

DRILL DEPTH:

WELL TYPE Private Well

1964/10/09 DRILL DATE:

290FT

DEPTH TO BED: 5FT

190

TOWNSHIP RANGE SECTION 37N

7W 6 **ELEVATION:**

1,075FT

UTM X 610,509.36

UTMY 4,201,240.98

UTMY

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

E SIDE OF ROLLA, ON LOVERS LANE S OF 10TH ST. **REMARKS**:

LOG ID: 023289

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1964//

TOWNSHIP 37N

TOWNSHIP

37N

RANGE 7W

SECTION 6

ELEVATION: 1,170FT

UTM X

610,501.34

4,202,618.01 ZONE 15

50FT

280

395FT

S.W.L. (BEFORE CASING):

FT

REMARKS: COLLEGE HILLS SUBDIVISION, ROLLA

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 023693

Private Well

DRILL DATE: DRILL DEPTH: 1965/07/08

350FT

20FT

250

FT

FT

7W

RANGE

SECTION 6

COLLEGE HILLS SUBDIVISION, ROLLA

ELEVATION:

1,140FT

UTM X 610,701.34

UTM Y 4,202,618.01

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

DEPTH TO BED:

LOG ID: 024222

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1966/03/29

TOWNSHIP 37N

REMARKS:

RANGE

7W

SECTION

6

ELEVATION:

1,173FT

UTM X

UTM Y

610,301.34 4,202,618.01

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

290

410FT

55FT

REMARKS:

2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025135

DRILL DEPTH:

WELL TYPE Private Well

1967/05/ DRILL DATE:

365FT

DEPTH TO BED: 25FT **TOWNSHIP RANGE SECTION** 37N 7W 6

ELEVATION:

UTM X **UTMY**

611,301.34 4,202,360.01

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

REMARKS:

formerly in name of Richard Bolander - COLLEGE HILLS SUBDIVISION

S.W.L. (AFTER CASING):

LOG ID: 025210

WELL TYPE Private Well

DRILL DATE:

1966/12/06

TOWNSHIP

SECTION RANGE

ELEVATION: 1,114FT

ZONE 15

ZONE 15

DRILL DEPTH:

335FT

37N 7W 6

UTM X

UTMY

DEPTH TO BED: 15FT 611,201.35

4,201,711.99

N OF 10TH ST ON STOLTZ RD, ROLLA

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 025592

WELL TYPE

Private Well

DRILL DATE:

1967/05/16

TOWNSHIP 37N

RANGE SECTION 6

ELEVATION:

1,117FT

DRILL DEPTH:

335FT

7W

UTM X 610,901.34

UTM Y 4,202,618.01

DEPTH TO BED:

15FT

220

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 026033

Private Well

DRILL DATE:

1967/08/14

TOWNSHIP

RANGE SECTION

6

SCANNED - IN COLLEGE HILLS

ELEVATION:

1,149FT

DRILL DEPTH:

DEPTH TO BED:

330FT 25FT 37N 7W

> UTM X UTM Y

611.101.34 4,202,360.01

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

COLLEGE HILLS SUBDIVISION, ROLLA **REMARKS:**

S.W.L. (AFTER CASING):

230



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026034

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

350FT

20FT

1968/11/01 DRILL DATE: **TOWNSHIP RANGE**

> 37N **7W** 6

ELEVATION: 1,144FT

UTM X **UTMY**

611,301.34 4,202,360.01

ZONE 15

S.W.L. (BEFORE CASING): FT

HANDLEY ST, COLLEGE HILLS SUBDIVISON, ROLLA **REMARKS**:

SECTION

S.W.L. (AFTER CASING): 230

LOG ID: 026058

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1968/02/28

10FT

TOWNSHIP SECTION RANGE 37N 7W 6

ELEVATION: 1,084FT

DRILL DEPTH: 280FT

UTM X **UTMY**

4,201,581.99

611,101.35 ZONE 15

S.W.L. (BEFORE CASING):

SCANNED - IN COLLEGE HILLS REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 026059

WELL TYPE Private Well

DRILL DATE: 1968/02/26 **TOWNSHIP RANGE SECTION** 37N **7W** 6

ELEVATION: 1,140FT

DRILL DEPTH: 350FT

UTM X UTM Y

DEPTH TO BED: 30FT 610,701.34 4,202,360.00

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: COLLEGE HILLS SUBDIVISION, ROLLA

S.W.L. (AFTER CASING): 245

LOG ID: 026062

DEPTH TO BED:

WELL TYPE Private Well

1967/11/05 **DRILL DATE:**

SECTION TOWNSHIP RANGE 37N 6

7W

ELEVATION: 1,124FT

DRILL DEPTH: 355FT

UTM X UTM Y

610.501.34

4,202,618.01

ZONE 15

S.W.L. (BEFORE CASING):

FT

SCANNED - TOPS ONLY - COLLEGE HILLS, CORNER OF COL

HILLS & STOLTZ RD

REMARKS: S.W.L. (AFTER CASING): 245



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026083

WELL TYPE Private Well

1968/10/11 DRILL DATE:

TOWNSHIP 37N

RANGE SECTION 7W 6

ELEVATION:

1,080FT

DRILL DEPTH:

285FT

6

UTM X 610,901.34

UTMY 4,202,360.01

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

10FT

185

REMARKS: E OF AND OFF OF QUAIL RUN

LOG ID: 026085

WELL TYPE Private Well

DRILL DATE:

1968/06/24

TOWNSHIP 37N

SECTION RANGE

ELEVATION:

1,139FT

DRILL DEPTH:

335FT

7W

UTM X

UTMY 4,201,581.99

4,201,971.00

DEPTH TO BED:

15FT

610,301.35

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: SCANNED - NO LITHOLOGIES, TOPS ONLY

S.W.L. (AFTER CASING):

230

LOG ID: 026086

WELL TYPE Private Well

DRILL DATE:

1968/05/13

TOWNSHIP

37N

RANGE SECTION **ELEVATION:** 1,129FT

DRILL DEPTH:

365FT

37N **7W** 6

> UTM X UTM Y

DEPTH TO BED:

20FT

611,001.34

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: SCANNED - CAN'T LOCATE - IN COLLEGE HILLS

250

LOG ID: 026087

WELL TYPE Private Well

DRILL DATE:

1968/05/28 **TOWNSHIP**

SECTION RANGE

ELEVATION: 1,129FT

DRILL DEPTH:

DEPTH TO BED:

350FT 10FT

250

7W 6

> UTM X UTM Y

610.901.34

4,202,360.01

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

formerly in name of Dr. J.R. Foote - SCANNED - TOPS ONLY - IN

COLLEGE HILLS



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026089

WELL TYPE Private Well

1968/09/21 DRILL DATE:

TOWNSHIP 37N

ELEVATION:

1,107FT

DRILL DEPTH: DEPTH TO BED: 320FT 10FT **7W** 6

SECTION

RANGE

UTM X

611,701.33

UTMY 4,202,618.01

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

SCANNED - IN COLLEGE HILLS ON THOMPSON DR. **REMARKS:**

S.W.L. (AFTER CASING): 190

LOG ID: 026918

WELL TYPE Private Well

DRILL DATE:

1969/05/

TOWNSHIP 37N

RANGE

SECTION ELEVATION: 1,068FT

ZONE 15

DRILL DEPTH:

260FT

7W

UTM X 611,701.34

UTMY 4,202,100.00

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

15FT

140

REMARKS:

formerly in name of J. Adams - SCANNED; 2 MI E OF ROLLA OFF

6

10TH ST.

LOG ID: 027015

WELL TYPE

Community Public Well

DRILL DATE:

1972//

TOWNSHIP

RANGE SECTION 6

ELEVATION:

610,801.35

1,112FT

DRILL DEPTH:

1,150FT

37N **7W**

UTM X

UTM Y 4,201,971.00

DEPTH TO BED:

30FT

63

REMARKS:

ZONE 15 formerly Well #12 - POOR SAMPLES - OFF McCUTCHEON RD

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 027509

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP 37N

SECTION RANGE

ELEVATION:

1,089FT

DRILL DEPTH:

DEPTH TO BED:

300FT 5FT 7W 6

> UTM X UTM Y

611,309.35 4,201,240.99

ZONE 15

S.W.L. (BEFORE CASING):

FT

SAMPLES SCANNED

S.W.L. (AFTER CASING):

225

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004501

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1937/09/08 DRILL DATE:

65FT

25FT

TOWNSHIP RANGE SECTION 37N

7W

ELEVATION:

995FT

UTM X 610,409.37

UTMY 4,200,222.96

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 005028

WELL TYPE Private Well

DRILL DATE:

1937/10/

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,064FT

DRILL DEPTH:

188FT

120

37N 7W 7

UTM X

UTMY

DEPTH TO BED: 10FT 610,909.36

4,200,476.97

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 013304

WELL TYPE Private Well

DRILL DATE:

1955/01/

210FT

TOWNSHIP

RANGE SECTION 7W 7

ELEVATION:

1,033FT

DRILL DEPTH: DEPTH TO BED:

145FT

UTM X 611,109.37

UTM Y 4,199,968.96

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

OLD WELL DEEPENED 145-210'; SOEST RD, S SIDE, 0.5 MI E OF

KTTR

37N

LOG ID:

WELL TYPE Private Well

016278

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1957/06/

201FT

145

TOWNSHIP 37N

RANGE 7W

SECTION

ELEVATION:

1,055FT

UTM X UTM Y

611.109.36

4,200,476.97

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

NE CORNER SOEST RD AND LOVERS LANE, E SIDE OF ROLLA **REMARKS:**

144



(Click on Well Log ID to Access Image of Well Strip Log)

1,051FT

LOG ID: 018006

WELL TYPE Private Well

1959/04/30 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

37N 7W **DRILL DEPTH:** 203FT

UTM X **UTMY**

7

W SIDE OF LOVERS LANE ON E SIDE OF ROLLA

7

E SIDE OF LOVERS LANE ON E EDGE OF ROLLA

DEPTH TO BED: 610,909.36 4,200,476.97

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING): 155

LOG ID: 020986

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 1,084FT

37N 7W DRILL DEPTH: 230FT

UTM X **UTMY** DEPTH TO BED: 5FT 610,909.36 4,200,986.98

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 160

LOG ID: **WELL TYPE** Private Well 020990

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,030FT

37N **7W** 7 **DRILL DEPTH:** 175FT

UTM X UTM Y **DEPTH TO BED:** 610,315.38 4,199,642.95 15FT

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS: CURTIS ST. TRAILER COURT**

S.W.L. (AFTER CASING): 130

LOG ID: **WELL TYPE** Private Well 022380

DRILL DEPTH:

1963/12/07 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,065FT 37N 7W 7

UTM X UTM Y DEPTH TO BED: 610.909.36 4,200,730.97

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

260FT

S.W.L. (AFTER CASING): 170



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022443

WELL TYPE Private Well

1963/12/ DRILL DATE:

25FT

TOWNSHIP RANGE SECTION 37N 7W

ELEVATION:

1,089FT

DRILL DEPTH: 275FT

UTM X **UTMY** 4,200,986.98

610,509.36

ZONE 15

S.W.L. (BEFORE CASING):

FT

Russ Dinges (deceased) - LOVERS LANE ON E SIDE OF ROLLA **REMARKS:**

S.W.L. (AFTER CASING): 190

LOG ID: 023571

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1965/07/

TOWNSHIP 37N

REMARKS:

RANGE 7W

formerly in name of Emil Klinkerman

SECTION 7

ELEVATION: 1,074FT

ZONE 15

DRILL DEPTH: 235FT

UTM X 610,709.36

UTMY 4,200,730.97

FT

S.W.L. (AFTER CASING): 70

S.W.L. (BEFORE CASING):

LOG ID: 024330

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

175FT

TOWNSHIP RANGE SECTION 37N **7W**

ELEVATION:

1,020FT

DEPTH TO BED:

7

UTM X UTM Y 610,509.37 4,200,222.96

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID: 025596

WELL TYPE Private Well

DRILL DATE:

1967/05/10

TOWNSHIP

SECTION RANGE

ELEVATION:

1,055FT

DRILL DEPTH:

DEPTH TO BED:

245FT

5FT

37N

7W

UTM X

UTM Y 610,509.37 4,200,476.97

ZONE 15

S.W.L. (BEFORE CASING):

FT

SCANNED - NO LITHOLOGIES **REMARKS:**

S.W.L. (AFTER CASING):

160



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027389

WELL TYPE Private Well

SECTION DRILL DATE: **TOWNSHIP RANGE ELEVATION:** 1,088FT

> 37N 7W 275FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 10FT

SCANNED

611,301.35 4,201,063.98

ZONE 15

REMARKS:

S.W.L. (AFTER CASING): 190

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

Community Public Well 028706

DRILL DATE: **TOWNSHIP SECTION** 1989/01/19 **RANGE ELEVATION:** 1,020FT

37N 7W 7 DRILL DEPTH: 1,200FT

FT

UTM X UTMY DEPTH TO BED: 5FT 610,577.36 4,200,481.97

ZONE 15 207

S.W.L. (BEFORE CASING): REMARKS: on Bittersweet

S.W.L. (AFTER CASING): FT

LOG ID: 007290

WELL TYPE

Private Well

DRILL DATE: 1941/11/ **TOWNSHIP RANGE SECTION ELEVATION:** 1,076FT

37N **7W** 8 218FT

DRILL DEPTH: UTM X UTM Y

DEPTH TO BED: 612,334.36 4,200,243.97 15FT ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: 3 MI E OF ROLLA ON ORCHARD RD

S.W.L. (AFTER CASING): 135

LOG ID:

WELL TYPE

Private Well 013939

1955/08/ **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 994FT

DRILL DEPTH: UTM X UTM Y

7W

DEPTH TO BED: 20FT 612.734.36 4,199,631.96

ZONE 15

8

S.W.L. (BEFORE CASING): FT **REMARKS:**

37N

S.W.L. (AFTER CASING): 60

135FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020312

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,043FT

> 37N 7W 8 285FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 15FT

613,334.34 4,200,855.99

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 150

LOG ID: 021025

WELL TYPE Private Well

DRILL DATE: 1962/06/ **TOWNSHIP SECTION RANGE ELEVATION:** 1,047FT

37N 7W DRILL DEPTH: 215FT

UTM X **UTMY** DEPTH TO BED: 30FT 612,134.35 4,201,059.99

8

ZONE 15 S.W.L. (BEFORE CASING): FT

E OF ROLLA ON 10TH ST. REMARKS:

S.W.L. (AFTER CASING): 116

LOG ID: 022565

WELL TYPE Private Well

DRILL DATE: 1964/04/06 **TOWNSHIP RANGE SECTION ELEVATION:** 1,041FT

37N **7W** 8

DRILL DEPTH: 200FT UTM X UTM Y **DEPTH TO BED:** 10FT 613,134.34 4,201,059.99

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:** ON 10TH ST E OF ROLLA

S.W.L. (AFTER CASING): 115

LOG ID: 022904

WELL TYPE Private Well

1963/06/ **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,039FT

DRILL DEPTH: 185FT UTM X UTM Y

DEPTH TO BED: 613.134.34 4,201,059.99 15FT

ZONE 15

7W

8

S.W.L. (BEFORE CASING): FT

37N

REMARKS: E 10TH ST. S.W.L. (AFTER CASING): 95



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006136

WELL TYPE Private Well

DRILL DATE: 1940/06/

TOWNSHIP 37N SECTION 1 ELEVATION: 1,046FT

UTM X

DRILL DEPTH: 40FT

UTM Y

DEPTH TO BED: 9FT

RANGE

8W

609,078.35 4,201,860.99

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS: SHOE FACTORY ADDITION, ARKANSAS AVE. 1.2 BLK E OF

HELLER ST.

LOG ID: 007915

WELL TYPE

Community Public Well

3

DRILL DATE:

1942/08/24

TOWNSHIP

RANGE SECTION

ELEVATION: 1.

ZONE 15

1,106FT

DRILL DEPTH:

1,175FT

37N 8W

<u>UTM X</u> 608,775.35

<u>UTM Y</u> 4,201,833.98

DEPTH TO BED:

25FT

245

REMARKS:

FRISCO ST, 1/2 BLK N OF MISSOURI AVE., OLD #4

1

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

<u>:</u>

WELL TYPE

LOG ID: 008588

Private Well

DRILL DATE:

1943/10/

TOWNSHIP

<u>RANGE</u>

SECTION

ELEVATION: 1,170FT

DRILL DEPTH:

111FT

37N

W8

UTM X U

DEPTH TO BED:

40FT

608,478.34

<u>UTM Y</u> 4,202,472.99

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: YIELD "WEAK"; ROCK HOUSE ACROSS FROM PENNENT HOTEL

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

009395

Community Public Well

DRILL DATE:

1946/10/26

TOWNSHIP 37N

REMARKS:

RANGE SI

SECTION

ELEVATION:

1,036FT

DRILL DEPTH:

DEPTH TO BED:

1,078FT

15FT

165

8W 1

UTM X UTM Y

609,206.36 4,201,173.97

ZONE 15

S.W.L. (BEFORE CASING):

FT

E 10TH ST

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017654

WELL TYPE

Industrial High Capacity Well

205

DRILL DATE: 1958//

SECTION TOWNSHIP RANGE 37N 8W

ELEVATION:

1,101FT

DRILL DEPTH:

255FT

1

UTM X

DEPTH TO BED:

609,078.34

UTMY 4,202,473.00

ZONE 15

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 004448

WELL TYPE Private Well

DRILL DATE:

1937/09/

TOWNSHIP 37N

SECTION RANGE

ELEVATION:

963FT

DRILL DEPTH:

90FT

8W 10

UTM X

UTMY

DEPTH TO BED:

15FT

4,200,282.94

605,955.37 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: AT BASE OF FAIRGROUNDS HILL, W OF ROLLA

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

006779

Noncommunity Public Well

DRILL DATE:

1941/02/

TOWNSHIP

SECTION RANGE

ELEVATION:

605,855.38

1,037FT

DRILL DEPTH:

178FT

37N

8W 10

UTM X

ZONE 15

UTM Y 4,199,976.93

DEPTH TO BED:

FT

REMARKS: FILLING STATION

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

145

5FT

013492

Noncommunity Public Well

WELL TYPE

DRILL DATE:

1955/04/

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,022FT

DRILL DEPTH:

DEPTH TO BED:

273FT

37N

W8 10

UTM X

UTM Y

605.655.38 4,199,976.93 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

173

5FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015564

WELL TYPE Private Well

1956/11/ DRILL DATE:

37N

RANGE SECTION 8W

ELEVATION:

1,072FT

DRILL DEPTH:

270FT

10

UTM X

UTMY

DEPTH TO BED:

90FT

232

606,455.38

4,199,772.93 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: WELL DEEPENED

TOWNSHIP

S.W.L. (AFTER CASING):

LOG ID: 015643

WELL TYPE Private Well

DRILL DATE:

1957/11/

TOWNSHIP 37N

SECTION RANGE

ELEVATION: 1,096FT

DRILL DEPTH:

310FT

8W 10

UTM X

DEPTH TO BED: 125FT 606,055.37

UTMY 4,200,180.93

ZONE 15

S.W.L. (BEFORE CASING):

237

FT

FT

REMARKS:

REMARKS: OLD WELL DEEPENED - SEE LOG #21738

S.W.L. (AFTER CASING):

LOG ID: 016293

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1957/05/

TOWNSHIP RANGE SECTION 37N

ELEVATION: 1,006FT

ZONE 15

605,455.38

DRILL DEPTH:

275FT

8W 10

> UTM X UTM Y

> > 4,199,976.93

DEPTH TO BED:

POOR SAMPLES - USE WITH CAUTION

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016983

Noncommunity Public Well

145

DRILL DATE:

1958/02/03

TOWNSHIP 37N

RANGE SECTION **ELEVATION:** 1,033FT

DRILL DEPTH:

265FT

W8 10

UTM X UTM Y

606.055.38 4,199,976.93

ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

5FT

FT

E. OF DICKMAN SERVICE STATION **REMARKS:**

S.W.L. (AFTER CASING):

205



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017894

WELL TYPE

Noncommunity Public Well

1958/12/ DRILL DATE:

TOWNSHIP RANGE SECTION 37N 8W 10

DRILL DEPTH: 309FT

UTM X UTMY DEPTH TO BED: 606,055.38 4,199,976.93

ZONE 15

ELEVATION:

1,076FT

980FT

UTMY

4,199,568.92

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

249

LOG ID:

WELL TYPE

020460 Noncommunity Public Well

DRILL DATE: 1961/11/

TOWNSHIP SECTION RANGE 10

37N 8W DRILL DEPTH: 317FT

DEPTH TO BED: 606,255.38

ZONE 15

ELEVATION:

UTM X

S.W.L. (BEFORE CASING):

FT

REMARKS: SCHOOL EXPERIMENTAL MINE

S.W.L. (AFTER CASING): 150

LOG ID: 020473

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1961// **TOWNSHIP RANGE SECTION ELEVATION:** 1,005FT

> 37N **8W** 10 250FT

> > **REMARKS:**

UTM X UTM Y

DEPTH TO BED: 605,655.38 4,199,976.93 25FT

ZONE 15 FT S OUTER ROAD, WEST EDGE OF ROLLA

10

S.W.L. (AFTER CASING): 155

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

650FT

Noncommunity Public Well 021050

1962/07/ **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 974FT

DRILL DEPTH: UTM X UTM Y

W8

DEPTH TO BED: 10FT 605,355.38 4,199,976.93

ZONE 15 S.W.L. (BEFORE CASING): 135 FT

37N

REMARKS: S OUTER RD OF I-44, W EDGE OF ROLLA; (changed to Ramada Inn

in 6/94) changed to ??? In 2003?? - same building as nightclub called S.W.L. (AFTER CASING): FΤ 145



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021738

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1957/11/ DRILL DATE:

310FT

125FT

FT

FT

OLD WELL (see log #15643) DEEPENED 275-310' **REMARKS**:

RANGE

8W

S.W.L. (AFTER CASING): 237

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

024220 Community Public Well

DRILL DATE:

1966/05/

1,135FT

DRILL DEPTH:

TOWNSHIP 37N

TOWNSHIP

37N

RANGE 8W

SECTION 10

SECTION

10

ELEVATION:

ELEVATION:

UTM X

606,455.38

ZONE 15

UTM X 606,382.37

UTMY 4,200,092.93

1,122FT

1,096FT

UTMY

4,199,772.93

DEPTH TO BED: 15FT

348

REMARKS:

ON BRIDGE SCHOOL ROAD

ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 024715

WELL TYPE Private Well

DRILL DATE:

1966/05/

DRILL DEPTH:

DEPTH TO BED:

200FT

10FT

FT

TOWNSHIP 37N

RANGE 8W

SECTION 10

ELEVATION:

1,012FT

UTM X 606,055.38

UTM Y 4,199,568.92

ZONE 15

S.W.L. (BEFORE CASING):

155

REMARKS:

0.75 MI DOWN BRIDGE SCH RD PAST NEW CITY WELL

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

025677

Noncommunity Public Well

545FT

5FT

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1968/05/31

TOWNSHIP 37N

RANGE W8

SECTION 10

ELEVATION:

999FT

UTM X UTM Y

605.455.38

4,199,976.93

ZONE 15

S.W.L. (BEFORE CASING):

FT

S OUTER RD OF I-44, WEST EDGE OF ROLLA **REMARKS**:

S.W.L. (AFTER CASING):

178



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026115

WELL TYPE Private Well

DRILL DATE:

1969/04/22 **TOWNSHIP** 37N

RANGE SECTION 8W 10

ELEVATION:

978FT

DRILL DEPTH:

DEPTH TO BED:

215FT

5FT

UTM X

ZONE 15

605,455.37

UTMY 4,200,588.94

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: 1 MI W OF DGLS BLDG

S.W.L. (AFTER CASING):

120

LOG ID: 000235

WELL TYPE

Community Public Well

DRILL DATE:

1907//

TOWNSHIP

SECTION RANGE

ELEVATION: 1,097FT

DRILL DEPTH:

930FT

37N 8W 11

UTM X UTMY 607,774.36 4,200,930.96

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

90

REMARKS: drillers log

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 002101

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP RANGE 37N

SECTION 11

ELEVATION:

1,063FT

DRILL DEPTH:

55FT

8W

UTM X

UTM Y

DEPTH TO BED:

607,574.37 4,200,316.95 ZONE 15

DRILLERS LOG ONLY, NO DATA

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

002263

Community Public Well

DRILL DATE:

1929/09/

TOWNSHIP

RANGE

SECTION 11

ELEVATION:

1,099FT

DRILL DEPTH:

37N

W8

UTM X

UTM Y

DEPTH TO BED:

1,710FT 20FT

608,274.36

4,201,032.96 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

at East Elementary School

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002715

WELL TYPE Private Well

1933/04/00 DRILL DATE:

TOWNSHIP 37N

RANGE SECTION 8W

ELEVATION:

1,138FT

DRILL DEPTH:

DEPTH TO BED:

162FT 100FT 11

UTM X **UTMY**

607,074.38

4,200,010.94

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

63

LOG ID: 002789

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1933/12/00

TOWNSHIP

SECTION RANGE

ELEVATION: 1,120FT

DRILL DEPTH:

105FT

37N 8W 11

> UTM X **UTMY**

> > ZONE 15

70FT

607,874.38

4,199,804.94

DEPTH TO BED: S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

002885 **DRILL DATE:**

1934/07/12

TOWNSHIP RANGE SECTION **ELEVATION:** 1,060FT

DRILL DEPTH:

46FT

37N **8W** 11

UTM X UTM Y

DEPTH TO BED:

20FT

607,774.37 4,200,112.94

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

003225

Community Public Well

DRILL DATE:

1934/12/

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,084FT

DRILL DEPTH:

37N

W8 11

UTM X UTM Y

DEPTH TO BED:

1,746FT 15FT

607.877.37

4,200,633.95

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: CITY LOT, 4TH & ROLLA STS.

S.W.L. (AFTER CASING):

268



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005434

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1939/06/ DRILL DATE:

8

39FT

5FT

RANGE 8W

SECTION 11

ELEVATION:

1,070FT

UTM X 607,674.37

UTMY 4,200,418.95

ZONE 15

BETWEEN 1ST & 2ND ST ALONG WILLOW VALLEY BRANCH,

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

ROLLA

TOWNSHIP

37N

LOG ID:

WELL TYPE

009515

DRILL DEPTH:

Community Public Well

1,150FT

10FT

DRILL DATE:

1947/05/

TOWNSHIP 37N

FT

RANGE 8W

SECTION 11

ELEVATION: 1,079FT

UTM X

UTMY 4,200,425.95

607,221.37 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

245

REMARKS:

REMARKS:

WALKER AVE @ FRISCO TRACKS

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

010741

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1949/04/12

TOWNSHIP

RANGE

SECTION 11

ELEVATION:

1,116FT

DRILL DEPTH:

41FT

37N **8W**

> **UTM X** 607,874.36

UTM Y 4,201,032.96

DEPTH TO BED:

21FT

ZONE 15 CORE TAKEN @ MIDWEST WATER DRILLERS CONVENTION

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

011315

Noncommunity Public Well

DRILL DATE:

1956/04/

TOWNSHIP 37N

RANGE

SECTION

ELEVATION:

1,105FT

DRILL DEPTH:

DEPTH TO BED:

444FT 20FT W8 11

UTM X

608.074.36

ZONE 15

UTM Y 4,201,032.96

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

OBSERVATION WELL - DEEPENED 290-444' (see also log #14397) IN

1956



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012622

DRILL DEPTH:

WELL TYPE

Community Public Well

1954/04/29 DRILL DATE:

1,128FT

DEPTH TO BED: 15FT 37N

RANGE SECTION 8W 11

ELEVATION:

1,080FT

UTMY

UTM X 607,790.38

4,199,900.94

ZONE 15

S.W.L. (BEFORE CASING):

FT

S OF ROLLA PARK, 2ND ADDITION, 300' W OF SOUTH ROLLA ST. **REMARKS**:

S.W.L. (AFTER CASING): 240

LOG ID:

WELL TYPE

014397

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1950/41/7

TOWNSHIP

TOWNSHIP

RANGE

SECTION 11

ELEVATION: 1,105FT

ZONE 15

ZONE 15

DRILL DEPTH:

444FT

37N 8W

UTM X

UTMY

DEPTH TO BED: 20FT 608,074.36 4,201,032.96

SEE ALSO LOG # 11315 - DRILLED AS AN OBSERVATION WELL REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 015570

WELL TYPE

Private Well

DRILL DATE:

1956/11/

TOWNSHIP

FT

RANGE

SECTION

ELEVATION:

1,127FT

DRILL DEPTH:

353FT

37N **8W** 11

> UTM X 606,974.38

UTM Y 4,199,702.93

DEPTH TO BED:

30FT

293

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

002876

Private Well

DRILL DATE:

1934/06/

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,083FT

DRILL DEPTH:

142FT

37N

W8 12

UTM X

UTM Y

DEPTH TO BED:

72FT

608.883.37

4,200,547.96

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

OLD WELL DEEPENED 72-142'

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003240

DRILL DATE:

DEPTH TO BED:

WELL TYPE Private Well

95FT

TOWNSHIP 37N

REMARKS:

REMARKS:

RANGE SECTION 8W 12

ELEVATION:

1,010FT

DRILL DEPTH: 173FT

UTM X

UTMY 4,200,445.96

UTMY

609,083.37

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 007118

WELL TYPE Private Well

DRILL DATE:

1941/08/

TOWNSHIP

RANGE

SECTION

ELEVATION: 1,033FT

DRILL DEPTH: 230FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

37N 8W 12

UTM X 609,683.37 4,200,243.96

15FT

100

FT

ZONE 15 formerly in name of Mrs. Wiley Tucker - OLD WELL (#7118)

DEEPENED 151-230' (see also #24487 - 1966)

DEPTH TO BED:

LOG ID: 007947

WELL TYPE

Private Well

DRILL DATE:

1942/09/25

TOWNSHIP 37N

RANGE

SECTION 12

ELEVATION:

1,060FT

DRILL DEPTH:

235FT

8W

UTM X

UTM Y

DEPTH TO BED:

15FT

609,283.36 4,200,851.97

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

formerly in name of J.E. Aston - "WELL GOES DRY"

115

LOG ID: 018308

WELL TYPE Private Well

DRILL DATE:

1959/07/

TOWNSHIP 37N

RANGE

SECTION

ELEVATION:

1,022FT

DRILL DEPTH:

DEPTH TO BED:

345FT 40FT

W8 12

> UTM X UTM Y

609.683.37

4,200,243.96

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

1216 SOEST RD, ROLLA; OLD WELL DEEPENED 220-345' (see also

#26960 - 1971) S.W.L. (AFTER CASING): 145



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019165

WELL TYPE

Community Public Well

1960/08/16 DRILL DATE:

DRILL DEPTH: 1,595FT

DEPTH TO BED:

15FT

TOWNSHIP 37N

RANGE 8W 12

SECTION

ELEVATION:

1,022FT

UTM X 609,130.38

UTMY 4,199,640.94

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: @ "OLD" SEWER PLANT

S.W.L. (AFTER CASING):

250

LOG ID: 024487

WELL TYPE Private Well

DRILL DATE:

1941/08/

TOWNSHIP

RANGE

SECTION 12

ELEVATION:

1,027FT

DRILL DEPTH:

DEPTH TO BED:

15FT

37N 8W

UTM X

UTMY

609,683.37

4,200,243.96

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

formerly in name of Mrs. Wiley Tucker - SEE LOG #7118

S.W.L. (AFTER CASING):

LOG ID: 026960

WELL TYPE

Private Well

DRILL DATE:

1959/07/

FT

TOWNSHIP

SECTION RANGE

ELEVATION:

1,022FT

DRILL DEPTH:

345FT

37N **8W** 12

UTM X 609,683.37

ZONE 15

UTM Y 4,200,243.96

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

40FT

145

REMARKS: formerly in name of Bill Bahr - OLD WELL DEEPENED - SEE ALSO

LOG #18308

LOG ID:

WELL TYPE

014025

Private Well

DRILL DATE:

1955/10/

TOWNSHIP

37N

RANGE SECTION **ELEVATION:**

1,095FT

DRILL DEPTH:

DEPTH TO BED:

180FT

25FT

135

W8 13

> UTM X 608.499.40

UTM Y 4,198,224.91

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016290

DRILL DEPTH:

WELL TYPE Private Well

1957/05/ DRILL DATE:

153FT

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

35

FT

FT

FT

RANGE

8W

13

SECTION

ELEVATION:

1,009FT

UTM X 609,699.39

UTMY 4,198,834.93

ZONE 15

ON HWY O, S & W OF BRIDGE OVER LOVE CREEK **REMARKS**:

LOG ID: 028703

WELL TYPE

Community Public Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1989/01/27

TOWNSHIP

TOWNSHIP

37N

TOWNSHIP

37N

RANGE SECTION 8W

ELEVATION:

1,086FT

1,020FT 15FT 37N

13

UTM X

UTMY 4,198,737.92

1,135FT

UTM Y

4,199,218.92

608,790.39

ZONE 15

ELEVATION:

UTM X

607,379.39

S.W.L. (BEFORE CASING):

240

Oak Knoll Well #2 REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 002442

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1931/06/

125FT

35FT

30

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 003653

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1936/06/

117FT

80FT

TOWNSHIP

37N

RANGE

W8

RANGE

8W

SECTION 14

SECTION

14

ELEVATION:

1,115FT

UTM X UTM Y

ZONE 15

606.979.40

4,198,087.90 ZONE 15

1.5 MI S OF ROLLA ON HWY 63; OLD WELL DEEPENED 80-117' **REMARKS**:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004402

WELL TYPE Private Well

1937/08/ DRILL DATE:

TOWNSHIP RANGE 37N 8W

ELEVATION:

1,115FT

DRILL DEPTH:

215FT

14

SECTION

14

UTM X 607,079.40

UTMY 4,198,190.90

DEPTH TO BED:

20FT

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

S.W.L. (AFTER CASING): 60

LOG ID: 005802

WELL TYPE Private Well

DRILL DATE:

1939/11/

TOWNSHIP 37N

SECTION RANGE

ELEVATION:

1,188FT

DRILL DEPTH:

460FT

8W

UTM X 607,479.39

UTMY 4,199,012.92

DEPTH TO BED:

55FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

350

REMARKS:

REMARKS:

OLD WELL (#5802) DEEPENED 350-460 (see also #13017) IN 1954

LOG ID: 006557

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1940//

TOWNSHIP

RANGE 8W

ELEVATION:

607,679.39

1,186FT

DRILL DEPTH:

405FT

37N

SECTION 14

OLD WELL DEEPENED 305-405', AT FORT WYMAN

UTM X

ZONE 15

UTM Y 4,199,012.92

DEPTH TO BED:

305FT

280

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

007971

DRILL DATE:

1942/09/

TOWNSHIP 37N

RANGE

SECTION

ELEVATION:

1,118FT

UTM Y

DRILL DEPTH:

DEPTH TO BED:

330FT 100FT W8 14

UTM X

608.179.40 4,198,087.91

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

160



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011346

WELL TYPE Private Well

1950// DRILL DATE:

TOWNSHIP

RANGE SECTION 8W 14

ELEVATION:

1,177FT

DRILL DEPTH:

436FT

UTM X UTMY 4,199,424.93

607,479.38

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

FT

FT

FT

REMARKS:

37N

OLD WELL (#11346) DEEPENED (see also #12870) 330-436' (in

07/1954)

LOG ID:

WELL TYPE

011629

Noncommunity Public Well

335

DRILL DATE:

1951/08/24

TOWNSHIP

RANGE

SECTION 14

ELEVATION: 1,183FT

DRILL DEPTH:

422FT

37N 8W

> **UTM X** 607,379.39

UTMY 4,199,218.92

DEPTH TO BED: S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

30FT 255

305

REMARKS:

ZONE 15 ON HWY 63 0.25 MI S OF ROLLA; OLD WELL (#11629) DEEPENED

(see also #13507)

LOG ID: 012870

WELL TYPE

Private Well

DRILL DATE:

1950//

TOWNSHIP

RANGE

SECTION

ELEVATION:

ZONE 15

1,177FT

DRILL DEPTH:

436FT

260

335

37N **8W** 14

> **UTM X** 607,479.38

UTM Y 4,199,424.93

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: OLD WELL (see also #11346) DEEPENED (#12870) 330-436' (in

07/1954)

LOG ID:

WELL TYPE

Private Well 013017

DRILL DATE:

1939/11/

TOWNSHIP 37N

RANGE W8

SECTION

ELEVATION:

UTM X

1,188FT

DRILL DEPTH:

DEPTH TO BED:

460FT

55FT

14

UTM Y

607.479.39

4,199,012.92

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

OLD WELL (see also #5802) DEEPENED 350-460 (#13017) IN 1954

S.W.L. (AFTER CASING):

350



RANGE

SECTION

ABT 1 MI S OF ROLLA ON HWY 63, W SIDE

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013187

WELL TYPE

Noncommunity Public Well

1954/12/08 DRILL DATE:

37N 8W 14

TOWNSHIP

DRILL DEPTH: 295FT

UTM X **UTMY** DEPTH TO BED: 25FT 607,479.40 4,198,396.91

ELEVATION:

ZONE 15

1,110FT

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 250

LOG ID: 013331

WELL TYPE

Private Well

DRILL DATE: 1955/02/ **TOWNSHIP SECTION RANGE ELEVATION:** 1,125FT

37N 8W 14 DRILL DEPTH: 315FT

REMARKS:

UTM X **UTMY** DEPTH TO BED: 80FT 607,279.40 4,198,396.91

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 275

LOG ID: 013372

WELL TYPE

Private Well

DRILL DATE: 1955// **TOWNSHIP RANGE SECTION ELEVATION:** 1,170FT

37N **8W** 14 **DRILL DEPTH:** 180FT

UTM X UTM Y **DEPTH TO BED:** 30FT 607,279.39 4,199,012.92

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:** ON HWY 63 APPROX 1 MI S OF ROLLA, NEAR JONES BROS

75 FILLING STATION S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

S.W.L. (BEFORE CASING):

WELL TYPE

Noncommunity Public Well 013507

422FT

255

1951/08/24 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,183FT

UTM X UTM Y

W8

DEPTH TO BED: 30FT 607.379.38 4,199,321.93

ZONE 15

14

ON HWY 63 0.25 MI S OF ROLLA; OLD WELL (see also #11629) **REMARKS:**

37N

FΤ **DEEPENED (#13507)** S.W.L. (AFTER CASING): 305

FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014807

WELL TYPE Private Well

1956/01/06 DRILL DATE:

TOWNSHIP RANGE SECTION

37N 8W 14 **ELEVATION:** 1,078FT

DRILL DEPTH: 330FT

UTM X

608,279.40

UTMY 4,197,984.90

ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT **REMARKS:**

S.W.L. (AFTER CASING):

160

LOG ID: 015108

WELL TYPE Private Well

DRILL DATE:

1956/06/

TOWNSHIP

SECTION RANGE

ELEVATION: 1,117FT

DRILL DEPTH:

DEPTH TO BED:

340FT 10FT

37N 8W 14

UTMY

UTM X

4,199,012.92

608,079.39 ZONE 15

S.W.L. (BEFORE CASING):

FT

262

213

S OF ROLLA CEMETARY REMARKS:

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 015111

Private Well

DRILL DATE:

1956/07/

TOWNSHIP RANGE **SECTION** 14

ELEVATION: 1,111FT

DRILL DEPTH:

260FT

37N **8W**

> UTM X UTM Y

DEPTH TO BED: 20FT 607,279.40 4,198,190.90 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 1 MI S OF ROLLA ON HWY 63, N OF NEW CEMETARY

S.W.L. (AFTER CASING):

LOG ID: 015844

WELL TYPE

Private Well

DRILL DATE:

1957/02/

TOWNSHIP 37N

RANGE SECTION **ELEVATION:**

DRILL DEPTH:

257FT

135

W8 14

UTM X

607,279.40

UTM Y 4,198,190.90

1,113FT

ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017175

WELL TYPE Private Well

1958/06/03 DRILL DATE:

RANGE SECTION 8W

ELEVATION:

1,146FT

DRILL DEPTH:

437FT

14

UTM X

UTMY 4,199,012.92

DEPTH TO BED:

30FT

310

607,279.39

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: NEAR JONES FILLING STATION

S.W.L. (AFTER CASING):

LOG ID: 019914

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP

TOWNSHIP

37N

RANGE

SECTION

ELEVATION: 1,136FT

DRILL DEPTH:

290FT

37N 8W 14

UTM X UTMY

ZONE 15

607,079.40

DEPTH TO BED:

195FT

FT

NO SAMPLES RUN ABOVE 195' - STOLTZ ADDITION

SECTION

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 020422

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP RANGE 37N

ELEVATION:

1,132FT

4,198,396.91

DRILL DEPTH:

365FT

8W 14

> UTM X UTM Y

DEPTH TO BED:

10FT

608,079.38 4,199,218.93

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

295

REMARKS:

REMARKS:

LOG ID: 020442

WELL TYPE

Private Well

DRILL DATE:

320FT

RANGE TOWNSHIP 37N W8

SECTION 14

ELEVATION:

1,139FT

UTM Y

DRILL DEPTH: DEPTH TO BED:

20FT

UTM X

607.079.40 4,198,190.90

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

formerly in name of John Mueller



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020443

WELL TYPE Private Well

1961// DRILL DATE:

TOWNSHIP 37N

SECTION

ELEVATION:

1,133FT

DRILL DEPTH:

DEPTH TO BED:

325FT 45FT 8W 14

RANGE

UTM X

UTMY 4,198,396.91

607,079.40 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

021580

Noncommunity Public Well

DRILL DATE:

1963/01/

TOWNSHIP

SECTION RANGE

ELEVATION:

1,130FT

DRILL DEPTH:

330FT

37N 8W

UTM X

UTMY

DEPTH TO BED:

55FT

14

607,279.39 4,198,806.91

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: SUNNY WALL FLOWER SHOP

S.W.L. (AFTER CASING):

LOG ID: 021925

WELL TYPE

DRILL DATE:

Private Well

RANGE SECTION **ELEVATION:** 1,136FT

DRILL DEPTH:

395FT

8W 14

> UTM X UTM Y

DEPTH TO BED:

5FT

606,879.39 4,198,602.91

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

295

LOG ID: 025742

WELL TYPE Private Well

DRILL DATE:

1968/08/

TOWNSHIP 37N

TOWNSHIP

37N

RANGE

SECTION

ELEVATION:

1,031FT

DRILL DEPTH:

DEPTH TO BED:

365FT 20FT W8 14

UTM X

606.979.39

UTM Y

4,198,499.91

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

formerly in name of Robert Snellen - "ELEVATION IS PROBABLY 1131"

250 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003045

DEPTH TO BED:

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP RANGE 37N

ELEVATION:

UTM X

606,664.40

DRILL DEPTH: 106FT 8W 15

UTMY 4,197,962.89

ZONE 15

S.W.L. (BEFORE CASING):

DRILLERS LOG HAS SEC. 10 **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 003662

WELL TYPE

Private Well

DRILL DATE:

1936/06/27

TOWNSHIP 37N

SECTION RANGE

ELEVATION:

1,062FT

DRILL DEPTH:

75FT

85FT

8W 15

UTM X

UTMY

DEPTH TO BED:

15FT

SECTION

4,197,962.89

606,064.40 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

004432

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1937//

TOWNSHIP RANGE

SECTION

ELEVATION:

991FT

DRILL DEPTH:

31FT

37N W8 15

> UTM X 605,364.40

> > ZONE 15

UTM Y 4,198,063.89

DEPTH TO BED:

"TAYLORS ROLLA BANK"; PYRITE PROSPECT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

006242

DRILL DATE:

1940/07/

TOWNSHIP

RANGE

SECTION 15

ELEVATION:

1,082FT

DRILL DEPTH:

DEPTH TO BED:

90FT

5FT

65

37N

W8

UTM X

UTM Y

606.464.40

4,197,962.89

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

ON SCHOOL MINE RD ABOVE QUARRY; "WENT DRY IN JUNE,

1950"



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010442

WELL TYPE Private Well

1948/08/ DRILL DATE:

TOWNSHIP 37N

RANGE SECTION 8W

ELEVATION:

1,135FT

DRILL DEPTH: DEPTH TO BED: 202FT 85FT

15

UTM X **UTMY**

606,664.39

4,198,568.91

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

ZONE 15

SW OF ROLLA, OUTSIDE CITY LIMITS; OLD WELL DEEPENED

S.W.L. (AFTER CASING):

86-202'

LOG ID: 011864

WELL TYPE Private Well

DRILL DATE:

1951/07/

TOWNSHIP

SECTION RANGE

ELEVATION: 1,053FT

ZONE 15

DRILL DEPTH: DEPTH TO BED: 145FT

37N 8W 15

UTM X

605,464.40

UTMY 4,197,962.89

10FT

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

WELL TYPE

LOG ID: 014027

Private Well

DRILL DATE:

1955/10/

TOWNSHIP

RANGE SECTION **ELEVATION:**

605,664.40

1,042FT

4,197,962.89

DRILL DEPTH:

280FT

205

37N **8W** 15

> UTM X UTM Y

> > ZONE 15

DEPTH TO BED:

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 018307

WELL TYPE Private Well

DRILL DATE:

1959/06/

TOWNSHIP 37N

RANGE

SECTION

ELEVATION:

1,128FT

DRILL DEPTH:

DEPTH TO BED:

350FT 10FT

W8 15

> UTM X UTM Y

606.464.40 4,197,962.89

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

277 S.W.L. (AFTER CASING):



RANGE

RANGE

RANGE

8W

8W

8W

SECTION

15

SECTION

16

SECTION

16

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

606,664.40

ELEVATION:

UTM X

604,659.38

ELEVATION:

UTM X

604,059.39

ZONE 15

ZONE 15

1,132FT

UTMY

4,197,962.89

978FT

UTMY

4,199,332.91

987FT

UTM Y

4,198,726.89

LOG ID: 022230

DRILL DEPTH:

WELL TYPE Private Well

1964/02/14 DRILL DATE:

380FT

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 290

FT

REMARKS: PARKVIEW ADDITION

TOWNSHIP

37N

TOWNSHIP

TOWNSHIP

37N

37N

WELL TYPE Private Well

013508

LOG ID:

1955/04/

DRILL DATE:

183FT

DEPTH TO BED:

DRILL DEPTH:

S.W.L. (BEFORE CASING):

FT

FT

FT

75

REMARKS:

S.W.L. (AFTER CASING): 80

LOG ID: 013852

WELL TYPE Private Well

DRILL DATE: 1955/08/

DRILL DEPTH: 200FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 002598

WELL TYPE Private Well

1931/07/00 **DRILL DATE:**

DRILL DEPTH: 60FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 27 **REMARKS:**

TOWNSHIP

37N

RANGE W8

SECTION 17

ELEVATION: 807FT

ZONE 15

UTM X UTM Y 602,239.40 4,197,877.87

ZONE 15

REMARKS:

4,321 2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003242

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1935/04/00

TOWNSHIP RANGE SECTION 37N 8W 17

DRILL DEPTH: 47FT

UTM X **UTMY** DEPTH TO BED: 10FT 602,239.39 4,199,099.89

ZONE 15

ELEVATION:

813FT

S.W.L. (BEFORE CASING):

GAS STATION, HWY 66 & BEAVER CK **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

006383 Private Well

DRILL DATE: **TOWNSHIP SECTION** 1940/09/ **RANGE ELEVATION:** 938FT

37N 8W 17 DRILL DEPTH: 110FT

UTM X UTMY DEPTH TO BED: 20FT 4,198,387.88

602,539.40 ZONE 15

S.W.L. (BEFORE CASING): FT 2.5 MI W OF ROLLA BETWEEN HWY 66 & FRISCO RR TRACKS REMARKS:

S.W.L. (AFTER CASING): 99

LOG ID: 016282

DRILL DEPTH:

WELL TYPE

Private Well

DRILL DATE: 1957/05/ **TOWNSHIP RANGE SECTION ELEVATION:** 817FT

37N **8W** 17 105FT

UTM X **UTMY**

DEPTH TO BED: 603,239.39 4,199,099.90

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

30 S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

001617 Noncommunity Public Well

1907/08/ **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,130FT

DRILL DEPTH: 600FT UTM X UTM Y

W8

2

DEPTH TO BED: 607.765.36 4,201,330.97

ZONE 15

37N

FT

S.W.L. (BEFORE CASING): **REMARKS**: **TOPS ONLY**

S.W.L. (AFTER CASING): 271



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002652

WELL TYPE Private Well

1932/10/ DRILL DATE:

TOWNSHIP 37N

RANGE SECTION 8W 2

ELEVATION:

1,138FT

DRILL DEPTH:

200FT

UTM X

UTMY

DEPTH TO BED:

608,265.35

4,202,232.99 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

WELL TYPE

003409 Community Public Well

DRILL DATE:

1935/07/15

TOWNSHIP

SECTION RANGE

ELEVATION: 1,143FT

DRILL DEPTH:

600FT

37N 8W

UTM X

DEPTH TO BED:

2

UTMY 607,765.36 4,201,330.97

ZONE 15

S.W.L. (BEFORE CASING):

50FT

293

FT

REMARKS:

REMARKS:

D & A; "JUST N OF POWERHOUSE"

S.W.L. (AFTER CASING):

LOG ID: 003539

WELL TYPE Private Well

DRILL DATE:

1935/09/

TOWNSHIP RANGE

SECTION 2

ELEVATION:

1,020FT

DRILL DEPTH:

103FT

37N **8W**

> UTM X **UTMY**

DEPTH TO BED:

40FT

607,265.34 4,202,634.99

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

003566

Private Well

DRILL DATE:

1936/02/

TOWNSHIP

SECTION RANGE

ELEVATION:

1,158FT

DRILL DEPTH:

305FT

37N

W8 2 UTM X

UTM Y

DEPTH TO BED:

20FT

607,765.35

4,201,732.98 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

ABANDONED, TOOLS SANDED IN AT 305'

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003643

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Noncommunity Public Well

317FT

50FT

DRILL DATE: 1936/05/ **TOWNSHIP RANGE SECTION** 2

37N 8W

UTM X **UTMY**

607,765.35

ELEVATION:

4,201,732.98

1,158FT

ZONE 15

S.W.L. (BEFORE CASING):

TOOLS LOST, ABANDONED, LOCATED ON CAMPUS **REMARKS**:

2

S.W.L. (AFTER CASING):

LOG ID: 004030

WELL TYPE

Community Public Well

DRILL DATE:

1937/01/04

TOWNSHIP

SECTION RANGE

ELEVATION:

1,158FT

UTMY

DRILL DEPTH:

1,151FT

37N 8W

UTM X

DEPTH TO BED:

20FT

607,765.35 4,201,732.98

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: @ WATER TOWER ON CAMPUS

S.W.L. (AFTER CASING): 295

LOG ID: 005756

WELL TYPE

Private Well

DRILL DATE:

1939/11/24

TOWNSHIP RANGE

SECTION

STARTED IN BOTTOM OF 22' DUG WELL

2

ELEVATION:

1,046FT

DRILL DEPTH:

70FT

37N **8W** 2

> UTM X 608,165.34

> > ZONE 15

UTM Y 4,202,534.99

DEPTH TO BED:

22FT

28

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 006007

WELL TYPE

Private Well

DRILL DATE:

1940/05/07

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,044FT

DRILL DEPTH:

200FT

37N W8

UTM X

UTM Y

DEPTH TO BED:

40FT

608.265.34

4,202,635.00

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

IN VALLEY BELOW McFARLAND HOSPITAL **REMARKS:**

S.W.L. (AFTER CASING):

90



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007769

WELL TYPE

Noncommunity Public Well

1942/05/ DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,124FT

37N 8W 2 **DRILL DEPTH:** 700FT

UTM X **UTMY** DEPTH TO BED: 10FT 608,065.36 4,201,230.97

ZONE 15

S.W.L. (BEFORE CASING):

SWL 235' @ 415'; COR. PINE & 11TH STS. **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

009358 Noncommunity Public Well

DRILL DATE: **TOWNSHIP SECTION** 1947/01/01 **RANGE ELEVATION:** 1,125FT

37N 8W 2 DRILL DEPTH: 322FT

FT

UTM X UTMY DEPTH TO BED: 10FT 607,665.36 4,201,230.96

ROLLA STATION

ZONE 15

S.W.L. (AFTER CASING): 235

S.W.L. (BEFORE CASING):

LOG ID: 010639

DRILL DEPTH:

WELL TYPE

Private Well

DRILL DATE: 1949/01/20 **TOWNSHIP RANGE SECTION ELEVATION:**

37N **8W** 2 382FT

REMARKS:

UTM X UTM Y **DEPTH TO BED:** 25FT 607,265.35 4,202,434.99

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

675FT

320 S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Industrial High Capacity Well 012201

1953/01/09 **SECTION DRILL DATE: TOWNSHIP RANGE** 1,108FT **ELEVATION:**

DRILL DEPTH: UTM X UTM Y

W8

2

DEPTH TO BED: 10FT 608.065.36 4,201,632.97

ZONE 15

S.W.L. (BEFORE CASING): FT

37N

REMARKS: 4TH & OAK STS, ROLLA 260 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014799

WELL TYPE Private Well

1956/04/ DRILL DATE:

TOWNSHIP RANGE SECTION 37N 8W

ELEVATION: 1,177FT

DRILL DEPTH: 375FT

UTM X

UTMY 4,202,232.98

DEPTH TO BED: 25FT 606,865.35

ZONE 15

S.W.L. (BEFORE CASING):

FT

2ND HOUSE ON LEFT, N OF HWY 66 CROSS-OVER **REMARKS**:

2

S.W.L. (AFTER CASING): 305

LOG ID: 021491

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1963/01/

TOWNSHIP

SECTION RANGE

ELEVATION: 1,177FT

DRILL DEPTH:

695FT

37N 8W 2

UTM X UTMY

606,865.35 ZONE 15

4,202,032.98

DEPTH TO BED: 140FT S.W.L. (BEFORE CASING):

370

FT

FT

REMARKS:

NO SAMPLES 0-140'; 0.25-0.5 MI N OF SCH OF MINES WELL

S.W.L. (AFTER CASING):

370

LOG ID: 021585

WELL TYPE

Community Public Well

DRILL DATE:

1963//

TOWNSHIP RANGE **SECTION**

ELEVATION: 1,159FT

DRILL DEPTH:

1,200FT

37N

2

UTM X **UTMY**

DEPTH TO BED:

30FT

361

W8

606,865.35 4,201,832.97

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: old MSM Well #3

37N

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

023499

Private Well

DRILL DATE:

1965/05/24

TOWNSHIP

SECTION RANGE

ELEVATION:

1,023FT

DRILL DEPTH:

DEPTH TO BED:

305FT 10FT W8 2

UTM X UTM Y

607.465.34 4,202,634.99

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.25 MI W OF PLAZZA TRAILER CT, ROLLA

S.W.L. (AFTER CASING):

225



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024981

WELL TYPE

Community Public Well

DRILL DATE:

S.W.L. (AFTER CASING):

1967/01/

DRILL DEPTH:

1,140FT

RANGE SECTION 8W

2

ELEVATION:

1,080FT

UTM X

UTMY 4,202,279.99

TOWNSHIP

37N

DEPTH TO BED: S.W.L. (BEFORE CASING): 5FT 275

295

FT FT 608,110.35

ZONE 15

LOG ID:

028724

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1993/04/26

TOWNSHIP

SECTION RANGE 2

ELEVATION:

1,160FT

DRILL DEPTH:

590FT

37N 8W

UTM X

UTMY

DEPTH TO BED:

30FT

607,365.35

4,201,732.97

ZONE 15

S.W.L. (BEFORE CASING):

398

FT

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 005378

WELL TYPE

Private Well

DRILL DATE:

1939/05/

TOWNSHIP

RANGE

SECTION 20

ELEVATION:

DRILL DEPTH:

330FT

37N

8W

UTM X

DEPTH TO BED:

10FT

602,853.41

UTMY 4,197,079.85

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

200

REMARKS:

AT HWY 66 & VICHY RD, IN ROLLA

LOG ID: 013322

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1955/01/

245FT

20FT

TOWNSHIP 37N

RANGE W8

SECTION 20

ELEVATION:

1,000FT

UTM X 603,353.42

UTM Y 4,196,365.84

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 190



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008999

DEPTH TO BED:

WELL TYPE Private Well

1946// DRILL DATE:

37N 8W **SECTION** 21

ELEVATION:

996FT

DRILL DEPTH: 93FT

UTMY

RANGE

UTM X 604,865.41

4,196,907.86

ZONE 15

S.W.L. (BEFORE CASING):

FT

3.25 MI S OF ROLLA ON HWY 63 ON OLD MADIGAN PLACE **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 028443

WELL TYPE Private Well

DRILL DATE:

25FT

60

TOWNSHIP 37N

TOWNSHIP

RANGE SECTION 8W 21

ELEVATION:

935FT

DRILL DEPTH:

40FT

UTM X

UTMY 4,197,010.86

604,365.41 ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 028444

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP RANGE 37N

ELEVATION:

604,365.41

935FT

DRILL DEPTH:

35FT

8W 21

UTM X

UTMY 4,197,010.86

DEPTH TO BED:

SECTION

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 028445

WELL TYPE

DRILL DATE:

Private Well

TOWNSHIP RANGE SECTION 37N 21

W8

ELEVATION:

935FT

DRILL DEPTH:

DEPTH TO BED:

45FT 5FT

UTM X UTM Y

604,365.41 4,197,010.86

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014032

WELL TYPE Private Well

1955/10/ DRILL DATE:

TOWNSHIP RANGE SECTION 37N 8W 22

ELEVATION:

990FT

DRILL DEPTH:

195FT

UTM X

UTMY 4,197,354.88

605,671.41

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

155

LOG ID: 017187

WELL TYPE Private Well

DRILL DATE:

1958/03/

TOWNSHIP

SECTION RANGE

ELEVATION:

1,033FT

DRILL DEPTH:

270FT

190

205

8W 22 37N

UTM X

UTMY

DEPTH TO BED:

605,871.40

4,197,762.89

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 027798

WELL TYPE

Private Well

1969/07/00

TOWNSHIP RANGE 37N

SECTION 22

ELEVATION: 1,054FT

DRILL DEPTH:

DRILL DATE:

290FT

8W

UTM X **UTMY** 605,871.40 4,197,762.89

ZONE 15

DEPTH TO BED:

FT

REMARKS:

NO SAMPLES RUN, NO TOPS; 1 MI W OF HWY 63 ON HWY CC

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 028430

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP 37N

RANGE

SECTION 22

ELEVATION:

944FT

DRILL DEPTH: DEPTH TO BED: 235FT 40FT 8W

UTM X UTM Y

605,471.42

4,196,336.86

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

72 CEDAR GROVE, ROLLA

4,329 2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003140

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 37N 8W 23

> > UTM X **UTMY**

> > > 607,287.41 4,197,597.89

1,125FT

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

40FT

S.W.L. (AFTER CASING):

LOG ID: 008998

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

TOWNSHIP SECTION RANGE 37N 8W 23

ELEVATION: 1,121FT

DRILL DEPTH: 130FT

UTM X UTMY ZONE 15

607,087.40 4,197,801.89

FT ON HWY 63, 1.75 MI S OF ROLLA **REMARKS**:

S.W.L. (AFTER CASING): 60

S.W.L. (BEFORE CASING):

LOG ID: 011432

WELL TYPE

Noncommunity Public Well

235

40FT

DRILL DATE: 1950/07/05

S.W.L. (AFTER CASING):

SECTION TOWNSHIP RANGE 37N **8W** 23

ELEVATION: 1,115FT

DRILL DEPTH: 435FT

UTM X UTM Y

DEPTH TO BED: 20FT 608,087.42 4,196,371.87

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: OLD WELL (#11432) DEEPENED 265-435 (see also #16631) (AUG.

1957)

LOG ID: 011955

WELL TYPE Private Well

DEPTH TO BED:

15FT

FT

1952/04/ **DRILL DATE:**

S.W.L. (BEFORE CASING):

TOWNSHIP RANGE SECTION 37N 8W 23

ELEVATION:

1,096FT

DRILL DEPTH: 230FT

UTM X UTM Y

607.487.42 4,196,779.88

ZONE 15

ON HWY 63 S OF ROLLA, ACROSS FROM N END OF **REMARKS:**

S.W.L. (AFTER CASING): 185 **FAIRGROUNDS**



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012211

WELL TYPE

Community Public Well

DRILL DATE:

1952/11/

TOWNSHIP 37N

RANGE SECTION 23

ELEVATION:

1,085FT

DRILL DEPTH:

330FT

8W

UTM X **UTMY**

DEPTH TO BED:

20FT

607,487.40 4,197,801.90

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

ON HWY 63 JOINING ROLLA MEMORIAL GARDENS **REMARKS:**

S.W.L. (AFTER CASING):

190

LOG ID: 012424

WELL TYPE Private Well

DRILL DATE:

1953/08/

TOWNSHIP 37N

SECTION RANGE

ELEVATION: 1,120FT

DRILL DEPTH:

DEPTH TO BED:

282FT

8W 23

> **UTM X UTMY**

> > ZONE 15

607,087.41

4,197,393.89

237

25FT

REMARKS:

W OF DR. BENITEZ HOME

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 016631

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1950/07/05

TOWNSHIP

RANGE

SECTION 23

ELEVATION:

DRILL DEPTH:

435FT

37N **8W**

> UTM Y **UTM X** 607,087.42 4,196,371.87

DEPTH TO BED:

20FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

130

FT

REMARKS:

OLD WELL (see also #11432) DEEPENED 265-435 (#16631) (AUG.

235

FT

1957)

LOG ID:

WELL TYPE Private Well

016876

1957/10/

TOWNSHIP 37N

RANGE W8

SECTION

ELEVATION:

1,086FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

300FT

10FT

23

UTM X UTM Y

607.887.41 4,196,983.88

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 100



37N

TOWNSHIP

37N

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018325

DRILL DEPTH:

WELL TYPE Private Well

1959/02/ DRILL DATE:

292FT 20FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

FT

FT

REMARKS:

LOG ID: 018413

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1959/07/

230

230

290FT

DEPTH TO BED:

15FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 018529

Private Well

DRILL DATE:

1959//

DRILL DEPTH:

340FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 019128

WELL TYPE Private Well

DRILL DATE:

1960/06/

DRILL DEPTH: 325FT

DEPTH TO BED:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

275

30FT

REMARKS:

TOWNSHIP RANGE SECTION

8W 23

SECTION

23

ELEVATION:

1,129FT

UTM X 608,087.42

UTMY 4,196,371.87

ZONE 15

ELEVATION: 1,110FT

UTM X **UTMY**

607,687.42 4,196,371.87

ZONE 15

REMARKS:

REMARKS:

WELL TYPE

60FT

260

TOWNSHIP 37N

RANGE 8W

RANGE

8W

SECTION 23

ELEVATION:

1,110FT

UTM X

UTMY 4,196,473.87

607,687.42

ZONE 15

NW OF ROLLA ON HWY Y

TOWNSHIP RANGE 37N

8W

SECTION 23

ELEVATION:

1,117FT

UTM X UTM Y 607,287.41 4,197,393.89

ZONE 15



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020474

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,043FT

> 37N 8W 23 230FT

UTM X **UTMY** DEPTH TO BED: 5FT

608,287.40 4,197,801.90

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 150

LOG ID: 020989

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 1,124FT

37N 8W 23 DRILL DEPTH: 320FT

UTM X UTMY DEPTH TO BED: 30FT 607,087.41 4,197,393.89

ZONE 15 FT

S.W.L. (BEFORE CASING): 1 MI S OF ROLLA ON HARTVILLE RD. **REMARKS**: 270

S.W.L. (AFTER CASING):

LOG ID: 022938

WELL TYPE Private Well

DRILL DATE: 1964/06/24 **TOWNSHIP RANGE SECTION ELEVATION:** 1,090FT

37N **8W** 23 **DRILL DEPTH:** 295FT

UTM X UTMY DEPTH TO BED: 607,887.41 4,197,189.89 15FT

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: 2 BLOCKS S & 1 BLOCK E OF OZARK MEMORIAL GARDENS

S.W.L. (AFTER CASING): 190

LOG ID:

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well 025754

470FT

SECTION DRILL DATE: 1967/05/25 **TOWNSHIP RANGE** 1,109FT **ELEVATION:**

UTM X UTM Y

DEPTH TO BED: 608.169.41 4,197,164.89 25FT

8W

23

ZONE 15 S.W.L. (BEFORE CASING): FT

37N

1 MI S OF ROLLA, 1000 YDS E OF HWY 63 **REMARKS**: 300 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011932

WELL TYPE Private Well

1952/04/ DRILL DATE:

TOWNSHIP RANGE 37N

SECTION 24

ELEVATION:

1,099FT

DRILL DEPTH:

300FT

UTM X 609,906.42

UTM Y 4,196,406.88

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

15FT

FT **REMARKS:**

S.W.L. (AFTER CASING):

165

LOG ID: 013497

WELL TYPE Private Well

DRILL DATE:

1955/04/

TOWNSHIP

SECTION RANGE 24

8W

ELEVATION:

1,099FT

DRILL DEPTH:

160FT

37N 8W

UTM X

UTMY 4,197,220.89

DEPTH TO BED:

15FT

608,506.41

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

85

FT

FT

2 MI S OF ROLLA CEMETARY REMARKS:

LOG ID:

015239

WELL TYPE Private Well

DRILL DATE:

1956/07/

TOWNSHIP

RANGE

SECTION 24

ELEVATION:

1,172FT

DRILL DEPTH:

240FT

37N

8W

UTM X 608,906.42

UTMY 4,196,610.88

DEPTH TO BED:

35FT

152

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 018422

WELL TYPE Private Well

DRILL DATE:

1959/07/

TOWNSHIP 37N

RANGE

SECTION 24

ELEVATION:

1,154FT

DRILL DEPTH:

DEPTH TO BED:

325FT 15FT

258

W8

UTM X

UTM Y

608.906.42

4,196,610.88

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

2/27/2007

4,334



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018527

WELL TYPE Private Well

1959/11/04 DRILL DATE:

TOWNSHIP 37N

FT

FT

RANGE SECTION 8W 24

ELEVATION:

UTM X

1,109FT

DRILL DEPTH:

293FT

UTMY 4,197,322.89

608,506.41

DEPTH TO BED: S.W.L. (BEFORE CASING):

20FT

173

REMARKS: S OF ROLLA CEMETARY ZONE 15

S.W.L. (AFTER CASING):

LOG ID: 019570

WELL TYPE Private Well

DRILL DATE:

1960//

TOWNSHIP

SECTION RANGE

ELEVATION:

DRILL DEPTH:

37N

24 8W

> **UTM X UTMY**

> > ZONE 15

608,506.41

DEPTH TO BED:

15FT

139

280FT

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 023837

WELL TYPE Private Well

DRILL DATE:

1965//

TOWNSHIP RANGE 37N

ELEVATION:

608,606.41

1,142FT

DRILL DEPTH:

350FT

8W 24

UTM X

DEPTH TO BED:

30FT

SECTION

UTMY 4,196,914.88

UTM Y

4,197,220.89

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

250

LOG ID:

WELL TYPE

025195

Industrial High Capacity Well

DRILL DATE:

1966/08/13

TOWNSHIP

SECTION RANGE

ELEVATION: 1,066FT

DRILL DEPTH:

260FT

37N

W8 24

DEPTH TO BED:

15FT

608,506.41 4,197,424.89

UTM X

ZONE 15

S.W.L. (BEFORE CASING):

FT

1 MI S OF ROLLA ON ROLLA ST RD **REMARKS**:

S.W.L. (AFTER CASING):

185



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026705

DRILL DEPTH:

WELL TYPE Private Well

1969/01/09 DRILL DATE:

360FT

DEPTH TO BED: 95FT **TOWNSHIP** 37N

RANGE 8W

SECTION 24

ELEVATION:

1,194FT

UTM X 609,106.42

UTMY 4,196,406.88

ZONE 15

S.W.L. (BEFORE CASING):

NO PRODUCTION DATA **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 012219

WELL TYPE Private Well

DRILL DATE:

1952/10/

TOWNSHIP 37N

SECTION RANGE

ELEVATION:

1,060FT

DRILL DEPTH:

80FT

8W 26

UTM X

UTMY

DEPTH TO BED: 15FT

606,889.44

4,194,964.84

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: ON HWY 63

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 016032

Private Well

DRILL DATE:

1957/03/

290FT

45

TOWNSHIP 37N

RANGE

SECTION 26

ELEVATION:

1,121FT

DRILL DEPTH:

8W

UTM X 607,889.42

UTMY 4,196,194.87

DEPTH TO BED:

15FT

122

REMARKS:

SAMPLES MIXED, DO NOT USE FOR CORRELATION

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 016644

WELL TYPE Private Well

DRILL DATE:

1957/09/03

TOWNSHIP 37N

RANGE

SECTION

ELEVATION:

1,003FT

DRILL DEPTH:

135FT

95

W8 26

UTM X

UTM Y

607.489.43 4,195,580.85

DEPTH TO BED: 5FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

YIELD - 1 GPM @ 55', 9 GPM @ 125-135' **REMARKS**:

ZONE 15

ZONE 15

2/27/2007

4,336



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016982

WELL TYPE Private Well

1958// DRILL DATE:

TOWNSHIP 37N

RANGE SECTION **ELEVATION:**

1,090FT

DRILL DEPTH:

265FT

8W 26

UTMY 4,195,990.86

DEPTH TO BED:

200

UTM X 607,789.42

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 017645

WELL TYPE Private Well

DRILL DATE:

1958//

TOWNSHIP

SECTION RANGE

ELEVATION:

1,101FT

DRILL DEPTH:

278FT

37N 8W 26

UTM X

ZONE 15

607,689.42

UTMY 4,196,194.87

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

222

REMARKS:

HWY 63 S ACROSS FROM QUARRY - SMALL HOUSE BEHIND

CHURCH

LOG ID:

WELL TYPE

019420

Private Well

DRILL DATE:

1959/11/

TOWNSHIP

SECTION RANGE

ELEVATION:

1,128FT

DRILL DEPTH:

DEPTH TO BED:

300FT 25FT

40

37N **8W** 26

UTM X

607,889.42

UTMY 4,196,194.87

UTM Y

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S OF FAIR GROUNDS OFF HWY 63 S OF ROLLA

S.W.L. (AFTER CASING):

LOG ID: 019704

WELL TYPE Private Well

DRILL DATE:

1961/05/

TOWNSHIP

RANGE

SECTION

ELEVATION:

DRILL DEPTH:

DEPTH TO BED:

306FT

15FT

37N

8W

26

UTM X 608.089.42

4,195,990.86 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S EDGE OF FAIRGROUNDS S OF ROLLA

222 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020478

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,144FT

> 37N 8W 26 320FT

UTM X **UTMY** DEPTH TO BED: 20FT

607,889.42 4,196,194.87

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: WEST END OF FAIRGROUNDS

S.W.L. (AFTER CASING): 240

LOG ID: 018304

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: 1959/04/ **RANGE ELEVATION:** 1,110FT

37N 8W 27 DRILL DEPTH: 292FT

UTM X UTMY DEPTH TO BED: 35FT 4,195,539.85 606,673.43

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 205

LOG ID: 013968

WELL TYPE Private Well

SECTION DRILL DATE: 1955/08/ **TOWNSHIP RANGE ELEVATION:** 854FT

37N **8W** 29 **DRILL DEPTH:** 125FT

UTM X **UTMY**

DEPTH TO BED: 602,247.44 4,195,056.81

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS**: 0.5 MI E OF POINT BLUFF SCHOOL

S.W.L. (AFTER CASING): 65

LOG ID: 007122

WELL TYPE Private Well

1941/08/ **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,206FT

37N

DRILL DEPTH: 400FT UTM X UTM Y

W8

3

DEPTH TO BED: 606.149.35 4,201,691.96 132FT ZONE 15

S.W.L. (BEFORE CASING): FT

NO SAMPLES TO 132'; 1 MI W OF ROLLA **REMARKS**: S.W.L. (AFTER CASING): 340



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008600

WELL TYPE Private Well

1944/07/ DRILL DATE:

TOWNSHIP 37N

SECTION

ELEVATION:

1,184FT

DRILL DEPTH:

DEPTH TO BED:

125FT

3

UTM X

UTMY

35FT

605,749.35

4,202,285.97

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

REMARKS: YIELD "WEAK"

S.W.L. (AFTER CASING):

90

LOG ID: 009027

WELL TYPE Private Well

DRILL DATE:

1946/01/

TOWNSHIP

SECTION RANGE

ELEVATION:

1,114FT

DRILL DEPTH:

295FT

37N 8W 3

RANGE

8W

UTM X

UTMY

DEPTH TO BED:

10FT

130

605,349.35 4,202,483.97

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 010580

WELL TYPE

Private Well

DRILL DATE:

1948/12/

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,191FT

DRILL DEPTH:

360FT

37N **8W**

> UTM X 606,049.35

UTM Y 4,201,988.97

DEPTH TO BED:

30FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

225

REMARKS:

LOG ID:

011737

WELL TYPE

1951/11/

Community Public Well

TOWNSHIP 37N

SECTION RANGE 8W

ELEVATION:

1,155FT

DRILL DATE: DRILL DEPTH:

1,215FT

3

3

UTM X UTM Y

ZONE 15

606,553.36 4,201,138.96

ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

20FT

280 FT

REMARKS:

ON W 10TH ST @ HOSPITAL

FT S.W.L. (AFTER CASING): 315



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011789

DEPTH TO BED:

WELL TYPE Private Well

1951/12/ DRILL DATE:

TOWNSHIP RANGE 37N 8W

ELEVATION:

1,192FT

DRILL DEPTH: 450FT **SECTION** 3

UTM X UTMY 4,202,582.98

605,649.34

ZONE 15

S.W.L. (BEFORE CASING):

FT

DGLS OBSERVATION WELL 9/1980 - #96995 DIGITAL RECORDER **REMARKS:**

S.W.L. (AFTER CASING): 315

LOG ID: 013489

WELL TYPE Private Well

DRILL DATE:

1955//

TOWNSHIP

SECTION RANGE

ELEVATION: 1,166FT

DRILL DEPTH: DEPTH TO BED: 375FT

20FT

37N 8W 3

UTM X

305

UTMY 4,202,582.98

605,649.34 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 023827

WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1965/07/28

TOWNSHIP RANGE SECTION **ELEVATION:** 1,173FT

DRILL DEPTH:

620FT

37N W8 3

> UTM X UTM Y

> > ZONE 15

DEPTH TO BED:

125FT

365FT

606,649.35 4,201,988.97

REMARKS: NO SAMPLES 40-125'; AIR-ROTARY

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

380

FT

LOG ID:

DRILL DEPTH:

WELL TYPE

Private Well 024065

1965/11/10 **DRILL DATE:**

RANGE SECTION TOWNSHIP

3

37N W8 **ELEVATION:** 1,111FT

DEPTH TO BED: 15FT

UTM X UTM Y 605.249.34

4,202,582.98

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 247



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025110

WELL TYPE Private Well

DRILL DATE: 1967/03/17 TOWNSHIP RANGE SECTION ELEVATION: 1,186FT

DRILL DEPTH: 480FT 37N 8W 3

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 50FT <u>UTM X</u> 4,202,384.98

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 300 YDS SE OF FORESTRY STATION ON NAGOGAMI RD

S.W.L. (AFTER CASING): 335

LOG ID: WELL TYPE Private Well

DRILL DATE: 1944/06/ TOWNSHIP RANGE SECTION ELEVATION: 879FT

DRILL DEPTH: 65FT 37N 8W 34

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 15FT 606,475.45 4,193,730.81

ZONE 15

S.W.L. (BEFORE CASING): REMARKS:

S.W.L. (AFTER CASING):

LOG ID: WELL TYPE

027391 Community Public Well

DRILL DATE: 1973/08/29 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 923FT

DRILL DEPTH: 245FT 37N 8W 34

UTM X UTM Y

<u>DEPTH TO BED:</u> 20FT 606,200.45 4,193,720.81 ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: Vista View Mobile Home Village & Chris Sweary

S.W.L. (AFTER CASING): 95

LOG ID: WELL TYPE Private Well

<u>DRILL DATE: 1946/02/02 TOWNSHIP RANGE SECTION</u> ELEVATION: 1,121FT

<u>DRILL DEPTH:</u> 144FT STN SW 30 UTM X UTM Y

<u>DEPTH TO BED:</u> 20FT 609,918.45 4,193,787.83

W8

ZONE 15

36

S.W.L. (BEFORE CASING): FT REMARKS:

37N

S.W.L. (AFTER CASING): 85



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010605

WELL TYPE Private Well

1948/04/25 DRILL DATE:

TOWNSHIP RANGE 37N 8W

ELEVATION:

1,112FT

DRILL DEPTH:

255FT 70FT 36

SECTION

UTM X **UTMY** 4,194,611.84

609,118.44

ZONE 15

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

181

FT

LOG ID: 015443

WELL TYPE Private Well

DRILL DATE:

1956/09/

TOWNSHIP

SECTION RANGE

ELEVATION:

998FT

DRILL DEPTH:

135FT

37N 8W 36

> **UTM X** 608,518.45

UTMY 4,194,199.83

DEPTH TO BED:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

98

FT

REMARKS:

LOG ID:

017189

WELL TYPE Private Well

DRILL DATE:

1958/04/

TOWNSHIP

RANGE SECTION **ELEVATION:**

ZONE 15

1,129FT

DRILL DEPTH:

250FT

37N **8W** 36

> UTM X 609,318.45

UTM Y 4,193,787.83

DEPTH TO BED:

186

FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 018520

WELL TYPE Private Well

DRILL DATE:

200FT

TOWNSHIP 37N

RANGE

SECTION 36

ELEVATION:

UTM X

1,136FT

UTM Y

DRILL DEPTH: DEPTH TO BED:

5FT

W8

609,518.45

4,193,787.83

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

3.5 MI S & 0.5 MI E OF ROLLA GRAVE YARD

S.W.L. (AFTER CASING):

155

2/27/2007

4,342



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021776

WELL TYPE Private Well

1963/07/ DRILL DATE:

TOWNSHIP RANGE 37N

SECTION

ELEVATION:

1,121FT

DRILL DEPTH:

DEPTH TO BED:

275FT 20FT 36

UTM X 609,918.44

UTMY 4,194,611.85

S.W.L. (BEFORE CASING):

FT

3-4 MI S OF ROLLA ON HWY O (LACOMA RD) **REMARKS**:

8W

S.W.L. (AFTER CASING):

185

LOG ID: **WELL TYPE** Private Well

025191 DRILL DATE:

1967//

TOWNSHIP

SECTION RANGE

ELEVATION: 1,122FT

ZONE 15

DRILL DEPTH:

380FT

37N 8W 36

UTM X

DEPTH TO BED: 25FT 609,318.45

UTMY 4,193,787.83

ZONE 15

S.W.L. (BEFORE CASING):

FT

225

2 MI S OF ROLLA CEMETARY RD REMARKS:

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 026080

Private Well

DRILL DATE:

1968/10/23

TOWNSHIP

RANGE SECTION **ELEVATION:**

609,718.45

1,113FT

DRILL DEPTH:

280FT

37N **8W** 36

UTM X UTM Y

DEPTH TO BED:

10FT

4,194,199.84

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 4 MI S OF ROLLA ON HWY O (LECOMA RD)

S.W.L. (AFTER CASING):

180

LOG ID:

WELL TYPE Private Well

013323

1955/01/

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,021FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

200FT

5FT

150

37N

W8

UTM X

UTM Y 605.033.36 4,201,140.95

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015125

WELL TYPE Private Well

1956/05/ DRILL DATE:

TOWNSHIP 37N

RANGE SECTION **ELEVATION:**

939FT

DRILL DEPTH:

105FT

8W

UTM X 604,433.36

UTMY 4,201,140.94

DEPTH TO BED:

S.W.L. (BEFORE CASING): FT

REMARKS:

ZONE 15

S.W.L. (AFTER CASING):

50

LOG ID: 018521

WELL TYPE Private Well

DRILL DATE:

1959/10/

TOWNSHIP

SECTION RANGE

4

ELEVATION:

1,091FT

DRILL DEPTH:

300FT

37N 8W

> UTM X 604,533.35

UTMY

4,202,423.97

DEPTH TO BED:

FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

205

REMARKS: 217 W 6TH ST., ROLLA

LOG ID:

022915

WELL TYPE Private Well

DRILL DATE:

1964/06/25

TOWNSHIP 37N

RANGE SECTION **ELEVATION:**

ZONE 15

1,040FT

DRILL DEPTH:

270FT

8W 4

UTM X 605,033.36

UTM Y 4,201,338.95

DEPTH TO BED:

FT

REMARKS:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

023280

Industrial High Capacity Well

185

DRILL DATE:

1964/10/20

TOWNSHIP 37N

SECTION RANGE W8

ELEVATION:

1,021FT

DRILL DEPTH:

395FT

UTM X 603.633.34 UTM Y

ZONE 15

4,202,522.96

DEPTH TO BED: S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

155

REMARKS:

FARNEY "LIME" QUARRY, 2 MI W OF ROLLA ON CAMP CREEK RD

(HWYY)



RANGE

8W

W OF STRAWHUN SCHOOL SITE

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

602,421.36

LOG ID: 015437

DRILL DEPTH:

LOG ID:

WELL TYPE Private Well

1956/09/ DRILL DATE:

82FT

DEPTH TO BED: 15FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

33

FT

FT

WELL TYPE

016299 Private Well

DRILL DATE: 1957/04/

DRILL DEPTH: 182FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP 37N

TOWNSHIP

37N

REMARKS:

REMARKS:

RANGE

8W

SECTION

SECTION

5

5

SECTION

5

UTM X

ELEVATION:

UTMY

907FT

UTM Y

4,201,108.93

975FT

899FT

UTMY

4,201,304.93

603,021.35 4,201,892.95

ELEVATION:

UTM X

603,221.36

ZONE 15

ZONE 15

LOG ID:

024060

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1965/11/16

DRILL DEPTH:

170FT

60

118

FT

REMARKS:

0.25 MI E OF STRAWHUN SCHOOL SITE

RANGE

8W

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 027327

WELL TYPE Private Well

DRILL DATE:

1973/05/

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

250FT

TOWNSHIP 37N

TOWNSHIP

37N

RANGE W8

SECTION

6

ELEVATION:

1,016FT

UTM X UTM Y

601.379.35 4,202,459.95

ZONE 15

ZONE 15

OFF CAMP CREEK RD W OF ROLLA; OWNED BY BRIAN **REMARKS**:

CYSEWSKI (1994)



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002606

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: 1932/08/

255FT

DEPTH TO BED: 5FT

TOWNSHIP RANGE
37N 8W

SECTION 7

ELEVATION:

814FT

<u>UTM X</u> 601,774.38

<u>UTM Y</u> 4,199,426.89

1,774.30

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

RKS: OLD HOMESTEAD DIXIE GAS , HWY 66 W, ALONG BEAVER CK W
OF ROLLA

LOG ID: 002908

WELL TYPE Private Well

DRILL DATE:

1934/08/15

TOWNSHIP

<u>RANGE</u>

SECTION 7

ELEVATION:

950FT

DRILL DEPTH:

101FT

37N

8W

UTM X

UTM Y

DEPTH TO BED:

25FT

600,574.38

4,200,070.90

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

formerly in name of D.T. Lishman - 5 MI W OF ROLLA ON HWY 66

S.W.L. (AFTER CASING):

LOG ID: 003913

WELL TYPE Private Well

DRILL DATE:

1936//

TOWNSHIP

RANGE SECTION

ELEVATION:

871FT

DRILL DEPTH:

60FT

37N 8W 7

<u>UTM X</u> 600,774.38

ZONE 15

<u>UTM Y</u> 4,199,856.90

DEPTH TO BED:

AT HOUSE, SW HWY 66

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

004311

Noncommunity Public Well

20

DRILL DATE:

1937/06/

TOWNSHIP

RANGE SECTION

874FT

DRILL DEPTH:

70FT

37N

8W 7

UTM X

600.774.38

<u>UTM Y</u> 4,199,856.90

ZONE 15

ELEVATION:

DEPTH TO BED:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

FT

REMARKS:

WEST OF RR STATION, @ GARAGE

2/27/2007

4,346



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007104

WELL TYPE Private Well

1941/07/16 DRILL DATE:

80

SECTION TOWNSHIP RANGE 37N 8W 7

ELEVATION:

986FT

DRILL DEPTH: 115FT

UTM X

UTMY 4,200,070.90

DEPTH TO BED: 25FT 600,574.38

ZONE 15

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

LOG ID: 008006

WELL TYPE Private Well

DRILL DATE:

1942/11/

TOWNSHIP

SECTION RANGE

ELEVATION:

978FT

DRILL DEPTH:

153FT

37N 8W

UTM X

UTMY

DEPTH TO BED: 25FT

600,774.38

4,199,640.89

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

OZARK RECREATION PARK ?, 5 MI SW OF ROLLA ON HWY 66

7

S.W.L. (AFTER CASING): 120

LOG ID: 028008

WELL TYPE Private Well

DRILL DATE:

1976/11/15

TOWNSHIP

RANGE SECTION **ELEVATION:**

950FT

DRILL DEPTH:

200FT

37N **8W** 7

UTM X

UTM Y

DEPTH TO BED:

20FT

600,874.38 ZONE 15

4,199,963.90

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION DATA

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

002569

Noncommunity Public Well

DRILL DATE:

1932/06/

TOWNSHIP

SECTION RANGE

ELEVATION:

803FT

37N

W8

UTM X

DRILL DEPTH: DEPTH TO BED: 82FT 10FT

602.536.38

UTM Y 4,199,584.90

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

LITTLE BEAVER VALLEY ON US 66, DRILLED TO REPLACE

8

CONDEMNED WELL

S.W.L. (AFTER CASING): 15

2/27/2007

4,347



(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

602,536.37

ELEVATION:

UTM X

602,036.38

ELEVATION:

UTM X

604,246.38

ELEVATION:

UTM X

604.346.37

ZONE 15

ZONE 15

ZONE 15

ZONE 15

930FT

UTMY

4,200,814.92

944FT

UTMY

4,200,097.91

860FT

UTM Y

4,199,739.91

942FT

UTM Y

4,200,248.92

LOG ID: 006204

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

1940/07/19 DRILL DATE:

102FT

DEPTH TO BED: 25FT

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

FT

1 MI N OF "OLD HOMESTEAD" **REMARKS**:

RANGE

RANGE

RANGE

RANGE

W8

W8

8W

8W

SECTION

8

SECTION

8

SECTION

9

TOWNSHIP

37N

TOWNSHIP

37N

LOG ID: 013035

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1954/09/

60

187FT

DEPTH TO BED: 15FT

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

S.W.L. (AFTER CASING): 110

LOG ID: 003838

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1936/08/13

DRILL DEPTH:

DEPTH TO BED: 15FT

S.W.L. (BEFORE CASING):

10

S.W.L. (AFTER CASING):

66FT

REMARKS:

NEAR MARTIN SPRINGS W OF ROLLA, FORMERLY LA VINE

FILLING STATION

TOWNSHIP

37N

TOWNSHIP

37N

LOG ID:

WELL TYPE Private Well

004361 **DRILL DATE:**

DEPTH TO BED:

1937/06/25

20FT

71FT

DRILL DEPTH:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

AT FOOT OF FAIRGROUNDS HILL ON OLD HWY 66

SECTION

9



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005348

WELL TYPE Private Well

1939/04/ DRILL DATE:

82FT

25FT

DRILL DEPTH: DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 50 **TOWNSHIP RANGE SECTION** 37N

8W 9

ELEVATION:

930FT

UTM X 604,246.37

ELEVATION:

UTM X

604,546.38

ELEVATION:

UTM X

603,646.38

UTMY 4,200,147.92

892FT

UTMY

4,200,045.92

851FT

UTM Y

4,199,535.91

ZONE 15

ZONE 15

ZONE 15

LOG ID: 007822

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1942/07/06

FT

FT

FT

REMARKS:

100FT

DEPTH TO BED: 35FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

62

12

REMARKS:

TOWNSHIP

37N

TOWNSHIP

37N

COULD NOT LOCATE - NO ELEVATION

RANGE

8W

RANGE

8W

SECTION

9

SECTION

9

LOG ID: 008186

WELL TYPE Private Well

DRILL DATE: 1943//

DRILL DEPTH: 83FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 011336

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1950/05/08

128FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: 2.5 MI W OF ROLLA

> **TOWNSHIP** 37N

RANGE

W8

SECTION 9

ELEVATION:

893FT

UTM X 603.646.38

UTM Y 4,199,739.91

ZONE 15

FT **REMARKS:** 42



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013056

WELL TYPE Private Well

1954// DRILL DATE:

TOWNSHIP 37N

RANGE SECTION **ELEVATION:**

950FT

DRILL DEPTH:

DEPTH TO BED:

150FT

8W 9

UTM X

UTMY 4,199,739.92

85

605,046.38

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID: 013191

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1954/11/

TOWNSHIP

SECTION RANGE 9

ELEVATION:

875FT

DRILL DEPTH:

140FT

37N 8W

> **UTM X** 604,446.38

> > ZONE 15

UTMY 4,199,943.92

DEPTH TO BED:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: AT FOOT OF FAIRGROUND HILL, W EDGE OF ROLLA

LOG ID: 015119

WELL TYPE

Noncommunity Public Well

27

DRILL DATE:

1956/06/

TOWNSHIP

RANGE SECTION **ELEVATION:**

970FT

DRILL DEPTH:

200FT

10FT

37N 8W 9

UTM X

UTM Y 4,199,943.92

DEPTH TO BED:

FT

605,046.38

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

100

LOG ID:

WELL TYPE

015236

Private Well

DRILL DATE:

1956/07/

TOWNSHIP 37N

SECTION RANGE

949FT

DRILL DEPTH:

DEPTH TO BED:

150FT 10FT

W8 9

> UTM X UTM Y

605,046.38 4,199,943.92

ELEVATION:

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

65



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016036

WELL TYPE Private Well

1957/03/ DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 933FT

> 37N 8W 105FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 15FT

9

9

2 MI W & 0.5 MI N OF ROLLA ON STRAWHUN SCHOOL RD

605,046.38 4,199,535.92

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 50

LOG ID: 017179

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: 1958/05/10 **RANGE ELEVATION:** 938FT

37N 8W DRILL DEPTH: 170FT

UTM X **UTMY** DEPTH TO BED: 10FT 4,200,147.92 603,846.37

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING): 105

LOG ID: 023834

WELL TYPE Private Well

DRILL DATE: 1965/09/09 **TOWNSHIP RANGE SECTION ELEVATION:** 938FT

37N 8W 9 **DRILL DEPTH:** 155FT

UTM X UTM Y

DEPTH TO BED: 603,646.37 4,200,553.93 15FT

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 95

LOG ID: 016279

WELL TYPE Private Well

1957/05/ **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 991FT

37N 9W **DRILL DEPTH:** 182FT

REMARKS:

UTM X UTM Y

DEPTH TO BED: 600.124.36 4,201,177.92

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: S.W.L. (AFTER CASING): 125

4,351 2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002235

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 998FT

<u>DRILL DEPTH:</u> 185FT 37N 9W 10

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 595,713.38 4,199,600.86

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: SAMPLES RUN FROM 50-95', NO SAMPLES BELOW 95'

S.W.L. (AFTER CASING): 105

LOG ID: WELL TYPE
006824 Private Well

DRILL DATE: 1941/04/ TOWNSHIP RANGE SECTION ELEVATION: 981FT

DRILL DEPTH: 100FT 37N 9W 10

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 595,513.39 4,199,398.85

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: YIELD "SMALL FLOW"; "1 MI FROM 3 STATIONS W ON HWY 66"

S.W.L. (AFTER CASING): 58

LOG ID: WELL TYPE Private Well

<u>DRILL DATE:</u> 1955/06/ <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 967FT

_____ 37N 9W 10

DRILL DEPTH: 100FT S/N 9W 10

<u>DEPTH TO BED:</u> 595,513.38 4,199,600.86 ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 20

LOG ID: WELL TYPE
014576 Private Well

DRILL DATE: 1956/01/ TOWNSHIP RANGE SECTION ELEVATION: 903FT

DRILL DEPTH: 105FT SYN SW 10

9W

10

<u>DEPTH TO BED:</u> 30FT 596,913.37 4,200,808.89

S.W.L. (BEFORE CASING): FT PERMANAGE WE HOMEL STORE ON OLD HANK OF

37N

S.W.L. (AFTER CASING): REMARKS: 0.25 MI N OF IKE HOWELL STORE ON OLD HWY 66
S.W.L. (AFTER CASING): 65



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014802

WELL TYPE Private Well

1956/04/ DRILL DATE:

TOWNSHIP 37N

SECTION 10

ELEVATION:

983FT

DRILL DEPTH:

170FT

UTM X

UTMY

DEPTH TO BED:

10FT

595,913.38

4,200,204.87

ZONE 15

S.W.L. (BEFORE CASING):

FT

W EDGE OF DOOLITTLE, SIDE ROAD **REMARKS**:

RANGE

9W

S.W.L. (AFTER CASING):

130

LOG ID:

WELL TYPE

020961

Noncommunity Public Well

DRILL DATE:

1962/06/

TOWNSHIP

SECTION RANGE

ELEVATION:

960FT

DRILL DEPTH:

215FT

37N 9W 10

UTM X

UTMY

DEPTH TO BED:

30FT

596,513.37

4,200,406.88

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

130

WELL TYPE

LOG ID: 026103

Noncommunity Public Well

DRILL DATE:

1967/07/18

TOWNSHIP

RANGE

SECTION 10

ELEVATION:

962FT

DRILL DEPTH:

185FT

37N

9W

DEPTH TO BED:

30FT

UTM X 596,513.37

UTM Y 4,200,406.88

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

JCT OF HWY 66 AND T, NEWBURG JUCTION

S.W.L. (AFTER CASING):

125

LOG ID: 027933

WELL TYPE Private Well

DRILL DATE:

1975/08/22

TOWNSHIP

RANGE

SECTION

ELEVATION:

838FT

DRILL DEPTH:

125FT

37N

9W

10

5FT

UTM X UTM Y 596.713.39 4,199,398.86

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

DEPTH TO BED:

40

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028112

DEPTH TO BED:

WELL TYPE

Noncommunity Public Well

5FT

DRILL DATE: **TOWNSHIP RANGE SECTION**

> 37N 9W 10

ELEVATION:

969FT

DRILL DEPTH: 550FT

UTM X 595,768.37

UTMY 4,200,477.88

4,199,992.88

ZONE 15

S.W.L. (BEFORE CASING):

NO PRODUCTION OR CONSTRUCTION DATA **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 006590

WELL TYPE

Noncommunity Public Well

FT

FT

DRILL DATE: 1940/12/

S.W.L. (BEFORE CASING):

TOWNSHIP SECTION RANGE

ELEVATION: 1,013FT

DRILL DEPTH: 168FT 9W 11

UTM X UTMY

ZONE 15

597,307.38

DEPTH TO BED: 35FT

> **REMARKS**: **NEWBURG JUNCTION**

37N

37N

S.W.L. (AFTER CASING): 90

LOG ID: 006617

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Private Well

DRILL DATE: 1940/01/ **TOWNSHIP RANGE SECTION**

9W

11

ELEVATION:

UTM X UTM Y 597,707.38

4,199,790.88

998FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

135

REMARKS:

LOG ID:

200FT

55FT

WELL TYPE

006781

Noncommunity Public Well

DRILL DATE:

1981/03/

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,000FT

DRILL DEPTH:

200FT

37N

9W 11

> UTM X 598,307.38

UTM Y 4,199,790.88

DEPTH TO BED:

50FT

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: JCT OF HWY 66 AND NEWBURG RD

S.W.L. (AFTER CASING):

151



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007110

WELL TYPE Private Well

1941/07/20 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

37N 9W 11 **DRILL DEPTH:** 200FT

UTM X **UTMY** DEPTH TO BED: 35FT

598,507.38 4,199,790.88

1,006FT

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 150

JCT OF HWY 66 AND NEWBURG RD (HWY T) **REMARKS**:

LOG ID: 007793

WELL TYPE Private Well

DRILL DATE: 1942// **TOWNSHIP SECTION ELEVATION: RANGE** 1,002FT

37N 9W 11 DRILL DEPTH: 194FT

UTM X **UTMY** DEPTH TO BED: 50FT 598,407.38 4,199,489.87

ZONE 15

S.W.L. (BEFORE CASING): FT 0.25 MI S OF HWY 66 ON NEWBURG RD (HWY T) REMARKS:

S.W.L. (AFTER CASING): 150

LOG ID: 014564

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: 1956/02/ **TOWNSHIP RANGE SECTION ELEVATION:** 995FT

37N 9W 11 200FT

UTM X UTM Y

DEPTH TO BED: 598,307.38 4,200,194.89

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 145

LOG ID:

WELL TYPE

016296 Noncommunity Public Well

RANGE SECTION DRILL DATE: 1957/06/ **TOWNSHIP ELEVATION:** 980FT 37N 9W 11

DRILL DEPTH: 200FT UTM X UTM Y

DEPTH TO BED: 597.907.38 4,199,790.88 55FT

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 115



(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

597,907.38

ELEVATION:

UTM X

598,507.38

ELEVATION:

UTM X

598,307.38

ZONE 15

ZONE 15

ZONE 15

996FT

UTMY

4,199,790.88

1,011FT

UTMY

4,199,790.88

999FT

UTM Y

4,199,790.88

LOG ID: 017902

DRILL DEPTH:

WELL TYPE Private Well

1958/12/ DRILL DATE:

202FT

DEPTH TO BED: 35FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 120 FT

REMARKS: **NEXT TO BAPTIST CHURCH**

RANGE

RANGE

RANGE

9W

9W

9W

SECTION

11

SECTION

11

SECTION

11

TOWNSHIP

37N

WELL TYPE

LOG ID: 017904

Noncommunity Public Well

DRILL DATE:

1958/11/

DRILL DEPTH:

275FT

DEPTH TO BED: 15FT

S.W.L. (BEFORE CASING):

160

155

179

FT

FT

FT

FT

REMARKS: "FACTORY BUILDING"

TOWNSHIP

TOWNSHIP

37N

REMARKS:

REMARKS:

37N

S.W.L. (AFTER CASING):

LOG ID: 017930

DRILL DATE:

WELL TYPE

Private Well

1959/02/09

DRILL DEPTH:

530FT

DEPTH TO BED: 60FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

004658

DRILL DATE:

1938/03/

DRILL DEPTH: 197FT

DEPTH TO BED:

40FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

Private Well

TOWNSHIP 37N

RANGE

9W

6 MI W OF ROLLA ON HWY 66

@ DOOLITTLE

SECTION

12

ELEVATION:

990FT UTM Y

UTM X

599,315.38 4,199,979.89

ZONE 15

110



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006733

WELL TYPE

Noncommunity Public Well

1941// DRILL DATE:

TOWNSHIP 37N

RANGE SECTION **ELEVATION:**

990FT

DRILL DEPTH:

204FT

9W 12

UTM X

UTMY

DEPTH TO BED:

45FT

599,315.38 ZONE 15

4,199,979.89

12

12

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: "DRY TO 60"

S.W.L. (AFTER CASING):

134

LOG ID: 013498

WELL TYPE Private Well

DRILL DATE:

1955/04/

TOWNSHIP

SECTION RANGE

ELEVATION:

975FT

DRILL DEPTH:

225FT

37N 9W

UTM X

UTMY

DEPTH TO BED:

30FT

125

599,715.38 4,199,979.89 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: **DOOLITTLE**

S.W.L. (AFTER CASING):

LOG ID: 013751

WELL TYPE

Private Well

DRILL DATE:

1955/06/

TOWNSHIP

37N

RANGE SECTION **ELEVATION:**

953FT

DRILL DEPTH:

175FT

9W

UTM X

UTM Y

DEPTH TO BED:

599,115.38 4,199,569.88 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

129

LOG ID: 015639

WELL TYPE Private Well

DRILL DATE:

1956/12/

FT

TOWNSHIP

37N

RANGE SECTION **ELEVATION:**

984FT

DRILL DEPTH:

DEPTH TO BED:

216FT

30FT

9W 12

UTM X

UTM Y

599.115.38 4,199,979.89

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

135

4,357 2/27/2007



RANGE

RANGE

RANGE

9W

9W

9W

DO NOT USE - VERY POOR SAMPLES

TOWNSHIP

37N

TOWNSHIP

TOWNSHIP

37N

37N

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

598,915.38

ELEVATION:

UTM X

598,915.38

ELEVATION:

UTM X

599,515.37

ZONE 15

ZONE 15

ZONE 15

994FT

UTMY

4,199,569.88

986FT

UTMY

4,199,979.89

1,004FT

UTM Y

4,200,387.90

LOG ID: 015854

DRILL DEPTH:

WELL TYPE Private Well

1957/02/ DRILL DATE:

210FT

FT

FT

FT

FT

140

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 150

LOG ID: 015856

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1957/02/

211FT

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

REMARKS:

POOR SAMPLES - DO NOT USE FOR CORRELATION

SECTION

12

E EDGE OF DOOLITTLE; POOR SAMPLES - DO NOT USE FOR

SECTION

12

SECTION

12

125

LOG ID: 015858

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: 1957/02/19

211FT

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

155

LOG ID: 016035

WELL TYPE Private Well

DRILL DATE:

1957/04/

232FT

DRILL DEPTH: DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP 37N

CORRELATION

RANGE 9W

SECTION

12

ELEVATION:

1,001FT

UTM X UTM Y

598.715.38 4,199,979.89

ZONE 15

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016285

WELL TYPE Private Well

1957/06/ DRILL DATE:

TOWNSHIP 37N

RANGE SECTION 9W

ELEVATION:

979FT

DRILL DEPTH:

217FT

12

UTM X

UTMY 4,200,183.90

599,915.37 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

35FT

REMARKS:

S.W.L. (AFTER CASING):

120

FT

FT

LOG ID: 016870

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1957/10/

TOWNSHIP

SECTION RANGE

ELEVATION:

999FT

DRILL DEPTH:

215FT

37N 9W 12

UTM X

ZONE 15

ZONE 15

598,715.38

UTMY 4,199,775.88

DEPTH TO BED:

25FT

140

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 016881

WELL TYPE Private Well

DRILL DATE:

1957/09/

TOWNSHIP

RANGE

SECTION

12

ELEVATION:

997FT

DRILL DEPTH:

212FT

37N

9W

UTM X 598,715.38

UTM Y 4,199,775.88

DEPTH TO BED:

20FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS: @ DOOLITTLE

152

LOG ID: 018324

WELL TYPE Private Well

DRILL DATE:

1959/03/

TOWNSHIP 37N

RANGE

SECTION

ELEVATION:

988FT

DRILL DEPTH:

230FT

20FT

9W 12

UTM X

UTM Y

598,815.38

4,199,877.88

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

DEPTH TO BED:

190

2/27/2007

4,359



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026127

WELL TYPE Private Well

1968/06/30 DRILL DATE:

TOWNSHIP 37N

RANGE SECTION 9W

ELEVATION:

999FT

DRILL DEPTH:

230FT

12

12

UTM X

UTMY 4,199,979.89

DEPTH TO BED: 35FT

598,915.38

ZONE 15

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING): 150

LOG ID: 026849

WELL TYPE

Community Public Well

DRILL DATE:

1971/06/10

TOWNSHIP

SECTION RANGE

ELEVATION:

983FT

DRILL DEPTH:

425FT

37N 9W

UTM X

UTMY

DEPTH TO BED:

35FT

599,061.37

4,200,766.90

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

REMARKS:

REMARKS:

formerly named MATHAU SUBDIVISION

S.W.L. (AFTER CASING):

160

LOG ID: 027838

WELL TYPE Private Well

DRILL DATE:

1971/01/25

TOWNSHIP

SECTION RANGE

ELEVATION:

599,115.37

982FT

DRILL DEPTH:

500FT

37N 9W 12

UTM X

ZONE 15

UTM Y 4,200,593.90

DEPTH TO BED:

S.W.L. (BEFORE CASING):

7FT

0.25 MI N OF DOOLITTLE; SCANNED, TOPS ONLY

S.W.L. (AFTER CASING):

230

LOG ID: 004902

WELL TYPE Private Well

DRILL DATE:

1938/07/

TOWNSHIP 37N

RANGE

SECTION 14

ELEVATION:

DRILL DEPTH:

DEPTH TO BED:

130FT 10FT

9W

UTM X

UTM Y 597.904.39 4,198,769.86

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

formerly in name of Albert Roach - "FLOWS"

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006825

DRILL DEPTH:

WELL TYPE Private Well

1941/04/ DRILL DATE:

185FT

DEPTH TO BED: 35FT **TOWNSHIP RANGE SECTION** 37N 9W 14

ELEVATION:

1,004FT

UTM X

UTMY 4,199,066.87

598,404.39

ZONE 15

S.W.L. (BEFORE CASING):

155

FT

FT

0.5 MI S OF HWY 66 ON HWY T (NEWBURG RD) **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 007954

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1942/07/11

TOWNSHIP 37N

RANGE SECTION **ELEVATION:** 1,011FT

200FT

162

9W 14

UTM X **UTMY**

598,004.39 ZONE 15

DEPTH TO BED:

80FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 008185

WELL TYPE Private Well

DRILL DATE:

1943//

185FT

40FT

TOWNSHIP 37N

RANGE 9W

SECTION

ELEVATION:

975FT

DRILL DEPTH:

14

UTM X 597,704.40

UTM Y 4,198,571.85

4,198,868.86

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

145

FT

REMARKS: NEAR NEWBURG

LOG ID:

WELL TYPE Private Well

013505 **DRILL DATE:**

DRILL DEPTH:

1955/05/09

216FT

55FT

TOWNSHIP 37N

RANGE 9W

SECTION 14

ELEVATION:

UTM X

961FT

UTM Y 4,197,779.84

598,304.41

ZONE 15

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

181



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016986

DEPTH TO BED:

WELL TYPE Private Well

1957/10/ DRILL DATE: **TOWNSHIP RANGE SECTION**

> 37N 9W 14

ELEVATION:

1,001FT

UTMY

DRILL DEPTH: 240FT

UTM X 597,504.39

4,199,165.86

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

170

60FT

LOG ID: **WELL TYPE**

Private Well 017169

DRILL DATE: 1958/04/

45FT

201FT

TOWNSHIP 37N

SECTION RANGE

ELEVATION: 1,000FT

9W 14

UTM X

UTMY

598,104.39 4,199,165.87 ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: HWY T 0.75 MI S OF OLD HWY 66, NEWBURG

S.W.L. (AFTER CASING): 150

LOG ID: 018306

DEPTH TO BED:

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1959/07/

TOWNSHIP RANGE SECTION 37N 9W 14

ELEVATION:

998FT

DRILL DEPTH: 202FT

UTM X UTM Y

598,104.39 4,198,967.86 ZONE 15

S.W.L. (BEFORE CASING):

165

65FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 004900

WELL TYPE Private Well

DRILL DATE:

1938/07/

TOWNSHIP RANGE 37N

SECTION

ELEVATION:

753FT

DRILL DEPTH:

DEPTH TO BED:

96FT

20FT

9W 15

> UTM X UTM Y

> > ZONE 15

596.826.40

4,197,906.84

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

"FLOWS"; UP LEFT HAND HOLLOW FROM NEWBURG ON ROAD

TO HWY 66



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005083

WELL TYPE Private Well

1938/11/ DRILL DATE:

TOWNSHIP 37N

RANGE SECTION 9W

ELEVATION:

753FT

DRILL DEPTH:

230FT 115FT 15

UTM X

596,626.41

UTMY 4,197,906.83

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

REMARKS: "FLOWS"; BEGAN TO FLOW AT 190'

S.W.L. (AFTER CASING): 5

LOG ID:

WELL TYPE Private Well

005574 DRILL DATE:

1939/08/

TOWNSHIP

SECTION RANGE

ELEVATION:

830FT

DRILL DEPTH:

30FT

5

37N 9W 15

UTM X

UTMY

DEPTH TO BED:

596,526.39 4,199,184.86

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 006052

WELL TYPE Private Well

DRILL DATE:

1939/11/

TOWNSHIP

SECTION RANGE 9W

ELEVATION:

899FT

DRILL DEPTH:

40FT

37N

15

UTM X 596,526.40

UTM Y 4,198,398.84

DEPTH TO BED:

5FT

20

YIELD - 35 G/HOUR

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 017658

Community Public Well

DRILL DATE:

1958/09/04

TOWNSHIP

RANGE

SECTION

ELEVATION:

764FT

DRILL DEPTH:

665FT

37N

9W 15

UTM Y

DEPTH TO BED:

20FT

UTM X 596.726.40

4,198,004.84

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

"FLOWS", 3650' N OF WELL #1

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006984

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1941/06/

DRILL DEPTH: 210FT

DEPTH TO BED: 70FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 177 **TOWNSHIP RANGE SECTION** 37N

9W 17 **ELEVATION:**

995FT

UTM X 592,552.39

UTMY 4,199,028.83

ZONE 15

ARLINGTON PICNIC GROUND; BIT LEFT IN HOLE, CAN BE **REMARKS:**

PUMPED DRY

LOG ID: 024999

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1966/09/29

278FT

60FT

TOWNSHIP 37N

REMARKS:

REMARKS:

RANGE 9W

SECTION 17

SECTION

18

ELEVATION:

977FT

UTM X

UTMY 4,198,026.82

980FT

UTM Y

4,198,554.81

593,152.40

ELEVATION:

UTM X

591,306.40

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

DEPTH TO BED:

003593

WELL TYPE

Private Well

DRILL DATE:

1936/05/

DRILL DEPTH:

314FT

55FT

234

FT

FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 004651

WELL TYPE

Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1938/03/

50FT

388FT

TOWNSHIP 37N

TOWNSHIP

37N

RANGE 9W

RANGE

9W

SECTION 18

ELEVATION:

975FT

UTM X UTM Y

591.006.40

4.198.461.81

ZONE 15

ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

170

REMARKS:

ON TOP OF BEACON HILL E OF ARLINGTON ON HWY 66 (I-44)

TOP OF BEACON HILL, ON HWY 66 (I-44), E OF ARLINGTON

2/27/2007

4,364



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006782

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

1941/03/18 DRILL DATE:

305FT

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 215 **TOWNSHIP RANGE SECTION** 37N

9W 18 **ELEVATION:**

1,006FT

UTM X 592,006.39

UTMY 4,198,833.82

ZONE 15

LOG ID: 013737

WELL TYPE Private Well

DRILL DATE:

1955/05/

TOWNSHIP

SECTION RANGE

ELEVATION:

ZONE 15

ZONE 15

835FT

DRILL DEPTH:

76FT

37N 9W 2

> UTM X 597,114.35

UTMY 4,201,796.91

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

5

REMARKS:

FT

LOG ID:

016289

WELL TYPE

Private Well

DRILL DATE:

1957/05/

TOWNSHIP RANGE 37N

SECTION 2

ELEVATION:

921FT

DRILL DEPTH:

104FT

45FT

FT

9W

UTM X 598,514.36

UTM Y 4,201,394.91

DEPTH TO BED:

64

REMARKS: N OF DOOLITTLE

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 016874

WELL TYPE Private Well

DRILL DATE:

1957/12/

TOWNSHIP 37N

SECTION RANGE

2

ELEVATION:

946FT

DRILL DEPTH:

DEPTH TO BED:

168FT 50FT

9W

UTM X

UTM Y

597,914.37

4,200,994.90

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: NEAR MT OLIVE CHURCH

S.W.L. (AFTER CASING):

98



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002456

WELL TYPE Private Well

1931/08/ DRILL DATE:

TOWNSHIP RANGE 37N

SECTION

ELEVATION:

858FT

4,197,146.80

DRILL DEPTH:

DEPTH TO BED:

484FT 30FT 20

UTM X **UTMY**

593,655.42

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

90

LOG ID: 002455

WELL TYPE Private Well

DRILL DATE:

1931/08/

TOWNSHIP

SECTION RANGE

9W

ELEVATION:

703FT

DRILL DEPTH:

115FT

37N 9W 21

UTM X

UTMY 4,196,823.80

DEPTH TO BED:

593,933.42 ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

two wells at site - marked as one well and stopped

LOG ID: 002002

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1915/01/00

TOWNSHIP

RANGE

SECTION

22

ELEVATION:

889FT

DRILL DEPTH:

1,057FT

37N 9W

UTM X

UTM Y

DEPTH TO BED:

596,218.42 4,197,099.82 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

002486

DRILL DATE:

1931/09/

TOWNSHIP

RANGE

SECTION

ELEVATION:

718FT

DRILL DEPTH:

171FT

37N

9W 22

UTM X

DEPTH TO BED:

30FT

596.418.42

UTM Y 4,197,099.82

ZONE 15

S.W.L. (BEFORE CASING):

FT

NEWBURG, 2 BLKS S OF SCHOOL HOUSE ON MAIN ST OF TOWN **REMARKS:**

S.W.L. (AFTER CASING):

9



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002675

WELL TYPE Private Well

1932/11/ DRILL DATE:

TOWNSHIP

RANGE SECTION 9W 22

ELEVATION:

726FT

DRILL DEPTH:

100FT 10FT

UTM X

ZONE 15

596,718.41

UTMY 4,197,196.82

37N

S.W.L. (BEFORE CASING):

DEPTH TO BED:

2

S.W.L. (AFTER CASING):

FT

REMARKS: druggist

LOG ID:

WELL TYPE

002750

Community Public Well

DRILL DATE:

1933/09/

TOWNSHIP

SECTION RANGE

ELEVATION:

DRILL DEPTH:

130FT

37N 9W

UTM X

UTMY

DEPTH TO BED: 55FT

596,918.41

4,197,388.83

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

DOWNTOWN NEWBURG

LOG ID:

WELL TYPE

002886

Private Well

DRILL DATE:

1934/07/12

TOWNSHIP

RANGE 9W

SECTION

22

ELEVATION:

735FT

DRILL DEPTH:

55FT

37N

22

UTM X

UTM Y

UTM Y

DEPTH TO BED:

20FT

596,418.42 4,197,099.82

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

003381

Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1935/07/

TOWNSHIP

RANGE

SECTION

ELEVATION:

37N

9W 22

UTM X

596.918.41

4,197,388.83

ZONE 15

S.W.L. (BEFORE CASING):

25FT

265FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003387

DRILL DEPTH:

WELL TYPE Private Well

1935/07/ DRILL DATE:

188FT

DEPTH TO BED: 25FT **TOWNSHIP RANGE** 37N 9W

SECTION 22

ELEVATION:

711FT

UTM X 596,818.41

UTMY 4,197,292.82

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

"FLOWS"; DOWNTOWN NEWBURG, 200' E OF HOUSTON HOUSE

S.W.L. (AFTER CASING):

LOG ID: 003613

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1936/05/

TOWNSHIP

RANGE

SECTION ELEVATION: 727FT

DRILL DEPTH:

206FT

37N 9W 22

"FLOWS", IN NEWBURG

UTM X

ZONE 15

596,518.41

UTM Y 4,197,196.82

22

OLD WELL DEEPENED 116-357 - "FLOWS"

15FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 003681

WELL TYPE Private Well

DRILL DATE:

1936/05/27

TOWNSHIP

RANGE

SECTION ELEVATION: 738FT

DRILL DEPTH:

357FT

37N 9W

UTM X 596,718.41 UTM Y

DEPTH TO BED: 115FT

4,197,388.83

UTM Y

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 003689

WELL TYPE Private Well

DRILL DATE:

1936/07/18

TOWNSHIP

RANGE

SECTION 22

ELEVATION:

DRILL DEPTH:

DEPTH TO BED:

235FT

5FT

37N

9W

UTM X

596.918.42 4,197,002.82

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

"FLOWS" - IN NEWBURG

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003718

WELL TYPE Private Well

1936/08/ DRILL DATE:

197FT

DRILL DEPTH: DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP RANGE SECTION 37N

9W 22

ELEVATION:

716FT

UTM X 596,218.42

UTMY 4,196,906.81

ZONE 15

"FLOWS"; IN NEWBURG **REMARKS**:

LOG ID: 003779

WELL TYPE Private Well

DRILL DATE:

1936//

TOWNSHIP

RANGE

SECTION

ELEVATION:

817FT

DRILL DEPTH: 203FT

20FT

37N 9W 22

UTM X

UTMY 4,197,196.82

596,318.41 ZONE 15

S.W.L. (BEFORE CASING):

ON HILL IN NEWBURG REMARKS:

S.W.L. (AFTER CASING):

DEPTH TO BED:

LOG ID: 003783

WELL TYPE Private Well

DRILL DATE:

1936/08/

TOWNSHIP 37N

SECTION RANGE

ELEVATION:

824FT

DRILL DEPTH:

200FT

9W 22

ON HILL IN NEWBURG

UTM X 596,318.41

ZONE 15

UTM Y 4,197,196.82

DEPTH TO BED:

20FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 003787

WELL TYPE Private Well

DRILL DATE:

1936/07/23

TOWNSHIP

RANGE SECTION

22

ELEVATION:

UTM X

806FT

DRILL DEPTH:

DEPTH TO BED:

210FT 15FT

37N

9W

UTM Y 4,196,906.81

596,218.42

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

75 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003929

WELL TYPE Private Well

1936/08/ DRILL DATE:

TOWNSHIP 37N

SECTION 22

ELEVATION:

734FT

DRILL DEPTH: DEPTH TO BED: 223FT 130FT

UTMY

UTM X 596,318.41

4,197,196.82

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

NO SAMPLES 0-130'; IN NEWBURG

RANGE

9W

S.W.L. (AFTER CASING):

LOG ID: 003935

WELL TYPE Private Well

DRILL DATE:

1936/08/14

TOWNSHIP 37N

SECTION RANGE

ELEVATION:

715FT

DRILL DEPTH:

302FT

9W 22

UTM X

UTMY

DEPTH TO BED:

15FT

596,518.42

4,197,002.82

ZONE 15

S.W.L. (BEFORE CASING):

"FLOWS"; 0.5 BLK N & 0.5 BLK W OF HOUSTON HOUSE REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 004140

WELL TYPE Private Well

DRILL DATE:

1937/03/

TOWNSHIP

RANGE

SECTION 22

ELEVATION:

764FT

DRILL DEPTH:

200FT

37N

9W

UTM X

UTM Y

DEPTH TO BED:

5FT

54

596,318.42

4,197,002.82

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: IN NEWBURG, ON HILL BACK OF FRISCO WATER TANKS

S.W.L. (AFTER CASING):

LOG ID: 004265

WELL TYPE Private Well

DRILL DATE:

1937/05/

TOWNSHIP 37N

RANGE

SECTION

ELEVATION:

UTM X

847FT

DRILL DEPTH:

221FT

9W

22

UTM Y

DEPTH TO BED:

35FT

596.318.41

4,197,196.82

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

ON HILL 2 BLOCKS ABOVE NEWBURG SCHOOL HOUSE



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004875

DEPTH TO BED:

WELL TYPE

Noncommunity Public Well

30FT

<u>DRILL DATE:</u> 1938/05/

<u>TOWNSHIP</u> <u>RANGE</u> 37N 9W

DRILL DEPTH: 125FT

120F1

596,318.42 4,197,002.82

ELEVATION:

UTM X

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: "FLOWS"; HARDWARE STORE IN NEWBURG

S.W.L. (AFTER CASING):

LOG ID: 005354

WELL TYPE

Community Public Well

DRILL DATE:

1939/04/30

TOWNSHIP

<u>RANGE</u>

SECTION 22

SECTION

22

ELEVATION:

718FT

UTMY

DRILL DEPTH:

1,350FT

37N

9W

UTM X

UTM Y

DEPTH TO BED:

5FT

596,594.42

4,196,864.81

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

Well flowed saltwater at 1250 ft; well plugged back to 1000 ft; casing

pulled and reset at 350 ft

LOG ID: 007109

WELL TYPE

Private Well

DRILL DATE:

1941/07/27

TOWNSHIP 37N <u>RANGE</u>

UP HOLLOW FROM NEWBURG

SECTION 23 **ELEVATION:**

869FT

DRILL DEPTH:

100FT

9W

UTM X

<u>UTM Y</u>

DEPTH TO BED:

597,308.41 4,197,375.83

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

013735 Private Well

......

DRILL DATE:

1955/05/

TOWNSHIP 37N **RANGE**

SECTION

ELEVATION:

842FT

DRILL DEPTH:

DEPTH TO BED:

125FT 35FT 9W 23

UTM X

UTM Y

597,708.41 4,197,571.83 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

68



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015382

WELL TYPE Private Well

1956/10/ DRILL DATE:

TOWNSHIP 37N

RANGE SECTION **ELEVATION:**

901FT

DRILL DEPTH:

DEPTH TO BED:

110FT

9W 23

UTM X

UTMY 4,197,571.83

20FT

597,708.41

ZONE 15

S.W.L. (BEFORE CASING):

FT

28

S.W.L. (AFTER CASING):

LOG ID: 013054

WELL TYPE Private Well

DRILL DATE:

1954//

TOWNSHIP

SECTION RANGE

ELEVATION:

DRILL DEPTH:

295FT

37N

9W 27

UTM X

UTMY

DEPTH TO BED:

40FT

205

596,508.45

4,194,626.77

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

REMARKS:

ON TOP OF ARLINGTON HILL, ACROSS AND SLIGHTLY E OF

POWELL

LOG ID:

WELL TYPE

020713

Private Well

DRILL DATE:

TOWNSHIP 37N

RANGE

SECTION

ELEVATION:

725FT

DRILL DEPTH:

80FT

9W 27

UTM X

UTM Y

DEPTH TO BED:

10FT

4

596,908.43

4,195,618.79

ZONE 15

37N

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 003086

WELL TYPE Private Well

DRILL DATE:

1924//

TOWNSHIP

FT

RANGE SECTION

ELEVATION:

869FT

DRILL DEPTH:

DEPTH TO BED:

55FT

25FT

9W 28

> UTM X UTM Y

594,321.44 4,195,245.77

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002502

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1931/08/ **TOWNSHIP RANGE** 37N

ELEVATION:

715FT

DRILL DEPTH:

130FT

9W 29

SECTION

UTM X

DEPTH TO BED:

UTM Y 4,196,037.78

10FT

593,148.43

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: "FLOWS"

S.W.L. (AFTER CASING):

LOG ID: 003354

WELL TYPE Private Well

DRILL DATE:

1935/07/

TOWNSHIP 37N

SECTION RANGE

ELEVATION:

770FT

DRILL DEPTH:

210FT

9W 29

UTM X

UTMY

DEPTH TO BED:

7FT

4,196,037.78

592,348.43 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: OLD WELL DEEPENED 110-210' (1941)

S.W.L. (AFTER CASING):

LOG ID: 003570

WELL TYPE

Private Well

DRILL DATE:

1936/04/23

TOWNSHIP RANGE

"FLOWS"

SECTION

ELEVATION:

719FT

DRILL DEPTH:

190FT

9W 29

UTM X

UTM Y

DEPTH TO BED:

30FT

593,348.44 4,195,459.77

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 001651

WELL TYPE

Private Well

DRILL DATE:

1911/09/01

TOWNSHIP

RANGE SECTION

34

ELEVATION:

837FT

DRILL DEPTH:

375FT

37N

37N

9W

UTM X

UTM Y 4,194,106.76

DEPTH TO BED:

5FT

596.418.45

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026037

DRILL DEPTH:

WELL TYPE Private Well

1968/03/28 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,020FT

> 37N 9W 34 190FT

UTM X **UTMY** DEPTH TO BED: 25FT

596,918.46 4,193,407.75

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**:

S.W.L. (AFTER CASING): 205

LOG ID: **WELL TYPE** Private Well 001650

DRILL DATE: **TOWNSHIP SECTION** 1911/07/01 **RANGE ELEVATION:** 758FT

37N 9W 36 DRILL DEPTH: 250FT

REMARKS:

UTM X **UTMY** DEPTH TO BED: 20FT 598,926.46 4,193,408.76

ZONE 15

SCANNED, TOPS ONLY

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well 015389

DRILL DATE: 1956/11/ **TOWNSHIP RANGE SECTION ELEVATION:** 972FT

37N 9W 5 **DRILL DEPTH:** 230FT

UTM X UTM Y

DEPTH TO BED: 70FT 592,535.37 4,201,046.87 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** ON SUGERTREE RD, 0.5 MI N & O.5 MI W OF HWY 66 (I-44)

9W

6

S.W.L. (AFTER CASING): 195

LOG ID: 004918

WELL TYPE Private Well

1938/07/ **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 977FT

DRILL DEPTH: 388FT UTM X UTM Y

DEPTH TO BED: 250FT 591.697.36 4,201,183.86

ZONE 15 S.W.L. (BEFORE CASING): FT

37N

REMARKS: NO SAMPLES ABOVE 250' 200 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013736

WELL TYPE Private Well

1955/05/ DRILL DATE: **TOWNSHIP RANGE SECTION**

> 37N 9W 220FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 20FT

8

593,341.38 4,200,045.85

982FT

ZONE 15

ZONE 15

ELEVATION:

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 115

LOG ID: 013747

WELL TYPE Private Well

1955/06/ **TOWNSHIP SECTION** DRILL DATE: **RANGE ELEVATION:** 987FT

9W 37N 8 DRILL DEPTH: 267FT

UTM X **UTMY** DEPTH TO BED: 593,141.39 25FT 4,199,455.84

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING): 225

LOG ID:

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well 016031

SECTION DRILL DATE: 1957/03/ **TOWNSHIP RANGE ELEVATION:** 1,001FT

> 37N 9W 8 265FT

UTM X UTM Y **DEPTH TO BED:** 10FT 593,141.38 4,200,045.85

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 120

LOG ID: 021523

WELL TYPE Private Well

1962/09/01 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 992FT

DRILL DEPTH: 305FT UTM X UTM Y

DEPTH TO BED: 593.141.38 4,200,241.86

9W

8

ZONE 15 FT

37N

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING): 175

4,375 2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024095

WELL TYPE Private Well

1965/09/29 DRILL DATE:

185FT

135

TOWNSHIP 37N

RANGE SECTION 8

ELEVATION:

974FT

DRILL DEPTH:

9W

UTM X 593,641.38

ZONE 15

UTMY 4,199,947.85

DEPTH TO BED: 20FT

FT

1.5 MI W OF DOOLITTLE ON OLD HWY 66 **REMARKS**:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

026074

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1968/09/16

TOWNSHIP

SECTION RANGE

ELEVATION:

1,003FT

DRILL DEPTH:

300FT

37N 9W

UTM X

UTMY

DEPTH TO BED:

10FT

593,141.38 4,200,045.85

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: SCANNED; JCT I-44 & SUGERTREE RD, 7 MI W OF ROLLA ON I-44

8

S.W.L. (AFTER CASING):

LOG ID: 014577

WELL TYPE Private Well

DRILL DATE:

1956/01/

TOWNSHIP

RANGE SECTION **ELEVATION:**

594,924.38

982FT

DRILL DEPTH:

135FT

37N 9W 9

UTM X

ZONE 15

UTM Y 4,199,811.86

DEPTH TO BED:

40FT

111

REMARKS:

1 MI W OF IKE TOWELL STORE ON OLD HWY 66

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

015113

DRILL DATE:

1956/05/

TOWNSHIP 37N

RANGE SECTION **ELEVATION:**

998FT

DRILL DEPTH:

DEPTH TO BED:

161FT 60FT

9W 9

UTM X UTM Y

594.824.38 4,199,509.85

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

ON OLD HWY 66, 1 MI W OF TROWEL STORE **REMARKS:**

S.W.L. (AFTER CASING): 135



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015214

WELL TYPE Private Well

1956/07/ DRILL DATE:

TOWNSHIP 37N

SECTION

ELEVATION:

974FT

DRILL DEPTH:

170FT

9W 9

UTM X

UTMY 4,199,609.86

DEPTH TO BED:

30FT

145

595,124.38

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID:

WELL TYPE Private Well

016280 DRILL DATE:

1957/04/

TOWNSHIP

SECTION RANGE

ELEVATION:

993FT

DRILL DEPTH:

200FT

37N 9W 9

RANGE

UTM X

UTMY

DEPTH TO BED:

10FT

150

4,199,609.85

594,724.38

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID: 017623

WELL TYPE Private Well

DRILL DATE:

1958//

TOWNSHIP

SECTION RANGE 9W

ELEVATION:

987FT

DRILL DEPTH:

183FT

37N

9

UTM X

UTM Y

DEPTH TO BED:

20FT

105

593,924.38 4,199,811.85

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 006063

WELL TYPE Private Well

1940/06/

TOWNSHIP

RANGE SECTION

11

ELEVATION:

699FT

DRILL DATE: DRILL DEPTH:

37N

10W

UTM Y

DEPTH TO BED:

330FT 10FT

5

UTM X 588.899.38

4,199,645.82

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

4,377 2/27/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006892

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1941/06/

TOWNSHIP 37N

RANGE SECTION **ELEVATION:**

716FT

DRILL DEPTH:

100FT

10W 11

UTM X

UTMY

DEPTH TO BED:

588,999.37

4,200,357.83

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

75

LOG ID: 015121

WELL TYPE Private Well

DRILL DATE:

1956/05/

TOWNSHIP

SECTION RANGE

ELEVATION:

715FT

DRILL DEPTH:

115FT

37N 10W 11

UTMY

DEPTH TO BED:

UTM X 588,299.39

4,199,441.81

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 003080

WELL TYPE

Private Well

DRILL DATE:

1924/09/15

TOWNSHIP

RANGE 10W

SECTION

ELEVATION:

987FT

DRILL DEPTH:

170FT

37N

12

UTM X 590,571.37

UTM Y 4,200,334.84

DEPTH TO BED:

25FT

20

"STRONG VEIN"

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

162

LOG ID: 006891

WELL TYPE

Private Well

1941/06/14 **DRILL DATE:**

TOWNSHIP 37N

RANGE

SECTION

ELEVATION:

812FT

DRILL DEPTH:

DEPTH TO BED:

70FT

25FT

53

10W 13

UTM X

UTM Y

589.662.41 4,198,074.80 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

2/27/2007

4,378



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007103

WELL TYPE Private Well

1941/06/ DRILL DATE:

TOWNSHIP 37N

SECTION 13

ELEVATION:

766FT

DRILL DEPTH:

84FT

10W

RANGE

UTM X

UTMY

DEPTH TO BED:

20FT

589,662.40

4,198,648.81

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: @ JEROME

S.W.L. (AFTER CASING):

60

LOG ID: 013196

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1954/12/

TOWNSHIP

SECTION RANGE

ELEVATION:

708FT

DRILL DEPTH:

85FT

37N 10W 13

UTM X

UTMY

DEPTH TO BED:

REMARKS:

589,762.41 4,198,074.80 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 015120

WELL TYPE

Private Well

DRILL DATE:

1956/05/

TOWNSHIP

RANGE SECTION **ELEVATION:**

690FT

DRILL DEPTH:

65FT

40

37N 10W 13

UTM X

UTM Y

DEPTH TO BED:

15FT

15

17

589,862.41

4,198,074.80 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

FT

S.W.L. (AFTER CASING):

LOG ID: 015122

WELL TYPE

Private Well

DRILL DATE:

1956/05/

TOWNSHIP 37N

RANGE

10W

SECTION 13

ELEVATION:

695FT

DRILL DEPTH:

60FT

UTM X

UTM Y

589.862.40 4,198,458.80

ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

4,379 2/27/2007



RANGE

10W

10W

RANGE

10W

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015124

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1956/06/ DRILL DATE:

60FT

16

FT

REMARKS:

TOWNSHIP

37N

TOWNSHIP

TOWNSHIP

37N

37N

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 015446

WELL TYPE Private Well

DRILL DATE:

1956/10/

68FT

5FT

19

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS:

FT

FT

S.W.L. (AFTER CASING):

LOG ID: 015565

WELL TYPE Private Well

DRILL DATE:

1956/10/

DRILL DEPTH:

148FT

15FT

71

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 016645

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1957/08/

135FT

DEPTH TO BED:

30FT

44

FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

SECTION

13

ELEVATION:

694FT

UTM X 589,862.40

UTMY 4,198,648.81

ZONE 15

SECTION RANGE ELEVATION:

13

SECTION

13

UTM X

UTMY

691FT

589,862.40 4,198,266.80

ZONE 15

ELEVATION:

762FT

UTM X 589,662.41

UTM Y 4,197,882.79

ZONE 15

TOWNSHIP 37N

RANGE 10W

SECTION 13

ELEVATION:

735FT

UTM X 589,762.41

UTM Y 4,197,882.79

ZONE 15



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011410

WELL TYPE Private Well

DRILL DATE: 1949/08/24

TOWNSHIP RANGE 37N 10W

SECTION 15 **ELEVATION:**

696FT

DRILL DEPTH:

55FT

10W

<u>UTM X</u>

<u>UTM Y</u> 4,198,326.79

DEPTH TO BED: 25FT

40

586,282.40

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING): FT

REMARKS:

LOG ID:

WELL TYPE Private Well

016640DRILL DATE:

1957/07/

TOWNSHIP

RANGE SECTION 2

ELEVATION:

906FT

DRILL DEPTH:

460FT

37N 10W

UTM X

<u>UTM Y</u> 4,202,286.86

DEPTH TO BED:

15FT

588,274.35

ZONE 15

S.W.L. (BEFORE CASING):

250

FT

REMARKS:

S.W.L. (AFTER CASING):

WELL TYPE

003782 Private Well

DRILL DATE:

LOG ID:

1936//

TOWNSHIP

RANGE 10W **SECTION**

ELEVATION:

DRILL DEPTH:

300FT 30FT 37N

23

<u>UTM X</u> <u>UTM Y</u>

587,855.42

42 4,197,108.77 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

REMARKS: ON GASCONADE RIVER ABOVE JEROME - "FLOWS"

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

002869

Noncommunity Public Well

DRILL DATE:

1934/05/

TOWNSHIP

<u>RANGE</u>

SECTION 24

ELEVATION:

UTM X

714FT

DRILL DEPTH:

120FT

37N

10W

.

DEPTH TO BED:

55FT

589.751.43

<u>UTM Y</u> 4,196,394.77

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

"WELL FLOWS"



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003646

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

230FT

25FT

1936/06/16 DRILL DATE:

TOWNSHIP RANGE SECTION 37N

37N

10W 24

ELEVATION:

UTM X DEPTH TO BED: 10FT

589,851.43 4,196,295.77

689FT

UTMY

ZONE 15

S.W.L. (BEFORE CASING):

STONEY DELL POOL - JEROME EXIT **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 007003

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1940/09/

TOWNSHIP SECTION RANGE

24

10W

ELEVATION: 700FT

DRILL DEPTH: 202FT

UTM X UTMY

590,451.42 4,196,691.78

ZONE 15

S.W.L. (BEFORE CASING):

"FLOWS" REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 013194

WELL TYPE

Private Well

DRILL DATE: 1954/11/

S.W.L. (AFTER CASING):

TOWNSHIP RANGE SECTION 37N 10W 26

ELEVATION: 891FT

DRILL DEPTH: 265FT

UTM X UTM Y

DEPTH TO BED: 30FT 588,864.43 4,196,090.76

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: W OF STONEY DELL ON HWY 66, ON TOP OF HILL, N SIDE OD

HIGHWAY

LOG ID:

WELL TYPE

130

10FT

Private Well 022906

1964/05/07 **DRILL DATE:**

TOWNSHIP RANGE SECTION **ELEVATION:** 898FT

DRILL DEPTH: 290FT

DEPTH TO BED:

37N 10W 26

> UTM X UTM Y

588.464.43

4,196,090.75

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 180



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002648

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1932/09/

TOWNSHIP RANGE 37N

SECTION 27

ELEVATION:

970FT

DRILL DEPTH:

85FT

10W

UTM X

UTMY

DEPTH TO BED:

50FT

59

586,042.44

4,195,309.74

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID:

Private Well

WELL TYPE

011038 DRILL DATE:

1949/07/21

TOWNSHIP

SECTION RANGE

ELEVATION:

958FT

DRILL DEPTH:

195FT

37N 10W 27

UTM X

UTMY 4,194,697.73

DEPTH TO BED:

FT

FT

586,842.45

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

160

REMARKS:

LOG ID:

013970

WELL TYPE

Private Well

DRILL DATE:

1955/09/

TOWNSHIP 37N

RANGE

SECTION 3

ELEVATION:

586,482.36

DRILL DEPTH:

300FT

10W

UTM X

ZONE 15

UTMY 4,201,491.84

DEPTH TO BED:

40FT

245

REMARKS: DEVIL'S ELBOW

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

002866

Private Well

DRILL DATE:

1934/05/

TOWNSHIP 37N

RANGE

SECTION

ELEVATION:

1,013FT

DRILL DEPTH:

DEPTH TO BED:

270FT 70FT

10W 34

UTM X 586,542.45

UTM Y 4,194,220.72

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: POWELLVILLE

S.W.L. (AFTER CASING):

210



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012973

WELL TYPE

Community Public Well

DRILL DATE:

1954/08/16

TOWNSHIP 37N

RANGE SECTION 34

ELEVATION:

1,019FT

UTMY

DRILL DEPTH:

412FT

10W

UTM X

586,642.45

4,194,118.72

ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

55FT

212 FT

FT

REMARKS:

ON HWY 66 ABT 12 MI W OF ROLLA

S.W.L. (AFTER CASING): 147

LOG ID: 027887

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1975/03/25

TOWNSHIP

SECTION RANGE

ELEVATION:

1,051FT

4,209,364.26

DRILL DEPTH:

353FT

38N 6W 10

UTM X

UTMY

625,287.15 ZONE 15

DEPTH TO BED:

10FT

3 MI E OF ST JAMES ON OLD HWY 66 REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

027388

Private Well

DRILL DATE:

1970/06/

TOWNSHIP

RANGE SECTION

6W

ELEVATION:

1,092FT

DRILL DEPTH:

300FT

38N

11

UTM X

UTMY

DEPTH TO BED:

55FT

627,085.13 4,210,147.29

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

100

LOG ID:

WELL TYPE

027931

Private Well

DRILL DATE:

TOWNSHIP

38N

RANGE SECTION

ELEVATION: 1,061FT

DRILL DEPTH:

DEPTH TO BED:

250FT 45FT

6W 11

UTM X

626.485.13

UTM Y 4,210,147.29

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002385

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,079FT

> 38N 6W 12 190FT

UTM X **UTMY** DEPTH TO BED: 30FT 628,786.12 4,210,049.30

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 50

LOG ID: **WELL TYPE**

002389 Private Well

DRILL DATE: 1930/09/ **TOWNSHIP SECTION RANGE ELEVATION:** 1,077FT

38N 6W 12 DRILL DEPTH: 217FT

UTM X UTMY DEPTH TO BED: 85FT 628,786.13 4,209,641.28

AT ROSATI

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 200

LOG ID: **WELL TYPE**

Noncommunity Public Well 003908

DRILL DATE: 1936/10/ **TOWNSHIP RANGE SECTION ELEVATION:** 1,075FT

38N 6W 12 **DRILL DEPTH:** 790FT

UTM X UTMY

DEPTH TO BED: 50FT 629,286.12 4,210,049.30 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** OLD WELL (#3908) DEEPENED 400-790' (see log #8647) A.C. WISE,

1944 S.W.L. (AFTER CASING): 180

LOG ID: **WELL TYPE**

DRILL DEPTH:

008647 Noncommunity Public Well

790FT

DRILL DATE: 1936/10/ **TOWNSHIP RANGE SECTION ELEVATION:** 1,075FT

38N

UTM X UTM Y

DEPTH TO BED: 50FT 629.286.12 4,210,151.30 ZONE 15

6W

12

S.W.L. (BEFORE CASING): FT OLD WELL (see also #3908) DEEPENED 400-790' (#8647) A.C. WISE, **REMARKS:**

1944 S.W.L. (AFTER CASING): 180



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021309

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1962// **TOWNSHIP** 38N

SECTION 12

ELEVATION:

1,072FT

DRILL DEPTH:

255FT

6W

RANGE

UTM X

UTMY 4,209,539.28

DEPTH TO BED:

30FT

185

628,686.13

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID: 024679

WELL TYPE Private Well

DRILL DATE:

1966/06/

TOWNSHIP

SECTION RANGE

ELEVATION:

1,082FT

DRILL DEPTH:

265FT

38N 6W 12

DEPTH TO BED:

25FT

UTM X

UTMY 4,209,539.28

628,486.13 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: IN ROSATI

S.W.L. (AFTER CASING):

LOG ID: 025819

WELL TYPE

Private Well

DRILL DATE:

215FT

TOWNSHIP 38N

SECTION RANGE

ELEVATION:

1,081FT

DRILL DEPTH: DEPTH TO BED:

50FT

6W 12

UTM X **UTMY**

627,886.13 4,209,539.28

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: SCANNED - NO SAMPLES RUN, TOPS ONLY

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

026582

DEPTH TO BED:

Private Well

DRILL DATE:

1970/06/

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,078FT

DRILL DEPTH:

280FT

130FT

38N

6W 12

UTM X

UTM Y

628.886.12 4,209,947.29 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027523

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,073FT

> 38N 6W 12 215FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 45FT 628,586.13 4,209,845.29

ZONE 15

S.W.L. (BEFORE CASING): FT SCANNED - COULD NOT BE LOCATED **REMARKS:**

S.W.L. (AFTER CASING): 140

LOG ID: **WELL TYPE** 004215 Private Well

DRILL DATE: **TOWNSHIP SECTION** 1937/05/04 **RANGE ELEVATION:** 1,064FT

38N 6W 15 DRILL DEPTH: 170FT

UTM X UTMY

DEPTH TO BED: 25FT 4,208,765.23 624,707.17 ZONE 15

S.W.L. (BEFORE CASING): FT YIELD - "STRONG FLOW"; 2 MI E OF ST JAMES ON HWY 66 REMARKS:

S.W.L. (AFTER CASING): 153

LOG ID: **WELL TYPE** Private Well 020916

DRILL DATE: 1961/11/15 **TOWNSHIP RANGE SECTION ELEVATION:** 1,067FT

38N 6W 15 **DRILL DEPTH:** 195FT

UTM X **UTMY DEPTH TO BED:** 30FT 624,707.17 4,208,765.23

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:** 2 MI E OF ST JAMES ON HWY 66

S.W.L. (AFTER CASING): 135

355FT

LOG ID: **WELL TYPE** Private Well 026327

DRILL DEPTH:

1969/05/ **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,036FT

UTM X UTM Y

6W

16

NO SAMPLES 0-255', NO PRODUCTION OR CONSTRUCTION DATA

DEPTH TO BED: 255FT 623.893.18 4,207,979.20

ZONE 15 S.W.L. (BEFORE CASING):

REMARKS:

38N

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002812

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1934/01/30 DRILL DATE:

300FT

70FT

TOWNSHIP RANGE SECTION 38N

1.5 MI N OF ST JAMES

6W 17 **ELEVATION:**

1,087FT

UTM X 622,076.19

UTMY 4,208,394.21

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 007908

WELL TYPE Private Well

DRILL DATE:

1942/08/21

TOWNSHIP

REMARKS:

RANGE

SECTION

ELEVATION:

ZONE 15

ZONE 15

ZONE 15

1,086FT

DRILL DEPTH:

42FT

10

38N 6W 17

> UTM X 621,676.20

UTMY 4,207,786.18

DEPTH TO BED:

FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

@ GATE TO AIRPORT 300 YDS E OF HWY 68

LOG ID:

008030

WELL TYPE Private Well

DRILL DATE:

1942/11/

61FT

TOWNSHIP 38N

RANGE

SECTION 17

ELEVATION:

1,076FT

DRILL DEPTH:

6W

UTM X 621,976.20

UTMY 4,207,887.19

DEPTH TO BED:

FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

013740

DRILL DATE: DRILL DEPTH: 1955/05/

215FT

170

10

TOWNSHIP 38N

RANGE 6W

SECTION 17

ELEVATION:

1,084FT

UTM X 621.676.20

UTM Y 4,207,786.18

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):



RANGE

RANGE

RANGE

6W

N OF ST JAMES ON HWY 68

6W

6W

SECTION

17

SECTION

18

SECTION

18

TOWNSHIP

38N

TOWNSHIP

38N

TOWNSHIP

38N

38N

sale barn

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

621,415.20

ELEVATION:

UTM X

620,415.20

ELEVATION:

UTM X

621,015.19

ZONE 15

ZONE 15

1,085FT

UTMY

4,207,880.19

1,104FT

UTMY

4,208,540.21

1,112FT

UTM Y

4,208,374.20

LOG ID: 014438

LOG ID:

WELL TYPE

Noncommunity Public Well

1956/02/ DRILL DATE:

DRILL DEPTH: 220FT

DEPTH TO BED: 65FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 155

WELL TYPE

014251 Private Well

DRILL DATE: 1955/12/01

DRILL DEPTH: 240FT

DEPTH TO BED: 35FT

S.W.L. (BEFORE CASING):

FT

FT

230

FT

REMARKS:

REMARKS:

REMARKS:

REMARKS: MGS ANALYSIS #4221 (06/1956)

S.W.L. (AFTER CASING): 180

LOG ID: 023602

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 300FT

DEPTH TO BED: 45FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 027227

DRILL DATE:

DRILL DEPTH: 380FT

DEPTH TO BED: 40FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

TOWNSHIP

RANGE SECTION 6W

18

ELEVATION:

1,070FT

UTM X UTM Y

620.415.19 4,208,870.22 ZONE 15

ZONE 15

383



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005430

WELL TYPE Private Well

1939/06/ DRILL DATE:

TOWNSHIP 38N

RANGE SECTION 19

ELEVATION:

1,096FT

DRILL DEPTH:

90FT

6W

UTM X

UTMY 4,206,255.13

DEPTH TO BED:

15FT

620,830.23

ZONE 15

S.W.L. (BEFORE CASING):

65 FT

REMARKS: @ ST JAMES

S.W.L. (AFTER CASING):

28 FT

LOG ID: 019836

WELL TYPE

Community Public Well

DRILL DATE:

1961/06/

TOWNSHIP

SECTION RANGE

ELEVATION:

1,098FT

DRILL DEPTH:

1,100FT

38N 6W 19

UTM X

DEPTH TO BED:

620,775.21

UTMY 4,207,451.17

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 007161

WELL TYPE Private Well

DRILL DATE:

1940/11/

TOWNSHIP

RANGE SECTION **ELEVATION:**

627,459.10

1,059FT

4,211,977.36

DRILL DEPTH:

203FT

38N 6W 2

> UTM X **UTMY**

DEPTH TO BED:

10FT

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

formerly in name of W.J. Roehl (deceased)

S.W.L. (AFTER CASING): 130

LOG ID: 007162

WELL TYPE Private Well

DRILL DATE:

1940/11/

TOWNSHIP 38N

SECTION RANGE

6W

ELEVATION:

1,057FT

DRILL DEPTH:

DEPTH TO BED:

198FT 130FT

UTM X 627.259.12 UTM Y

4,210,971.32

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

formerly in name of W.J. Roehl (deceased) - NO SAMPLES 0-130'

2

S.W.L. (AFTER CASING): 125



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027928

WELL TYPE Private Well

1975/07/30 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

REMARKS:

38N 6W 2 **DRILL DEPTH:** 465FT

UTM X **UTMY** DEPTH TO BED: 165FT 627,459.12 4,210,971.32

ZONE 15

1,038FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 003074

WELL TYPE

Community Public Well

TOWNSHIP SECTION DRILL DATE: 1924/08/ **RANGE ELEVATION:** 1,090FT

38N 6W 20 DRILL DEPTH: 1,100FT

UTM X UTMY DEPTH TO BED: 621,491.22 35FT 4,206,169.13

ZONE 15

S.W.L. (BEFORE CASING): FT OLD WELL (#3074) DEEPENED (see log #23727) 700-1100' (1965) **REMARKS**:

S.W.L. (AFTER CASING): 207

LOG ID: 009037

WELL TYPE

Private Well

DRILL DATE: 1945/06/ **TOWNSHIP RANGE SECTION ELEVATION:** 1,066FT

38N 6W 20 **DRILL DEPTH:** 222FT

UTM X **UTMY**

DEPTH TO BED: 50FT 622,091.21 4,206,983.16

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: E EDGE OF ST JAMES ON OLD HWY 66

S.W.L. (AFTER CASING): 147

LOG ID:

S.W.L. (AFTER CASING):

WELL TYPE

180FT

009618 Community Public Well

SECTION DRILL DATE: 1947/09/ **TOWNSHIP RANGE ELEVATION:** 1,093FT

DRILL DEPTH: UTM X UTM Y

6W

20

DEPTH TO BED: 30FT 621.491.22 4,206,371.14

ZONE 15

38N

S.W.L. (BEFORE CASING): ABANDONED - #2A OFF-SET 20' **REMARKS:**



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009690

WELL TYPE

Community Public Well

1947/11/07 DRILL DATE:

DRILL DEPTH: 1,100FT

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 198 **TOWNSHIP RANGE SECTION** 38N

6W 20 **ELEVATION:**

1,093FT

UTM X 622,291.22

UTMY 4,206,371.14

ZONE 15

at ball park - PLUGGED & ABANDONED JUNE 1969 **REMARKS:**

LOG ID: 023727

WELL TYPE

Community Public Well

1,100FT

35FT

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1924/08/

TOWNSHIP

RANGE

SECTION

ELEVATION: 1,090FT

6W 20

UTM X

UTMY

621,747.22

4,206,400.14 ZONE 15

S.W.L. (BEFORE CASING):

OLD WELL DEEPENED - SEE LOG #3074 REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 026311

WELL TYPE

Community Public Well

DRILL DATE:

1969/07/

TOWNSHIP

38N

38N

RANGE

SECTION 20

ELEVATION:

1,109FT

ZONE 15

ZONE 15

DRILL DEPTH:

1,100FT

FT

FT

6W

UTM X 622,221.22

UTMY 4,206,430.14

DEPTH TO BED:

25FT

215

225

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

014268

Community Public Well

DRILL DATE:

1956/02/

TOWNSHIP

RANGE

SECTION

ELEVATION:

862FT

DRILL DEPTH:

DEPTH TO BED:

300FT

10FT

28

38N

6W 22

UTM X

UTM Y

624.923.20

4,206,140.15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

@ ST JAMES



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019009

WELL TYPE

Community Public Well

DRILL DATE:

1960/06/

TOWNSHIP 38N

RANGE SECTION **ELEVATION:**

955FT

DRILL DEPTH:

400FT

6W 22

> UTM X 625,323.20

UTMY 4,206,140.15

DEPTH TO BED:

40FT

REMARKS:

ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

FT

FT

107

90

LOG ID: 028351

WELL TYPE

Community Public Well

DRILL DATE:

1980/03/25

TOWNSHIP

RANGE

SECTION ELEVATION: 930FT

DRILL DEPTH:

500FT 80FT

38N 6W 22

UTM X

UTMY 625,051.20 4,206,295.15

ZONE 15

S.W.L. (BEFORE CASING):

DEPTH TO BED:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028362

Community Public Well

DRILL DATE:

1979/12/00

TOWNSHIP

RANGE

SECTION

ELEVATION:

935FT

DRILL DEPTH:

340FT

38N

6W 22

UTM X

UTMY

DEPTH TO BED:

25FT

625,523.19

4,206,956.17

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

002387

Private Well

DRILL DATE:

1930//

TOWNSHIP

RANGE

SECTION 23

ELEVATION:

800FT

DRILL DEPTH:

70FT

38N

6W

UTM Y

DEPTH TO BED:

15FT

UTM X 626,329.20

4,205,925.15

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

45



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014241

WELL TYPE Private Well

1955/05/31 DRILL DATE:

TOWNSHIP RANGE 38N

SECTION

ELEVATION:

1,035FT

DRILL DEPTH:

250FT

6W 28

UTM X

UTMY 4,204,953.12

623,127.23 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

25FT

FT

S.W.L. (AFTER CASING):

160

REMARKS:

LOG ID: 016867

WELL TYPE Private Well

DRILL DATE:

1957/09/

TOWNSHIP

SECTION RANGE

ELEVATION:

991FT

DRILL DEPTH:

245FT

38N 6W 28

UTM X

UTMY

DEPTH TO BED:

70FT

624,527.23

4,204,547.12

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

169

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 019387

WELL TYPE Private Well

1960/12/07

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,030FT

DRILL DATE: DRILL DEPTH:

245FT

38N

6W 28

UTM X 623,327.23

UTMY 4,204,953.12

DEPTH TO BED:

15FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: SE OF ST. JAMES

165

LOG ID:

WELL TYPE

019497

Noncommunity Public Well

DRILL DATE:

1961/02/

TOWNSHIP 38N

RANGE

SECTION

ELEVATION:

623,527.23

1,011FT

DRILL DEPTH:

245FT

6W 28

UTM X

ZONE 15

UTM Y 4,204,749.12

DEPTH TO BED:

20FT

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



RANGE

SECTION

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

1,018FT

LOG ID: 026414

WELL TYPE

Noncommunity Public Well

1969/08/25 DRILL DATE:

38N 6W 28 **DRILL DEPTH:** 600FT

UTM X **UTMY** DEPTH TO BED: 5FT 4,204,749.11

623,327.23 ZONE 15

TOWNSHIP

S.W.L. (BEFORE CASING): 145 FT **REMARKS:**

S.W.L. (AFTER CASING): FT 135

LOG ID:

WELL TYPE

Private Well 027832

1971/01/ **TOWNSHIP SECTION** DRILL DATE: **RANGE ELEVATION:** 1,020FT

38N 6W 28 DRILL DEPTH: 300FT

UTM X UTMY DEPTH TO BED: 30FT 623,327.23 4,204,953.12

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: SCANNED, TOPS ONLY - NEXT TO HWY DEPT SHED

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 027909

SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION: 1,025FT

38N 6W 28 **DRILL DEPTH:** 100FT

UTM X **UTMY**

DEPTH TO BED: 45FT 623,127.22 4,205,765.13 ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

003988 Exploratory Hole (Mineral Prospect)

40FT

SECTION DRILL DATE: 1936/10/ **TOWNSHIP RANGE ELEVATION:** 971FT

DRILL DEPTH: UTM X UTM Y

6W

29

DEPTH TO BED: 622.612.24 4,204,464.11

ZONE 15

38N

S.W.L. (BEFORE CASING): MOSELLE #9 MINE - PYRITE PROSPECT **REMARKS:**

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004337

WELL TYPE

Exploratory Hole (Mineral Prospect)

1937/05/04 DRILL DATE:

TOWNSHIP 38N

RANGE SECTION 29

ELEVATION:

997FT

DRILL DEPTH:

37FT

6W

UTM X

UTMY 4,204,665.11

DEPTH TO BED:

622,412.24

ZONE 15

S.W.L. (BEFORE CASING):

MOSELLE 9 MINE - RESIDUAL ROUBIDOUX **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 008858

WELL TYPE Private Well

DRILL DATE:

1944/09/

TOWNSHIP

SECTION RANGE

ELEVATION:

990FT

DRILL DEPTH:

140FT

38N 6W 29

UTM X

UTMY

DEPTH TO BED:

35FT

622,112.25 4,204,364.10

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 010604

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,095FT

DRILL DEPTH:

215FT

38N 6W 29

UTM X

UTMY

DEPTH TO BED:

20FT

175

622,012.24

ZONE 15

4,204,866.11

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 027224

WELL TYPE

Private Well

1970/05/06

TOWNSHIP 38N

RANGE

SECTION

ELEVATION:

1,065FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

275FT

110FT

6W

3

UTM X 625.067.12

UTM Y 4,211,581.34

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 5 MI NE OF ST. JAMES

S.W.L. (AFTER CASING):

275



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005444

WELL TYPE Private Well

1939/05/ DRILL DATE:

TOWNSHIP 38N

RANGE SECTION 6W 30

ELEVATION:

DRILL DEPTH:

200FT

UTM X **UTMY** 4,205,555.12

620,951.24

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

20FT

REMARKS:

S.W.L. (AFTER CASING):

120

FT

LOG ID: 008853

WELL TYPE Private Well

DRILL DATE:

1945/05/

TOWNSHIP

SECTION RANGE

ELEVATION:

983FT

DRILL DEPTH:

120FT

38N 6W 32

UTM X

UTMY

DEPTH TO BED:

30FT

621,536.26

4,203,765.09

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 004014

WELL TYPE

Exploratory Hole (Mineral Prospect)

75

FT

DRILL DATE:

1936/10/

TOWNSHIP

SECTION RANGE

33

ELEVATION:

922FT

DRILL DEPTH:

43FT

38N 6W

> UTM X 623,848.25

> > ZONE 15

UTMY 4,203,450.09

DEPTH TO BED:

10FT

PYRITE PROSPECT - 3 HOLES, A, B, & C

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

008849

Private Well

DRILL DATE:

1945/06/

TOWNSHIP

SECTION RANGE

ELEVATION:

1,060FT

DRILL DEPTH:

161FT

65FT

38N

6W 8

UTM X

UTM Y

622.666.17

4,209,606.25

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

44



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016767

WELL TYPE Private Well

1957/02/ DRILL DATE:

TOWNSHIP 38N

RANGE SECTION **ELEVATION:**

1,046FT

DRILL DEPTH:

DEPTH TO BED:

225FT 35FT 6W 8

UTM X **UTMY**

ZONE 15

622,066.17

4,209,812.26

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 028123

WELL TYPE

Community Public Well

DRILL DATE:

1978/05/24

TOWNSHIP

SECTION RANGE

9

ELEVATION:

980FT

DRILL DEPTH:

400FT

38N 6W

UTM X

UTMY

DEPTH TO BED:

10FT

623,679.14

ZONE 15

4,210,612.30

S.W.L. (BEFORE CASING):

PLUGGED & ABANDONED - FILLED WITH CEMENT REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 028127

WELL TYPE

Community Public Well

DRILL DATE:

1978/07/06

TOWNSHIP RANGE

SECTION

9

ELEVATION:

980FT

DRILL DEPTH:

400FT

38N 6W

UTM X

UTMY

DEPTH TO BED:

5FT

623,679.14 4,210,612.30

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 006051

WELL TYPE

Private Well

1940/05/22

TOWNSHIP

REMARKS:

RANGE SECTION **ELEVATION:**

999FT

DRILL DATE: DRILL DEPTH:

38N

7W 10

60FT 10FT

UTM X 615.489.21

ZONE 15

UTM Y 4,209,264.21

DEPTH TO BED:

FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

27

REMARKS: YIELD - 35 G/HOUR



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011692

WELL TYPE

Community Public Well

DRILL DATE:

1950/10/

TOWNSHIP 38N

RANGE SECTION 7W

ELEVATION:

1,040FT

DRILL DEPTH:

174FT

10

UTM X 615,489.20

UTMY 4,210,294.25

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

FT

"CASING DEPTH NOT APPROVED FOR PUBLIC USE"

S.W.L. (AFTER CASING):

35

REMARKS:

LOG ID:

WELL TYPE

020979 Community Public Well

DRILL DATE:

1962/06/

TOWNSHIP

RANGE

SECTION

ELEVATION: 1,053FT

ZONE 15

ZONE 15

DRILL DEPTH:

170FT

38N 10 7W

> **UTM X** 615,534.20

UTMY 4,210,311.25

DEPTH TO BED: S.W.L. (BEFORE CASING):

5FT

53

REMARKS:

"CASING DEPTH NOT APPROVED FOR PUBLIC USE"

S.W.L. (AFTER CASING):

LOG ID: 005753

WELL TYPE

Private Well

DRILL DATE:

1939/06/

TOWNSHIP

RANGE SECTION **ELEVATION:**

980FT

DRILL DEPTH:

90FT

38N

7W 11

UTM X 618,115.18

UTM Y 4,210,263.26

DEPTH TO BED:

50FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

80

FT

FT

REMARKS:

LOG ID:

017591

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1958/09/25

TOWNSHIP 38N

RANGE

SECTION

ELEVATION:

1,010FT

UTM Y

130FT 40FT 7W 12

UTM X

619.732.19 4,209,216.23

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

65

REMARKS:



TOWNSHIP

38N

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020987

DRILL DATE:

WELL TYPE Private Well

RANGE SECTION 7W 12

ELEVATION:

991FT

DRILL DEPTH: 155FT

UTM X

UTMY 4,209,624.24

619,732.18

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 4 MI N OF ST. JAMES ON HWY 68

RANGE

S.W.L. (AFTER CASING): 55

LOG ID:

DEPTH TO BED:

WELL TYPE

028144

Private Well

DRILL DATE:

TOWNSHIP 38N

ELEVATION: 1,011FT

DRILL DEPTH: DEPTH TO BED: 140FT 85FT

15FT

12 7W

SECTION

UTM X **UTMY**

619,732.18

4,209,828.25

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 003243

WELL TYPE Private Well

DRILL DATE:

1935/04/

TOWNSHIP RANGE SECTION 38N

ELEVATION:

985FT

4,209,033.22

DRILL DEPTH:

63FT

7W 13

> UTM X **UTMY**

> > ZONE 15

618,748.20

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 008350

WELL TYPE Private Well

1943//

RANGE TOWNSHIP

SECTION

ELEVATION:

1,130FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

243FT

45FT

7W 13

> UTM X UTM Y

> > ZONE 15

38N

619.948.21

4,207,805.18

S.W.L. (BEFORE CASING):

ON PARKER LANE 1 MI NW OF ST. JAMES **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026413

DRILL DEPTH:

WELL TYPE Private Well

1969// DRILL DATE:

340FT

DEPTH TO BED: 80FT **TOWNSHIP** 38N

RANGE 7W

SECTION 13

ELEVATION:

1,142FT

UTM X **UTMY**

619,948.21

4,207,805.18

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

PARKER LANE, ST. JAMES

ZONE 15

LOG ID: 027679

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

200FT

TOWNSHIP

RANGE

SECTION

ELEVATION: 1,011FT

38N

13 7W

UTM X

619,248.21

UTMY 4,208,317.19

ZONE 15

S.W.L. (BEFORE CASING):

NO PRODUCTION OR CONSTRUCTION DATA REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 005754

WELL TYPE Private Well

1939/08/07

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,020FT

DRILL DATE: DRILL DEPTH:

63FT

38N

7W 14

UTM X

UTMY

DEPTH TO BED:

15FT

33

REMARKS:

617,426.21

4,208,953.21

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 008193

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1942//

100FT

20FT

15

TOWNSHIP 38N

RANGE

7W

SECTION

14

ELEVATION:

980FT

UTM X 617,526.21

UTM Y 4,208,646.20

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

REMARKS:

2/27/2007

4,401



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027157

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1970/02/10 DRILL DATE:

260FT

30FT

TOWNSHIP RANGE SECTION 38N

7W 14 **ELEVATION:**

1,032FT

UTM X

UTM Y 4,209,056.21

617,526.21

ZONE 15

S.W.L. (BEFORE CASING):

NW OF ROLLA ON HWY V **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 027262

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH: 260FT

DEPTH TO BED: 190FT

TOWNSHIP SECTION RANGE 38N

NO SAMPLES 0-190'

RANGE

5 MI NW OF ST. JAMES O

7W

14 7W

ELEVATION: 1,015FT

UTM X **UTMY** 617,126.22 4,208,028.17

1,059FT

UTM Y

4,209,112.20

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 007160

WELL TYPE Private Well

DRILL DATE:

1941//

DRILL DEPTH: 120FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 021445

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

215FT

DEPTH TO BED:

20FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

115

REMARKS:

REMARKS:

REMARKS:

TOWNSHIP

38N

38N

RANGE TOWNSHIP

SECTION 7W 16

SECTION

16

ELEVATION: 1,102FT

ELEVATION:

UTM X

614,480.22

UTM X UTM Y

ZONE 15

613.680.24 4,208,290.17 ZONE 15



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025571

DRILL DEPTH:

WELL TYPE Private Well

300FT

DRILL DATE: TOWNSHIP RANGE

160

38N 7W 16

ELEVATION:

<u>DEPTH TO BED:</u> 235FT 613,680.24 4,208,290.17

ZONE 15

1,099FT

1,047FT

S.W.L. (BEFORE CASING): FT

REMARKS: PLUGGED 1983; NO SAMPLES 0-235'

LOG ID:

028626

DRILL DEPTH:

LOG ID:

DEPTH TO BED:

S.W.L. (AFTER CASING):

WELL TYPE Private Well

DRILL DATE: 1939/09/08

515FT

50FT

TOWNSHIP RANGE SECTION ELEVATION:

NO PRODUCTION OR CONSTRUCTION DATA

SECTION

38N 7W 16

<u>UTM X</u> <u>UTM Y</u>

614,380.24 4,208,393.17

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE

021965 Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,168FT

DRILL DEPTH: 295FT 38N 7W 17

REMARKS:

REMARKS:

UTM X UTM Y

<u>DEPTH TO BED:</u> 35FT 612,065.25 4,208,524.17

PLUGGED & ABANDONED 11\1963

ZONE 15

S.W.L. (BEFORE CASING): FT DEMARKS PLUGGER & ARANDONER 4414600

S.W.L. (AFTER CASING): 200

LOG ID: 003084 WELL TYPE Private Well

<u>DRILL DATE:</u> 1924/10/

DRILL DEPTH: 320FT

TOWNSHIP RANGE SECTION ELEVATION: 38N 7W 18

UTM X

<u>DEPTH TO BED:</u> 75FT 610,347.26 4,208,676.17

ZONE 15

UTM Y

S.W.L. (BEFORE CASING): REMARKS: YIELD - "GOOD SUPPLY"; NO SAMPLES 80-222'

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015066

WELL TYPE Private Well

1956/06/ DRILL DATE:

38N

RANGE SECTION 18

ELEVATION: 1,171FT

DRILL DEPTH:

312FT

75

UTM X

UTM Y

TOWNSHIP

DEPTH TO BED: 50FT 611,664.26

4,207,696.14

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID: 015427

WELL TYPE Private Well

DRILL DATE:

1956/09/

TOWNSHIP

SECTION RANGE

ELEVATION: 1,136FT

DRILL DEPTH:

221FT

38N 18 7W

7W

UTM X

UTMY 4,208,036.14

610,647.26 ZONE 15

DEPTH TO BED:

40FT

53

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

LOG ID: 013730

WELL TYPE Private Well

DRILL DATE:

1955/05/00

TOWNSHIP RANGE **SECTION**

ELEVATION:

1,195FT

DRILL DEPTH:

300FT

38N

19

UTM X

UTM Y

DEPTH TO BED:

35FT

7W

611,480.29 4,206,085.08

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

185

FT

REMARKS:

LOG ID:

016286

WELL TYPE Private Well

DRILL DATE:

1957/06/

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,150FT

DRILL DEPTH:

DEPTH TO BED:

125FT

40FT

38N

7W 19

UTM X

611,664.27

UTM Y 4,207,186.12

ZONE 15

FT

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

50

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016872

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1957/09/ DRILL DATE: **TOWNSHIP RANGE SECTION**

> 38N 7W 19

> > UTM X UTM Y

1,177FT

611,664.28 4,206,678.10

ELEVATION:

ZONE 15

S.W.L. (BEFORE CASING):

FT

361FT

25FT

40FT

1.5 MI N OF AIRPORT ON HWY V **REMARKS**:

S.W.L. (AFTER CASING): 205

LOG ID: 020988

DEPTH TO BED:

WELL TYPE Private Well

1962/06/04 DRILL DATE:

TOWNSHIP SECTION RANGE 38N 19 7W

ELEVATION: 1,189FT

DRILL DEPTH: 170FT

UTM X UTMY

610,864.29 4,206,678.09

ZONE 15

S.W.L. (BEFORE CASING):

FT **REMARKS**:

formerly in name of Rolla Berry(?) - 1 MI NE OF NORTHWYE

S.W.L. (AFTER CASING): 123

LOG ID: 027940

WELL TYPE Private Well

DRILL DATE: 1975/06/27

TOWNSHIP RANGE SECTION 38N

ELEVATION: 1,012FT

DRILL DEPTH: 210FT **7W** 2

UTM X UTM Y

DEPTH TO BED: 50FT 618,093.16 4,211,670.31

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 3 MI N OF ST. JAMES ON HWY 68

S.W.L. (AFTER CASING):

LOG ID: 012423

DEPTH TO BED:

WELL TYPE Private Well

1953/08/ **DRILL DATE:**

TOWNSHIP RANGE SECTION 38N 7W

20

ELEVATION: 1,102FT

DRILL DEPTH: 227FT

UTM X UTM Y

612.878.26 4,207,312.13

ZONE 15

S.W.L. (BEFORE CASING):

25FT

FT

N OF ROLLA AIRPORT, 1 MI E **REMARKS:**

122 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027193

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Community Public Well

1972/05/11 DRILL DATE:

455FT

55FT

TOWNSHIP RANGE SECTION 38N

7W 20 **ELEVATION:**

1,180FT

UTM X 612,201.27

UTMY 4,207,007.11

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 007102

WELL TYPE Private Well

DRILL DATE:

1941/07/

TOWNSHIP

SECTION RANGE

ELEVATION:

1,066FT

DRILL DEPTH:

65FT

35

FT

FT

38N 21 7W

UTM X 615,100.25

UTMY 4,207,500.14

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

WELL TYPE

024763

Noncommunity Public Well

DRILL DATE:

1967//

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,045FT

DRILL DEPTH:

600FT

38N

7W 21

UTM X

UTM Y

DEPTH TO BED:

15FT

614,900.26 4,206,474.11

ZONE 15

S.W.L. (BEFORE CASING):

47

REMARKS:

Little Prairie Lake (Phelps County Community Lake)

S.W.L. (AFTER CASING):

LOG ID: 028131

WELL TYPE Private Well

DRILL DATE:

1978/08/04

TOWNSHIP 38N

RANGE

SECTION 22

ELEVATION:

994FT

DRILL DEPTH:

DEPTH TO BED:

210FT 25FT

7W

UTM X

ZONE 15

616.623.24

UTM Y 4,207,360.15

S.W.L. (BEFORE CASING):

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011262

DEPTH TO BED:

WELL TYPE Private Well

1947/12/09 DRILL DATE:

85FT 10FT **TOWNSHIP RANGE SECTION** 38N

7W 23 **ELEVATION:**

985FT

DRILL DEPTH:

UTM X 618,342.23

ZONE 15

UTMY 4,207,235.15

S.W.L. (BEFORE CASING):

FT

REMARKS: LOG DOESN'T FIT GEOLOGY OR AREA

S.W.L. (AFTER CASING):

20

LOG ID: 013193

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1954/11/

TOWNSHIP

SECTION RANGE

ELEVATION:

ZONE 15

ZONE 15

1,128FT

DRILL DEPTH:

240FT

38N 24 7W

1 MI W OF ST. JAMES

UTM X

619,761.24

UTMY

4,206,192.13

DEPTH TO BED:

65FT

190

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

015256

WELL TYPE Private Well

1956/07/

15FT

FT

FT

TOWNSHIP RANGE

7W

SECTION

ELEVATION:

1,068FT

DRILL DEPTH:

DRILL DATE:

143FT

38N

24

UTM X 619,161.24

UTM Y 4,205,988.12

DEPTH TO BED:

110

REMARKS:

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 015641

WELL TYPE

Private Well

DRILL DATE:

1956/12/

TOWNSHIP 38N

RANGE SECTION **ELEVATION:**

1,051FT

UTM Y

DRILL DEPTH:

DEPTH TO BED:

210FT

7W 24

UTM X

618.761.24 4,206,192.12

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

DO NOT USE -ROUBIDOUX AND SINK-FILL MATERIAL MIXED

S.W.L. (AFTER CASING):

105



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010673

WELL TYPE Private Well

1947/00/00 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,053FT

38N 7W 25 **DRILL DEPTH:** 122FT

UTM X **UTMY** DEPTH TO BED: 15FT

618,979.25 4,205,191.10

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 56

LOG ID: 023029

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 1,053FT

38N 25 7W DRILL DEPTH: 305FT

UTM X UTMY DEPTH TO BED: 145FT 618,579.26 4,204,581.09

ZONE 15

S.W.L. (BEFORE CASING): NO PRODUCTION OR CONSTRUCTION DATA; NO SAMPLES 0-145' REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 023598

WELL TYPE Private Well

DRILL DATE: 1965/06/00 **TOWNSHIP RANGE SECTION ELEVATION:** 1,079FT

38N **7W** 25 **DRILL DEPTH:** 205FT

UTM X UTM Y

DEPTH TO BED: 619,779.25 4,204,785.10 15FT

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS**: 1 MI W OF ST. JAMES ON ZION HILL ROAD

S.W.L. (AFTER CASING):

LOG ID: 024068

WELL TYPE Private Well

SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION: 1,110FT

38N 7W 25 **DRILL DEPTH:** 250FT

UTM X UTM Y DEPTH TO BED: 20FT 620.051.24 4,205,472.11

ZONE 15

S.W.L. (BEFORE CASING): FT

W OF ST JAMES @ CITY LIMITS ON HWY BB **REMARKS**: S.W.L. (AFTER CASING): 50



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007158

DEPTH TO BED:

WELL TYPE Private Well

1941// DRILL DATE:

56FT

TOWNSHIP RANGE SECTION 38N 7W 26

ELEVATION: 1,021FT

DRILL DEPTH: 110FT

UTM X UTM Y

618,363.25

4,205,824.11

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

OLD WELL DEEPENED 56-110'; 2 MI W OF ST. JAMES **REMARKS**:

S.W.L. (AFTER CASING): 40

LOG ID: 013095

WELL TYPE Private Well

DRILL DATE:

1954/11/

TOWNSHIP

SECTION RANGE

ELEVATION: 1,074FT

DRILL DEPTH: 200FT 38N 26 7W

UTM X UTMY

4,204,802.09

4,205,824.10

618,163.26 ZONE 15

616,963.26

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING):

ABT 0.5 MI S OF ROCK HAVEN ON OLD SPRINGFIELD RD REMARKS:

S.W.L. (AFTER CASING): 70

LOG ID: 013739

WELL TYPE Private Well

DRILL DATE:

1955/05/

TOWNSHIP RANGE SECTION 38N **7W**

ELEVATION: 1,024FT

125FT

26

UTM X UTM Y

ZONE 15

DEPTH TO BED:

DRILL DEPTH:

FT

REMARKS:

58 S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 016283

WELL TYPE Private Well

DRILL DATE:

1957/06/

RANGE SECTION TOWNSHIP 38N 7W

26

ELEVATION: 1,013FT

ZONE 15

UTM X

618,363.26

DRILL DEPTH:

100FT

UTM Y 4,205,210.10

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 40



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022507

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH: 159FT

DEPTH TO BED: 25FT

2 MI W OF ST. JAMES ON HWY 66, N SIDE **REMARKS**:

RANGE

7W

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 025424

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1967//

TOWNSHIP

TOWNSHIP

38N

RANGE

RANGE

RANGE

7W

7W

2.5 MI E OF ROLLA ON I-44, S SIDE

SECTION

SECTION

26

ELEVATION: 1,052FT

ZONE 15

217FT

38N

TOWNSHIP

38N

TOWNSHIP

38N

26 7W

UTM X

ELEVATION:

UTM X

614,211.29

ELEVATION:

UTM X

615.011.28

ZONE 15

ZONE 15

ELEVATION:

UTM X

617,763.25

UTMY 4,205,312.09

1,069FT

UTM Y

4,204,551.07

1,051FT

UTM Y

4,205,367.09

1,038FT

UTMY

4,205,824.11

65FT

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 013192

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1954/12/

177FT

101

25FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 014059

WELL TYPE Private Well

DRILL DATE:

1955/10/

142FT

49

DRILL DEPTH:

DEPTH TO BED: S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

REMARKS:

616,963.26

ZONE 15 2 MI W OF ST. JAMES ON HWY 66, NEAR POWER LINES REMARKS:

SECTION

28

SECTION

28

2/27/2007

4,410



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025192

WELL TYPE Private Well

DRILL DATE: 1966/12/07

170FT

25FT

105

FT

TOWNSHIP RANGE S
38N 7W

SECTION 28 **ELEVATION**:

1,085FT

DRILL DEPTH: 170F

. ... -

<u>UTM X</u> 614,611.27 <u>UTM Y</u> 4,205,775.09

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: W SIDE OF LITTLE PRAIRIE LAKE E OF ROLLA

S.W.L. (AFTER CASING):

LOG ID:

DEPTH TO BED:

WELL TYPE

Community Public Well

026624DRILL DATE:

1970/08/11

TOWNSHIP

RANGE SECTION

ELEVATION:

1,066FT

DRILL DEPTH:

465FT

38N 7W

UTM X

<u>UTM Y</u> 4,205,142.08

DEPTH TO BED: 15FT

614,537.28

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: form

formerly in name of Piazza Trailer Court

S.W.L. (AFTER CASING):

LOG ID: 028788

WELL TYPE

Community Public Well

DRILL DATE:

1996/10/09

TOWNSHIP RANGE

SECTION

28

ELEVATION: 1,083FT

DRILL DEPTH:

690FT

88

FT

38N 7W 28

UTM X UTM Y

DEPTH TO BED:

614,411.28 70

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

003082

Private Well

DRILL DATE:

1934/10/06

TOWNSHIP F

RANGE SECTION

ELEVATION:

1,185FT

4,205,163.08

DRILL DEPTH:

152FT

38N

7W 29

UTM X

<u>UTM Y</u>

DEPTH TO BED:

65FT

612,196.30 4,204,983.06

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007785

DRILL DEPTH:

WELL TYPE Private Well

1942/05/14 **RANGE** DRILL DATE: **TOWNSHIP SECTION ELEVATION:**

> 38N 7W 29 330FT

UTM X **UTMY** DEPTH TO BED: 65FT 612,096.31 4,204,478.05

ZONE 15

1,207FT

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 200

LOG ID: 017172

WELL TYPE Private Well

DRILL DATE: 1958/05/ **TOWNSHIP SECTION RANGE ELEVATION:** 1,075FT

38N 29 7W DRILL DEPTH: 133FT

UTM X UTMY DEPTH TO BED: 10FT 613,496.29 4,204,680.06

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING): 80

LOG ID: 022916

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1964/06/09 **TOWNSHIP RANGE SECTION ELEVATION:** 1,175FT

38N **7W** 29 **DRILL DEPTH:** 305FT

UTM X UTM Y **DEPTH TO BED:** 50FT 612,096.30 4,205,084.07

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: ON HWY V @ E END OF OLD ROLLA AIRPORT

205 S.W.L. (AFTER CASING):

LOG ID: 025796

WELL TYPE Oil Well

1,189FT

1968/10/ **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,189FT

DRILL DEPTH: UTM X UTM Y

7W

29

DEPTH TO BED: 75FT 612.096.30 4,205,084.07

ZONE 15

38N

S.W.L. (BEFORE CASING): MGS OBSERVATION WELL **REMARKS:**

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027272

WELL TYPE Private Well

1970/06/29 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 38N 7W

3

SECTION

ELEVATION:

1,013FT

DRILL DEPTH: 170FT DEPTH TO BED:

UTM X 615,279.17

UTMY 4,212,104.32

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 4 MI N OF ST. JAMES

S.W.L. (AFTER CASING):

80

40FT

15FT

LOG ID: 027511

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

TOWNSHIP RANGE

REMARKS:

ELEVATION:

1,100FT

DRILL DEPTH: 295FT 38N 3 7W

UTM X

615,879.19

4,210,884.27

UTMY

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 010510

WELL TYPE Private Well

DRILL DATE:

1948/07/

TOWNSHIP

SECTION RANGE 7W

ELEVATION:

DRILL DEPTH:

DEPTH TO BED:

300FT 40FT

38N

30

UTM X UTM Y 610,883.31 4,204,478.05

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: YIELD 10.5 GPM @ 145'; HWY 66, 1 MI E OF NORTHWYE

S.W.L. (AFTER CASING):

LOG ID: 015290

WELL TYPE Private Well

DRILL DATE:

1956/07/00

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,173FT

DRILL DEPTH:

215FT

38N

7W 30

UTM X

611.480.30

UTM Y 4,205,319.07

DEPTH TO BED: 70FT

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 95



RANGE

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016882

WELL TYPE Private Well

1957/12/ DRILL DATE:

TOWNSHIP 38N

SECTION

ELEVATION: 1,182FT

DRILL DEPTH:

328FT

7W 30

UTM X

610,483.32

DEPTH TO BED: 55FT

UTMY 4,204,478.05

REMARKS:

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

LOG ID:

WELL TYPE

026663

Industrial High Capacity Well

248

DRILL DATE:

1970/11/00

TOWNSHIP

SECTION RANGE 30

ELEVATION: 1,204FT

ZONE 15

DRILL DEPTH:

1,155FT

38N 7W

UTM X

DEPTH TO BED: 60FT 611,480.30

UTMY 4,205,063.06

FT

REMARKS: #1 (CITY), #3 MGS

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

002779

Noncommunity Public Well

264

222

DRILL DATE:

1933/11/

TOWNSHIP RANGE **SECTION**

ELEVATION:

1,160FT

DRILL DEPTH:

277FT

7W 31

> UTM X UTM Y

DEPTH TO BED:

38N

610,783.32

4,203,838.03

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

PHILLIPS 66 SERVICE STATION; YIELD 8 GPM @ 277'; DEEPENED

S.W.L. (AFTER CASING):

LOG ID: 004711

WELL TYPE

Private Well

DRILL DATE:

1938/04/

TOWNSHIP 38N

RANGE SECTION **ELEVATION:**

1,183FT

DRILL DEPTH:

DEPTH TO BED:

141FT

70FT

7W 31

UTM X

611.083.32

UTM Y 4,203,454.03

ZONE 15

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

100

0.25 MI W OF DUNIVANTS CROSSING ON OLD HWY A S OF RR **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007182

WELL TYPE Private Well

DRILL DATE: 1941//

TOWNSHIP RANGE 38N 7W

SECTION

ELEVATION:

1,137FT

DRILL DEPTH:

283FT

7W 31

<u>UTM X</u> 610,783.32

<u>UTM Y</u> 4,204,094.04

ZONE 15

DEPTH TO BED: 1 S.W.L. (BEFORE CASING):

100FT

FT

FT

REMARKS:

S.W.L. (AFTER CASING): 215

LOG ID: 008589

WELL TYPE
Private Well

DRILL DATE:

1943/10/

TOWNSHIP

RANGE SECTION

ELEVATION: 1,173FT

DRILL DEPTH:

245FT

38N 7W 31

DEPTH TO BED:

... ...

UTM X UTM Y

611,183.32 4,203,838.04 ZONE 15

S.W.L. (BEFORE CASING):

45FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

012972

Noncommunity Public Well

140

DRILL DATE:

1954/08/

TOWNSHIP RANGE

SECTION

ELEVATION: 1,196FT

DRILL DEPTH:

335FT

38N 7W 31

UTM X UTM Y

DEPTH TO BED:

40FT

335

4,204,222.05

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: TOKY'S BAR-B-Q - SHELL STATION

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

014567

1956/03/00

TOWNSHIP F

RANGE SECTION

ELEVATION: 1

611,683.31

1,195FT

DRILL DATE:
DRILL DEPTH:

DEPTH TO BED:

375FT 25FT 38N

7W 31

UTM X UTM Y

610,280.32

4,204,297.04

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: OLD HWY 66 IN NORTHWYE

S.W.L. (AFTER CASING):

250



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015075

WELL TYPE Private Well

1956/06/ DRILL DATE:

TOWNSHIP 38N

RANGE SECTION 7W

ELEVATION:

1,157FT

DRILL DEPTH:

31

UTM X

UTMY 4,202,942.02

DEPTH TO BED:

25FT

220

295FT

610,883.33

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID:

WELL TYPE Private Well

015857 DRILL DATE:

1957/01/

TOWNSHIP

SECTION RANGE

ELEVATION: 1,195FT

DRILL DEPTH:

DEPTH TO BED:

335FT

38N 31 7W

> UTM X **UTMY**

611,283.32

4,203,966.04

ZONE 15

S.W.L. (BEFORE CASING):

FT

DUNIVANS CROSSING REMARKS:

S.W.L. (AFTER CASING):

255

LOG ID: 016284

WELL TYPE Private Well

DRILL DATE:

1957/06/

TOWNSHIP RANGE SECTION

ELEVATION: 1,177FT

DRILL DEPTH:

325FT

38N **7W** 31

> UTM X **UTMY**

DEPTH TO BED:

85FT

610,883.33

4,203,454.03

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

250

FT

REMARKS:

LOG ID: 018532

WELL TYPE Private Well

1959/10/22

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,163FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

300FT

38N 7W 31

> UTM X UTM Y

611.083.33 4,202,814.02

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

40FT

234

FT

REMARKS:

2/27/2007

4,416



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023507

WELL TYPE Private Well

1965/05/21 DRILL DATE:

TOWNSHIP 38N

RANGE SECTION 7W 31

ELEVATION:

1,180FT

DRILL DEPTH:

380FT

UTM X

ZONE 15

610,501.34

UTMY 4,202,878.01

UTMY

4,202,878.02

DEPTH TO BED: 15FT S.W.L. (BEFORE CASING):

273

FT

FT

COLLEGE HILLS SUBDIVISION, ROLLA **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 023841

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP 38N

SECTION RANGE 31

ELEVATION: 1,156FT

DRILL DEPTH:

380FT

7W

UTM X

ZONE 15

610,701.33

DEPTH TO BED:

20FT

265

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

COLLEGE HILLS SUBDIVISION, ROLLA, NE PART

LOG ID: 023853

WELL TYPE Noncommunity Public Well

1965/03/12

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,129FT

DRILL DATE: DRILL DEPTH:

350FT

38N **7W** 31

> UTM Y UTM X

DEPTH TO BED:

20FT

190

611,483.33

4,202,942.02

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: QUARRY, 0.5 MI SE OF DUNNIVAN CROSSING

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

025134

1967/04/10

TOWNSHIP 38N

RANGE SECTION **ELEVATION:**

1,172FT

DRILL DATE: DRILL DEPTH:

410FT

50FT

7W 31

UTM X UTM Y

610.701.33

4,202,878.02 ZONE 15

S.W.L. (BEFORE CASING):

FT

COLLEGE HILLS SUBDIVISION, ROLLA **REMARKS:**

S.W.L. (AFTER CASING):

DEPTH TO BED:

275



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026460

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1969/11/25 DRILL DATE:

455FT

35FT

TOWNSHIP 38N

RANGE SECTION 7W 31

ELEVATION:

1,160FT

UTM X 610,701.33

UTMY 4,202,878.02

ZONE 15

S.W.L. (BEFORE CASING):

FT

COLLEGE HILLS SUBDIVISION, ROLLA **REMARKS**:

S.W.L. (AFTER CASING):

260

LOG ID: 027619

WELL TYPE

Community Public Well

DRILL DATE:

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,190FT

DRILL DEPTH:

1,050FT

38N 31 7W

UTM X

UTMY

611,171.33

4,203,386.03

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

287

FT

FT

REMARKS:

TOP 95' PENN FILLED-SINK DEPOSIT

S.W.L. (AFTER CASING):

299

LOG ID: 028705

WELL TYPE Community Public Well

DRILL DATE:

1988/11/08

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,185FT

DRILL DEPTH:

1,370FT

38N

7W 31

UTM X

UTMY

DEPTH TO BED:

5FT

610,213.33

4,203,329.02

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

330

FT

315

FT **REMARKS:**

McCutcheon Road Tower - legal description corrected on 1/25/02 per

Jim Vandike

LOG ID:

WELL TYPE

003967

Private Well

1936/11/20

TOWNSHIP 38N

RANGE

SECTION 32

ELEVATION:

1,153FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

101FT

35FT

7W

UTM X

UTM Y

613,018.31 4,203,983.05 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

74



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005020

WELL TYPE

Noncommunity Public Well

1938/08/ DRILL DATE:

DRILL DEPTH: 353FT

DEPTH TO BED: 65FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 200 **TOWNSHIP RANGE SECTION** 38N

7W 32

ELEVATION:

1,203FT

UTM X 612,118.31

UTMY 4,204,290.05

ZONE 15

formerly in name of Langston Service Station - OLD WELL #5020 DEEPENED see also log #8007 - 158-353', 1942; @ AIRPORT

LOG ID: 006205

WELL TYPE Private Well

DRILL DATE:

1940/06/05

30FT

80

REMARKS:

TOWNSHIP 38N

SECTION RANGE 7W

ELEVATION:

1,196FT

DRILL DEPTH: 200FT 32

UTM X

UTMY 4,204,086.05

612,118.31 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: AT AIRPORT

S.W.L. (AFTER CASING):

LOG ID:

DEPTH TO BED:

WELL TYPE

Noncommunity Public Well 008007

DRILL DATE:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

1938/08/

TOWNSHIP 38N

SECTION RANGE 7W 32

ELEVATION: 1,203FT

ZONE 15

DRILL DEPTH:

DEPTH TO BED:

353FT

65FT

UTM X 612,118.31

UTMY 4,204,290.05

200

FT

FT

REMARKS:

formerly in name of Langston Service Station - OLD WELL #5020

DEEPENED see also log #8007 - 158-353', 1942; @ AIRPORT

LOG ID:

WELL TYPE Private Well

013731

DRILL DATE:

1955/06/

TOWNSHIP 38N

RANGE

SECTION 32

ELEVATION:

1,186FT

DRILL DEPTH:

DEPTH TO BED:

340FT

35FT

7W

UTM X

UTM Y 4,204,086.05

612.118.31

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

225

REMARKS:

2/27/2007

4,419



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013804

WELL TYPE Private Well

1955/07/ DRILL DATE:

TOWNSHIP RANGE 38N

SECTION

ELEVATION:

1,197FT

DRILL DEPTH:

350FT

32

UTM X

UTMY

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

612,318.31

4,204,290.05

ZONE 15

S.W.L. (AFTER CASING):

235

REMARKS:

LOG ID: 017653

WELL TYPE Private Well

DRILL DATE:

1958/10/06

TOWNSHIP

SECTION RANGE

ELEVATION: 1,162FT

DRILL DEPTH:

265FT 15FT

38N 32 7W

7W

UTM X

613,118.31

UTMY

4,203,676.04

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 024654

WELL TYPE Private Well

DRILL DATE:

1966/09/

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,176FT

DRILL DEPTH:

272FT

38N 7W

> UTM X **UTMY**

DEPTH TO BED:

20FT

195

32

612,918.31 4,203,472.04

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

210

LOG ID:

WELL TYPE

025328

Noncommunity Public Well

DRILL DATE:

1967/11/20

TOWNSHIP

RANGE

SECTION 32

ELEVATION:

1,202FT

DRILL DEPTH:

725FT

38N

7W

UTM X 612.118.31

UTM Y 4,204,290.05

ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

90FT

129 FT

FT

REMARKS:

S.W.L. (AFTER CASING):

230

2/27/2007

4,420



(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

612,118.31

ZONE 15

LOG ID: 025798

WELL TYPE

Community Public Well

1968/10/ DRILL DATE:

DRILL DEPTH: 1,127FT

DEPTH TO BED: 90FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

265

REMARKS: industrial park well - OLD WELL (#25798) DEEPENED (see also

TOWNSHIP

38N

#26838) 795-1127 (1971)

RANGE

7W

LOG ID:

026838

WELL TYPE

Community Public Well

DRILL DATE: 1968/10/

TOWNSHIP

DRILL DEPTH: DEPTH TO BED: 1,127FT

90FT

265

38N

TOWNSHIP

38N

RANGE 7W

SECTION 32

SECTION

32

ELEVATION:

1,199FT

1,199FT

UTMY

4,204,290.05

UTM X 612,124.31

UTMY 4,204,343.05

1,091FT

UTMY

4,202,837.03

ZONE 15

ELEVATION:

UTM X

613,732.32

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

FT

REMARKS:

REMARKS:

industrial park well - OLD WELL (see also #25798) DEEPENED

(#26838) 795-1127 (1971)

RANGE

7W

LOG ID: 026088

WELL TYPE

Private Well

DRILL DATE:

1968/08/12

DRILL DEPTH:

200FT

DEPTH TO BED:

5FT

130

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

Private Well

015391

1956/11/

DRILL DATE:

162FT

DRILL DEPTH: DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE

38N

TOWNSHIP

RANGE 7W

34

SECTION

SECTION

33

COUNTRY CLUB TERRACE, 2 MI E OF ROLLA

ELEVATION:

1,083FT

UTM X

UTM Y 4,204,146.07

616.756.28

ZONE 15

ZONE 15

REMARKS: 105



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023724

DRILL DEPTH:

WELL TYPE Private Well

RANGE DRILL DATE: **TOWNSHIP SECTION ELEVATION:** 1,069FT

> 38N 7W 184FT

UTM X **UTMY** DEPTH TO BED: 617,486.28 110FT 4,204,113.07

35

ZONE 15

S.W.L. (BEFORE CASING): FT 2 MI W OF ST. JAMES; NO SAMPLES 0-120' **REMARKS**:

S.W.L. (AFTER CASING): 84

LOG ID: **WELL TYPE** Private Well 015682

DRILL DATE: 1956/09/ **TOWNSHIP RANGE SECTION ELEVATION:** 1,079FT

38N 36 7W DRILL DEPTH: 220FT

UTM X UTMY DEPTH TO BED: 40FT 619,200.27 4,203,574.07

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

215FT

S.W.L. (AFTER CASING): 110

LOG ID: **WELL TYPE** Private Well 015895

DRILL DATE: 1956/07/ **TOWNSHIP RANGE SECTION ELEVATION:** 1,195FT

38N **7W** 36 **DRILL DEPTH:** 240FT

UTM X UTM Y **DEPTH TO BED:** 140FT 619,000.28 4,203,370.07

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:** NO SAMPLES 0-140'

S.W.L. (AFTER CASING): 185

LOG ID: **WELL TYPE** Private Well 023712

1965// **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,093FT

DRILL DEPTH: UTM X UTM Y

7W

36

DEPTH TO BED: 10FT 619.200.27 4,203,980.08

ZONE 15 S.W.L. (BEFORE CASING):

38N

NO PRODUCTION OR CONSTRUCTION DATA **REMARKS**: S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005431

WELL TYPE Private Well

1939/06/ DRILL DATE:

TOWNSHIP RANGE SECTION 38N 7W

ELEVATION:

1,025FT

DRILL DEPTH:

60FT

UTM X 614,659.17

UTMY 4,212,328.32

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

20FT

22

FT

FT

REMARKS: YIELD - "SMALL AMT" ZONE 15

LOG ID: 016291

WELL TYPE Private Well

DRILL DATE:

1957/05/

TOWNSHIP

38N

SECTION RANGE

ELEVATION: 1,115FT

DRILL DEPTH:

219FT

7W 6

UTM X **UTMY**

610,219.21

4,211,516.27

DEPTH TO BED:

90FT

80

1 MI N & 1 MI E OF MACEDONIA REMARKS:

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 027153

WELL TYPE

Private Well

DRILL DATE:

1970/04/06

TOWNSHIP RANGE SECTION 38N

ELEVATION: 1,135FT

DRILL DEPTH:

300FT

7W 6

> UTM X **UTMY**

DEPTH TO BED: 80FT 610,219.21 4,211,516.27

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 027353

WELL TYPE

Private Well

DRILL DATE:

1970/05/12

TOWNSHIP

REMARKS:

SECTION RANGE

7W

ELEVATION: 1,028FT

DRILL DEPTH:

DEPTH TO BED:

335FT 150FT

50

38N

6

UTM X UTM Y

611,619.20

4,211,516.28

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: NO SAMPLES 0-150'



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005076

DRILL DEPTH:

WELL TYPE Private Well

1938/10/05 DRILL DATE:

311FT

DEPTH TO BED:

154FT

REMARKS:

TOWNSHIP

38N

TOWNSHIP

38N

OLD WELL DEEPENED 154-311'

RANGE

7W

RANGE

7W

SECTION

SECTION

7

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 028552

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1982/09/15

252FT

10FT

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 010405

WELL TYPE Private Well

DRILL DATE: 1948/08/01

DRILL DEPTH: 132FT

DEPTH TO BED: 50FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 026605

WELL TYPE Private Well

DRILL DATE:

1970/06/

DRILL DEPTH: 290FT

DEPTH TO BED:

40FT

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 140 **ELEVATION:** 1,084FT

UTM X

UTMY

610,235.24

4,209,915.21

ZONE 15

ELEVATION: 1,053FT

UTM X UTMY

610,935.23 4,210,041.22

ZONE 15

REMARKS: 4 MI N ON HWY V, 3 MI W

TOWNSHIP RANGE SECTION 38N

7W 9

UTM X

ELEVATION:

1,138FT **UTMY**

1,083FT

614,064.20 4,210,730.26

ZONE 15

REMARKS: NEAR FERN DALE SCHOOL

> **RANGE SECTION TOWNSHIP ELEVATION:** 38N W8

> > UTM X UTM Y

609.801.22 4,210,939.25

ZONE 15



S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009483

WELL TYPE Private Well

1946/06/ DRILL DATE: **TOWNSHIP**

203

38N 8W 10 253FT

REMARKS:

DRILL DEPTH: UTM X UTMY DEPTH TO BED: 20FT

605,173.24 4,209,827.17

1,048FT

ELEVATION:

ZONE 15

CREEK RD & HWY 63

RANGE

SECTION

2 MI W OF MACEDONIA SCHOOL OFF ROAD BETWEEN SPRING

LOG ID: 011355

WELL TYPE Private Well

DRILL DATE: 1950/04/ **TOWNSHIP RANGE SECTION ELEVATION:** 907FT

38N 8W 10 DRILL DEPTH: 108FT

FT

UTM X UTMY DEPTH TO BED: 606,573.24 4,209,827.18

ZONE 15

S.W.L. (BEFORE CASING): FT 1 MI W OF MACEDONIA SCHOOL ON VICHY RD **REMARKS**:

S.W.L. (AFTER CASING): 8

LOG ID: 008845

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1945/04/11 **TOWNSHIP RANGE SECTION ELEVATION:** 975FT

38N **8W** 11 **DRILL DEPTH:** 260FT

UTM X **UTMY**

DEPTH TO BED: 70FT 607,698.24 4,209,789.19 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

70 S.W.L. (AFTER CASING):

LOG ID: 013854

WELL TYPE Private Well

185FT

1955/09/ **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 951FT

38N

DRILL DEPTH: UTM X UTM Y

DEPTH TO BED: 606.998.23 4,210,707.22 5FT

W8

11

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 75



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018330

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

DRILL DATE: **TOWNSHIP RANGE SECTION**

> 38N 8W

11

UTM X **UTMY** DEPTH TO BED: 15FT 607,998.24 4,210,095.20

ZONE 15

ELEVATION:

949FT

S.W.L. (BEFORE CASING): FT **REMARKS:**

200FT

S.W.L. (AFTER CASING): 45

LOG ID: 027963

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1974/09/10 **RANGE ELEVATION:** 1,000FT

38N 8W 12 DRILL DEPTH: 250FT

UTM X UTMY DEPTH TO BED: 15FT 608,417.25 4,209,324.18

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 135

LOG ID: 005093

DRILL DEPTH:

WELL TYPE

Private Well

DRILL DATE: 1938/10/04 **TOWNSHIP RANGE SECTION ELEVATION:** 986FT

> 38N **8W** 13 242FT

UTM X UTM Y

DEPTH TO BED: 30FT 609,034.26 4,208,918.17

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

37 S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 015381

1956/11/ **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,124FT

38N W8 13 **DRILL DEPTH:** 167FT

DEPTH TO BED: 609.834.25 4,209,122.18 65FT

ZONE 15

UTM Y

UTM X

S.W.L. (BEFORE CASING): FT **REMARKS**: 0.5 MI N, 2 MI E OF MACEDONIA; VERY POOR SAMPLES - DO NOT

USE S.W.L. (AFTER CASING): 148



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021044

DRILL DEPTH:

WELL TYPE Private Well

1962/07/ DRILL DATE:

225FT

DEPTH TO BED: 45FT **TOWNSHIP** 38N

RANGE 8W

SECTION 13

ELEVATION:

1,054FT

UTM X 608,834.25

UTMY 4,209,122.17

ZONE 15

S.W.L. (BEFORE CASING):

formerly in name of William Young - E OF MACEDONIA **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 005167

WELL TYPE Private Well

DRILL DATE:

1938//

TOWNSHIP

RANGE 8W

SECTION

ELEVATION:

960FT

DRILL DEPTH:

213FT

38N

14

UTM X

UTMY

DEPTH TO BED: 20FT 608,003.26 4,208,899.16 ZONE 15

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

40

REMARKS:

ON HWY 63 4 MI N OF JCT WITH I-44 (HWY 66)

LOG ID: 025272

WELL TYPE

Private Well

DRILL DATE:

1967/08/17

TOWNSHIP

RANGE 8W

SECTION 14

ELEVATION:

878FT

DRILL DEPTH:

175FT

38N

UTM X 607,003.27

UTMY 4,208,277.13

DEPTH TO BED:

10FT

105

FT

REMARKS:

5 MI N OF ROLLA ON HWY 63, BETWEEN HWY 63 & VICHY RD

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

007048

Private Well

DRILL DATE:

1941/07/29

TOWNSHIP 38N

RANGE

SECTION 15

ELEVATION:

873FT

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (AFTER CASING):

76FT 5FT

30

W8

UTM X

UTM Y

605.485.28

4,207,710.10

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005180

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH: 152FT

DEPTH TO BED:

135FT

TOWNSHIP RANGE SECTION 38N 8W 16

ELEVATION:

904FT

UTM X 604,579.27

UTMY 4,207,959.10

ZONE 15

S.W.L. (BEFORE CASING):

NO PRODUCTION OR CONSTRUCTION DATA **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 008880

WELL TYPE Private Well

DRILL DATE:

1945/08/24

TOWNSHIP 38N

SECTION RANGE

ELEVATION:

911FT

DRILL DEPTH:

322FT

8W 16

UTM X

UTMY

DEPTH TO BED: 20FT 604,379.27

4,208,159.10

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

REMARKS: 5 MI NW OF ROLLA

95

WELL TYPE

LOG ID: 008044

Private Well

DRILL DATE:

1942/12/

TOWNSHIP

REMARKS:

RANGE SECTION **ELEVATION:**

1,002FT

DRILL DEPTH:

244FT

38N **8W** 2

UTM X 607,286.22

ZONE 15

UTMY 4,211,181.24

DEPTH TO BED:

1 MI N & 0.5 MI W OF MACEDONIA

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 013483

WELL TYPE Private Well

DRILL DATE:

1955/04/

TOWNSHIP

SECTION RANGE

ELEVATION:

1,015FT

DRILL DEPTH:

DEPTH TO BED:

280FT

38N W8 2

UTM X

UTM Y

100

607.986.22

4,211,280.25

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: ON HWY 63 @ MACEDONIA

S.W.L. (AFTER CASING):

105



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013851

DRILL DEPTH:

WELL TYPE Private Well

1955/09/ DRILL DATE:

142FT

FT

TOWNSHIP 38N

RANGE SECTION 8W

ELEVATION:

927FT

20

UTM X 602,579.28

UTMY 4,207,102.05

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

S.W.L. (AFTER CASING): 56

LOG ID: 014805

WELL TYPE Private Well

DRILL DATE:

1956/04/

TOWNSHIP

SECTION RANGE

ELEVATION:

1,006FT

DRILL DEPTH:

250FT

38N 8W 20

UTM X

UTMY

DEPTH TO BED:

S.W.L. (AFTER CASING):

603,179.30

4,205,896.03

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

135

LOG ID:

WELL TYPE Private Well

017182 **DRILL DATE:**

1958/05/

TOWNSHIP

RANGE SECTION **ELEVATION:**

960FT

DRILL DEPTH:

225FT

38N

8W 20

UTM X 602,779.30

UTM Y 4,206,298.03

DEPTH TO BED:

FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

100

LOG ID: 008936

WELL TYPE Private Well

DRILL DATE:

1945/08/

TOWNSHIP

RANGE

SECTION

ELEVATION:

910FT

DRILL DEPTH:

195FT

38N 8W 21

> UTM X 604,390.28

UTM Y 4,207,156.07

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

REMARKS: 4 MI N OF ROLLA ON NAGOGAMI RD ZONE 15

S.W.L. (AFTER CASING): 30



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016630

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1957/07/ **TOWNSHIP RANGE SECTION** 38N 21

8W

UTM X **UTMY**

604,990.30

ELEVATION:

4,205,932.04

978FT

ZONE 15

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

112

172FT

50FT

LOG ID: 027904

WELL TYPE Private Well

DRILL DATE:

260FT

TOWNSHIP 38N

RANGE

SECTION 22

ELEVATION:

DRILL DEPTH: DEPTH TO BED:

95FT

8W

UTM X

UTMY 4,205,978.04

605,592.30 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

RED CLAY IN WATER, NITRATES & CHLORIDES PRESENT; SKIP

130-165'

LOG ID: 027966

WELL TYPE

Private Well

DRILL DATE:

1975/12/17

TOWNSHIP

RANGE

SECTION 23

ELEVATION:

868FT

DRILL DEPTH:

320FT

38N

8W

UTM X

DEPTH TO BED:

607,414.29

ZONE 15

ZONE 15

UTM Y 4,206,647.07

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 009499

WELL TYPE

Private Well

DRILL DATE:

1946/09/

TOWNSHIP

RANGE

SECTION

ELEVATION:

898FT

DRILL DEPTH:

117FT

38N W8 25

> UTM X 608.843.31

UTM Y 4,205,695.06

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

"FLOWS 5 GPM"; E OF LEROY OTIS **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017176

WELL TYPE Private Well

1958/03/ DRILL DATE:

TOWNSHIP RANGE 38N 8W

ELEVATION:

1,191FT

DRILL DEPTH: 339FT 25

SECTION

UTM X **UTMY** 609,643.32 4,204,877.05

ZONE 15

DEPTH TO BED: 75FT S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

259

LOG ID: 017639

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1958//

TOWNSHIP 38N

SECTION RANGE

ELEVATION:

960FT

DRILL DEPTH:

192FT

60

10FT

8W 25

UTM X

UTMY

608,443.31

4,205,285.05

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: YIELD - 32 GPM @ 147'

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 024331

Private Well

DRILL DATE:

1966/07/27

TOWNSHIP RANGE **SECTION** 25

ELEVATION: 1,156FT

DRILL DEPTH:

365FT

38N **8W**

UTM X UTM Y

DEPTH TO BED:

55FT

4,204,979.05

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

225

LOG ID:

WELL TYPE

027608

Community Public Well

DRILL DATE:

1974/05/

FT

38N

TOWNSHIP

RANGE W8

SECTION 25

ELEVATION:

609,343.31

1,194FT

DRILL DEPTH:

DEPTH TO BED:

1,075FT

5FT

302

UTM X UTM Y 609.483.32

4,204,740.05

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

2/27/2007

4,431



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002620

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1932/08/00 DRILL DATE:

60FT

5FT

32

TOWNSHIP 38N

RANGE 8W

SECTION 26

SECTION

SECTION

26

ELEVATION:

990FT

UTM X 606,921.31

UTMY 4,204,930.03

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID: 008843

WELL TYPE Private Well

DRILL DATE:

1945/04/18

TOWNSHIP

RANGE

ELEVATION:

899FT

DRILL DEPTH:

DEPTH TO BED:

125FT

38N 8W 26

UTM X

UTMY

608,021.31

4,205,641.05 ZONE 15

S.W.L. (BEFORE CASING):

"FLOWED"; 3.5 MI N OF ROLLA ON HWY 63 REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 009000

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

80FT

20FT

TOWNSHIP RANGE 38N **8W**

ELEVATION:

979FT

UTM X

UTM Y

607,621.31 4,205,031.04

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

30

FT

REMARKS:

ON HWY 63, 3.25 MI N OF NORTHWYE

LOG ID: 017171

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1958/04/

250FT

10FT

165

TOWNSHIP 38N

RANGE W8

SECTION 26

ELEVATION:

1,035FT

UTM X 608.021.31

UTM Y 4,205,031.04

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018309

WELL TYPE Private Well

1959/07/ DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

38N 8W 26 **DRILL DEPTH:** 270FT

UTM X **UTMY** DEPTH TO BED: 10FT 607,821.32 4,204,829.04

ZONE 15

1,031FT

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 170

LOG ID: 027180

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1972/10/ **RANGE ELEVATION:** 965FT

38N 8W 26 DRILL DEPTH: 200FT

UTM X **UTMY** DEPTH TO BED: 607,721.31 4,205,336.05

ZONE 15

S.W.L. (BEFORE CASING): OLD HWY 63 N OF ROLLA REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 003708

WELL TYPE Private Well

DRILL DATE: 1936/08/ **TOWNSHIP RANGE SECTION ELEVATION:** 1,048FT

38N **8W** 28 146FT

DRILL DEPTH: UTM X UTM Y **DEPTH TO BED:** 5FT 604,204.32 4,204,723.01

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

70 S.W.L. (AFTER CASING):

LOG ID: 014026

WELL TYPE Private Well

1955/10/ **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 938FT

DRILL DEPTH: 140FT UTM X UTM Y

DEPTH TO BED: 603,704.31 4,205,634.02

8W

28

ZONE 15 S.W.L. (BEFORE CASING): FT

38N

REMARKS:

S.W.L. (AFTER CASING): 55



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016642 WELL TYPE Private Well

DRILL DATE: 1957/07/

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP 38N RANGE SECTION

ELEVATION:

1,057FT

DRILL DEPTH:

264FT

8W 28

UTM X

<u>UTM Y</u> 4,204,521.01

604,904.32

DEPTH TO BED:

FT

172

REMARKS: 0.75 MI S OF CORINTH SCHOOL

ZONE 15

LOG ID: 016878

WELL TYPE Private Well

DRILL DATE:

1957/10/

TOWNSHIP 38N RANGE SECTION

ELEVATION:

959FT

DRILL DEPTH:

145FT

8W 28

UTM X

UTM Y

DEPTH TO BED:

55FT

604,204.32

4,204,521.01

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: OLD WELL DEEPENED; N OF MOONEY RANCH

S.W.L. (AFTER CASING):

70

LOG ID:

WELL TYPE Private Well

022914DRILL DATE:

1964/06/08

<u>TOWNSHIP</u>

RANGE SECTION

ELEVATION:

960FT

DRILL DEPTH:

180FT

38N 8W 28

<u>UTM X</u> 605,004.32

<u>UTM Y</u>

DEPTH TO BED:

4,204,723.02

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

165

REMARKS:

2 MI NW ON NAGAGOMI RD

LOG ID:

WELL TYPE

015390

Private Well

DRILL DATE:

1956/11/

TOWNSHIP 38N RANGE SECTION

ELEVATION:

1,077FT

DRILL DEPTH:

257FT

217

8W 29

UTM X UTM Y

603,405.32 4,204,653.00

ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021593

WELL TYPE Private Well

1963/03/30 DRILL DATE:

TOWNSHIP RANGE 38N 8W

ELEVATION:

866FT

DRILL DEPTH:

78FT

30

SECTION

UTM X 600,579.32

UTMY 4,204,842.99

DEPTH TO BED: 30FT

FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

33

REMARKS:

LOG ID: 016880

WELL TYPE Private Well

DRILL DATE:

1957/10/

TOWNSHIP

SECTION RANGE

ELEVATION: 1,110FT

DRILL DEPTH:

309FT

38N 8W 31

UTM X

UTMY

DEPTH TO BED: 10FT 601,772.34

4,203,002.96

FT

ON HWY Y - CAMP CREEK RD **REMARKS**:

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

240

LOG ID: 017177

WELL TYPE Private Well

DRILL DATE:

1958/04/

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,073FT

DRILL DEPTH:

265FT

38N **8W** 31

ZONE 15

DEPTH TO BED:

15FT

UTM X 601,372.34

UTM Y 4,202,586.95

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 180

LOG ID: 026070

WELL TYPE Private Well

1968/09/20

TOWNSHIP 38N

RANGE SECTION **ELEVATION:**

1,127FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

380FT

265

W8 31

UTM X

601.572.34

UTM Y

4,203,002.96

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

4 MI W OF ROLLA ON OAK GROVE SCHOOL RD, 1 MI W OF

BEVERIDGE



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019131

DRILL DEPTH:

WELL TYPE Private Well

1957/05/02 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,031FT

38N 8W 32 250FT

UTM X **UTMY** DEPTH TO BED: 145FT 602,806.34 4,203,069.97

ZONE 15

S.W.L. (BEFORE CASING): FT

formerly in name of David Dautenhahn - 4 MI NW OF ROLLA **REMARKS:**

S.W.L. (AFTER CASING): 170

LOG ID: 025620

WELL TYPE Private Well

TOWNSHIP RANGE SECTION DRILL DATE: **ELEVATION:** 1,164FT

38N 8W 32 DRILL DEPTH: 380FT

UTM X UTMY DEPTH TO BED: 10FT 603,206.33 4,203,873.99

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 295

LOG ID: 025732

WELL TYPE Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 994FT

38N **8W** 32 **DRILL DEPTH:** 175FT

UTM X UTM Y **DEPTH TO BED:** 20FT 603,006.34 4,203,069.97

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** @ LIME QUARRY

S.W.L. (AFTER CASING):

LOG ID: 027786

WELL TYPE Private Well

1975/01/22 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,100FT

DRILL DEPTH: 352FT UTM X UTM Y

W8

32

DEPTH TO BED: 5FT 603.406.33 4,203,673.98

ZONE 15 S.W.L. (BEFORE CASING):

38N

NO PRODUCTION OR CONSTRUCTION DATA **REMARKS:** S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027837

WELL TYPE Private Well

1971/06/ DRILL DATE:

TOWNSHIP 38N

RANGE SECTION 8W 32

ELEVATION: 1,011FT

DRILL DEPTH: 260FT

UTM X

UTMY

DEPTH TO BED: 30FT 602,706.33

4,203,371.97

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

SCANNED, TOPS ONLY; 2 MI FROM ROLLA ON HWY Y **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 003786

WELL TYPE Private Well

DRILL DATE:

1936/09/14

TOWNSHIP

RANGE

SECTION 33

ELEVATION:

980FT

DRILL DEPTH:

110FT

38N 8W

> UTM X 604,917.34

UTMY 4,203,213.99

DEPTH TO BED:

25FT

60

155

FT

FT

REMARKS:

OLD WELL DEEPENED TO ABOUT 165' (1970'S)

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 015442

WELL TYPE Private Well

DRILL DATE:

1956/09/

TOWNSHIP 38N

RANGE SECTION **ELEVATION:**

1,076FT

DRILL DEPTH:

239FT

8W 33

UTM X

604,217.34

UTM Y 4,202,708.97

DEPTH TO BED:

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 015861

WELL TYPE Private Well

DRILL DATE:

1957/02/

TOWNSHIP 38N

RANGE SECTION

ELEVATION:

1,075FT

DRILL DEPTH:

DEPTH TO BED:

290FT 20FT

225

W8 33

UTM X

UTM Y

604.017.33

4,203,314.98

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028047

DRILL DEPTH:

WELL TYPE Private Well

1976/11/ DRILL DATE:

290FT

DEPTH TO BED: 10FT **TOWNSHIP** 38N

RANGE SECTION 8W 33

ELEVATION:

972FT

UTMY 4,202,910.98

605,017.34

UTM X

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

002614

WELL TYPE Private Well

DRILL DATE:

1938/07/

TOWNSHIP

TOWNSHIP

38N

SECTION RANGE

RANGE

8W

34

SECTION

34

ELEVATION:

970FT

DRILL DEPTH:

60FT

38N 8W

UTM X

ELEVATION:

UTM X

605,832.32

UTMY

1,080FT

UTM Y

4,204,178.01

DEPTH TO BED: 10FT

606,132.33

4,204,077.01 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING):

5

LOG ID:

DRILL DEPTH:

WELL TYPE

Private Well 002619

DRILL DATE: 1932/08/

92FT

DEPTH TO BED: 5FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

55

REMARKS:

LOG ID: 015116

DRILL DEPTH:

WELL TYPE Private Well

1956/07/ **DRILL DATE:**

335FT

70FT

DEPTH TO BED:

TOWNSHIP 38N

SECTION RANGE 8W 34

ELEVATION:

1,190FT

UTM X UTM Y 605.832.34 4,203,167.99

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: **HURRICANE POINT**

S.W.L. (AFTER CASING): 210



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015233

LOG ID:

026917

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: 1956/07/ TOWNSHIP RAN

92

<u>DWNSHIP RANGE SECTION</u> 38N 8W 34 ELEVATION:

974FT

DRILL DEPTH: 160FT

<u>UTM X</u> 606,632.33

ELEVATION:

<u>UTM Y</u> 4,203,774.01

1,200FT

ZONE 15

DEPTH TO BED: 15FT S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

WELL TYPE Private Well

485FT

365

DRILL DATE: 1969/07/29

S.W.L. (AFTER CASING):

TOWNSHIP RANGE SECTION

38N 8W 34

UTM X UTM Y

<u>DEPTH TO BED:</u> 335FT 605,832.34 4,203,167.99

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL DELEPENED 335-485'; SCANNED; HURRICAN PT, 2 MI

NW ON HWY Y

LOG ID: 002452

DRILL DEPTH:

WELL TYPE
Private Well

<u>DRILL DATE:</u> 1931/07/ <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 1,075FT

38N 8W 35

UTM X UTM Y

<u>DEPTH TO BED:</u> 608,050.34 4,203,018.00

S.W.L. (BEFORE CASING): FT PEMARKS

REMARKS:

275FT

S.W.L. (AFTER CASING): 80

LOG ID: 002610

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1932/07/00 TOWNSHIP RANGE SECTION ELEVATION: 1,017FT

DRILL DEPTH: 105FT 38N 8W 35

UTM X UTM Y

607,250.33 4,203,626.01

ZONE 15

S.W.L. (BEFORE CASING): FT PENARYO

REMARKS:

10FT

S.W.L. (AFTER CASING): 38



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014056

WELL TYPE Private Well

1955/10/ DRILL DATE:

TOWNSHIP RANGE SECTION 38N

ELEVATION:

1,049FT

DRILL DEPTH:

227FT

8W 35

UTM X

UTMY 4,203,322.01

DEPTH TO BED:

FT

608,050.33

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 110

LOG ID: 015112

WELL TYPE Private Well

DRILL DATE:

1956/05/

TOWNSHIP 38N

REMARKS:

SECTION RANGE

ELEVATION:

994FT

DRILL DEPTH:

177FT

8W 35

UTM X

UTMY

DEPTH TO BED:

15FT

607,650.34

4,203,220.00

REMARKS:

OLD VICHY RD, 0.75 MI N OF HWY 66

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 018310

WELL TYPE

Community Public Well

DRILL DATE:

345FT

SECTION TOWNSHIP RANGE 38N **8W**

ELEVATION: 1,034FT

ZONE 15

DRILL DEPTH:

35

UTM X UTM Y

DEPTH TO BED:

5FT

4,202,813.99

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT **REMARKS:**

formerly in name of Plaza Trailer Park

185

LOG ID:

WELL TYPE

018975

Noncommunity Public Well

DRILL DATE:

1960/05/

TOWNSHIP 38N

RANGE SECTION **ELEVATION:**

955FT

DRILL DEPTH:

300FT

8W 35

UTM X

607,650.33

607,450.34

UTM Y 4,204,032.02

ZONE 15

DEPTH TO BED:

45 FT

N OF ROLLA, "VICHY RD PLANT"

S.W.L. (BEFORE CASING): **REMARKS:** FΤ S.W.L. (AFTER CASING): 80



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020494

WELL TYPE Private Well

DRILL DATE: 1961//

TOWNSHIP 38N <u>SECTION</u>

ELEVATION:

995FT

DRILL DEPTH:

225FT

8W 35

UTM X

<u>UTM Y</u>

DEPTH TO BED:

20FT

607,050.33 4,203,830.01

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

LOG ID:

WELL TYPE Private Well

024997DRILL DATE:

1966/12/01

TOWNSHIP

RANGE SECTION

ELEVATION: 1,027FT

DRILL DEPTH:

238FT 45FT 38N 8W 35

RANGE

UTM X UTM Y

ZONE 15

607,850.34

4,202,814.00

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

1 BLK N OF NEW CITY WELL - E OF OLD VICHY RD, N EDGE OF

ROLLA

LOG ID:

WELL TYPE

Community Public Well

DRILL DATE:

025659

1968/06/

TOWNSHIP

RANGE SECTION

ELEVATION:

1,069FT

DRILL DEPTH:

750FT

38N

8W 35

UTM X

UTM Y

DEPTH TO BED:

15FT

607,242.34 4,202,822.99

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: formerly in name of Loughridge Trailer Court

S.W.L. (AFTER CASING):

269

LOG ID: 026071

WELL TYPE Private Well

DRILL DATE:

1968/10/15

TOWNSHIP

RANGE

SECTION

ELEVATION:

990FT

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

365FT

5FT

38N

8W 35

UTM X

UTM Y

607,050.33

4,203,830.01

ZONE 15

REMARKS:

1 MI N OF PLAZA TRAILER PK ON VICHY RD; LITTLE ROUBIDOUX

S.W.L. (AFTER CASING): 275 WATER

FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003583

WELL TYPE

Industrial High Capacity Well

1936/04/ DRILL DATE:

TOWNSHIP RANGE 38N

SECTION

ELEVATION:

1,149FT

DRILL DEPTH:

324FT

36

UTM X **UTMY**

DEPTH TO BED:

155

608,655.34

4,203,069.01

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

FT

REMARKS:

LOG ID: 004422

WELL TYPE Private Well

DRILL DATE:

1937/08/

TOWNSHIP

RANGE

8W

SECTION

ELEVATION: 1,136FT

DRILL DEPTH:

65FT

42

38N 8W 36

UTM X UTMY

ZONE 15

DEPTH TO BED: 15FT

609,155.33

ACROSS HWY 66 FROM SCHRIMP FILLING STATION REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

WELL TYPE

Private Well 004603

DRILL DATE: 1937/12/

TOWNSHIP RANGE

SECTION

ELEVATION:

1,127FT

DRILL DEPTH:

LOG ID:

321FT

38N **8W** 36

UTM X

ZONE 15

608,955.33

UTM Y 4,203,679.02

4,203,577.02

DEPTH TO BED:

5FT

136

REMARKS: JCT HWYS 63 & 66 N OF ROLLA

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

004958 **DRILL DATE:**

1938/08/

TOWNSHIP

38N

RANGE SECTION

W8

ELEVATION:

1,142FT

DRILL DEPTH:

DEPTH TO BED:

199FT 15FT 36

UTM X UTM Y 609.255.33 4,203,679.02

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 105



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005660

WELL TYPE Private Well

1939/10/ DRILL DATE:

TOWNSHIP 38N

FT

FT

FT

RANGE SECTION 8W

ELEVATION:

1,157FT

DRILL DEPTH:

440FT

36

UTM X 608,455.34

UTMY 4,202,867.00

DEPTH TO BED:

20FT

ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

200

REMARKS: YIELD - 200 G/HOUR

LOG ID: 005798

WELL TYPE Private Well

DRILL DATE:

1939/12/21

TOWNSHIP 38N

SECTION RANGE

ELEVATION:

1,150FT

DRILL DEPTH:

342FT

8W 36

> **UTM X** 609,455.33

UTMY 4,203,881.03

DEPTH TO BED:

5FT

140

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS: "VERY POOR SET OF SAMPLES"

LOG ID:

006822

WELL TYPE

Private Well

DRILL DATE:

1941/04/

TOWNSHIP 38N

RANGE SECTION **ELEVATION:**

1,155FT

DRILL DEPTH:

110FT

8W 36

> UTM X 609,655.32

> > ZONE 15

UTM Y 4,204,287.04

DEPTH TO BED:

formerly in name of Elmer Hargus - @ NORTHWYE

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 007131

WELL TYPE Private Well

DRILL DATE:

1941//

75

TOWNSHIP 38N

REMARKS:

RANGE SECTION

8W

ELEVATION:

1,151FT

DRILL DEPTH:

DEPTH TO BED:

310FT

36

UTM Y

UTM X 609,255.33

4,203,983.03

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: NORTHWYE

S.W.L. (AFTER CASING):

200



AT NORTHWYE

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009500

WELL TYPE

Noncommunity Public Well

1946/08/28 DRILL DATE:

DRILL DEPTH: 313FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 206 **TOWNSHIP RANGE SECTION** 38N

8W 36 **ELEVATION:**

UTM X **UTMY** 609,255.33 4,204,085.03

ZONE 15

LOG ID:

DRILL DEPTH:

WELL TYPE

011535 Noncommunity Public Well

DRILL DATE: 1950/06/02

TOWNSHIP

REMARKS:

REMARKS:

300FT

DEPTH TO BED:

50FT

SECTION RANGE 38N 8W 36

PERRY SCHAFFERKOETTER

RANGE

8W

SECTION

36

UTM X

ELEVATION:

ELEVATION:

UTM X

608,655.34

UTMY

1,151FT

UTM Y

4,203,273.01

1,153FT

608,655.34 4,203,069.01

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 011805

Noncommunity Public Well

DRILL DATE:

205

DRILL DEPTH:

338FT

DEPTH TO BED: 15FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID: 014574

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1956/02/

295FT

10FT

TOWNSHIP 38N

TOWNSHIP

38N

RANGE

W8

SECTION 36

ELEVATION:

1,079FT

UTM X UTM Y

608.655.33

4,204,085.03

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

1 MI N OF NORTHWYE ON HWY 63 (OLD ?)

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015569

DRILL DEPTH:

WELL TYPE Private Well

1956/07/ DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,139FT

> 38N 8W 36 160FT

UTM X **UTMY**

DEPTH TO BED: 35FT 608,855.33 4,203,881.02

ZONE 15

S.W.L. (BEFORE CASING): FT IN NORTHWYE, E OF THREE ROCK HOUSES **REMARKS**:

S.W.L. (AFTER CASING): 70

LOG ID: 016638

WELL TYPE Private Well

DRILL DATE: 1957/08/ **TOWNSHIP RANGE SECTION ELEVATION:** 1,106FT

38N 8W 36 DRILL DEPTH: 280FT

UTM X UTMY DEPTH TO BED: 15FT 609,455.33 4,203,679.02

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 155

LOG ID: 016875

WELL TYPE Private Well

DRILL DATE: 1957/09/ **TOWNSHIP RANGE SECTION ELEVATION:** 1,160FT

38N **8W** 36 435FT

DRILL DEPTH: UTM X UTM Y **DEPTH TO BED:** 20FT 609,055.33 4,203,679.02

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

240 S.W.L. (AFTER CASING):

LOG ID: 019265

WELL TYPE Private Well

1960/10/ **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,162FT

DRILL DEPTH: UTM X UTM Y

DEPTH TO BED: 30FT 609.655.33 4,203,881.03

W8

36

ZONE 15

S.W.L. (BEFORE CASING): FT

38N

REMARKS:

321FT

235 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021507

DEPTH TO BED:

WELL TYPE Private Well

1962/11/ DRILL DATE:

TOWNSHIP RANGE 38N W8

SECTION 36

ELEVATION:

1,148FT

DRILL DEPTH: 305FT

S.W.L. (AFTER CASING):

UTM X 609,455.33

UTMY 4,203,881.03

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT **REMARKS**:

formerly in name of Jess Bridges - NORTHWYE - VOLKSWAGON

36

DEALER (DEFUNCT) ON OLD HWY 66

LOG ID: 021853

WELL TYPE Private Well

DRILL DATE:

1963/08/

TOWNSHIP

SECTION RANGE

ELEVATION:

1,200FT

DRILL DEPTH:

352FT

20FT

225

38N 8W

UTM X

UTMY

DEPTH TO BED: 65FT 609,855.32

UTM X

4,204,287.04

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

80

REMARKS:

LOG ID: 027384

WELL TYPE

Noncommunity Public Well

DRILL DATE:

TOWNSHIP RANGE SECTION 38N

ELEVATION: 1,148FT

DRILL DEPTH:

455FT

8W 36

UTM Y

DEPTH TO BED:

35FT

609,455.33 4,203,881.03

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

027622

Noncommunity Public Well

DRILL DATE:

1974/07/30

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,118FT

DRILL DEPTH:

410FT 15FT 38N

W8 36

> UTM X UTM Y

DEPTH TO BED:

S.W.L. (AFTER CASING):

608.855.34 4,203,069.01

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005061

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1938/09/23 DRILL DATE:

60FT

15FT

TOWNSHIP 38N

RANGE SECTION **ELEVATION:**

837FT

8W

UTM X

UTMY 4,210,962.21

604,758.22

ZONE 15

S.W.L. (BEFORE CASING):

NO PRODUCTION OR CONSTRUCTION DATA **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 013486

WELL TYPE Private Well

DRILL DATE:

1955/04/

TOWNSHIP

RANGE

SECTION

ELEVATION:

833FT

DRILL DEPTH: DEPTH TO BED: 150FT

38N 8W 4

UTM X

UTMY

604,058.20

4,212,012.24

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

110

REMARKS:

formerly in name of Amos Feeler - AT MARIES-PHELPS CO LINE, 2 MI

W OF HWY 63

LOG ID: 007049

WELL TYPE Private Well

DRILL DATE:

1941/08/

TOWNSHIP 38N

RANGE 8W

SECTION

ELEVATION:

892FT

DRILL DEPTH:

167FT

9

UTM X

UTM Y

DEPTH TO BED:

15FT

603,961.24

4,209,973.17 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

100

LOG ID: 027881

WELL TYPE Private Well

DRILL DATE:

1975/07/16

TOWNSHIP

38N

RANGE

SECTION

ELEVATION:

899FT

DRILL DEPTH:

DEPTH TO BED:

200FT

5FT

W8 9

UTM X

604.261.24

ZONE 15

UTM Y 4,209,872.16

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

2/27/2007

4,447



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013881

WELL TYPE Private Well

1955/08/ DRILL DATE:

TOWNSHIP 38N

SECTION

ELEVATION:

922FT

DRILL DEPTH:

295FT

9W 1

RANGE

UTM X

UTMY 4,211,488.18

DEPTH TO BED:

25FT

599,690.21

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

019421

Noncommunity Public Well

245

DRILL DATE:

1960/12/

TOWNSHIP

SECTION RANGE

ELEVATION:

ZONE 15

914FT

DRILL DEPTH:

395FT

38N 9W

UTM X

UTMY

DEPTH TO BED:

10FT

1

598,890.21

4,211,488.17

S.W.L. (BEFORE CASING):

255

PLIGGED & ABANDONED **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 026091

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1969/03/05

TOWNSHIP RANGE **SECTION**

ELEVATION:

918FT

DRILL DEPTH:

525FT

38N

9W

UTM X

UTM Y

DEPTH TO BED:

25FT

599,290.21

4,211,293.17

ZONE 15

S.W.L. (BEFORE CASING):

255 FT

FT

REMARKS:

15' FROM WELL #1, WHICH WAS PLUGGED & ABANDONED

S.W.L. (AFTER CASING):

255

LOG ID:

024067

WELL TYPE

Private Well

DRILL DATE:

1965/12/19

TOWNSHIP 38N

RANGE 9W

SECTION 13

ELEVATION:

UTM X

954FT

DRILL DEPTH:

380FT 25FT

UTM Y

599.176.27 4,208,213.07

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

DEPTH TO BED:

310



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005073

DRILL DEPTH:

WELL TYPE Private Well

1938/10/ DRILL DATE:

300FT

DEPTH TO BED: 25FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP 38N

RANGE 9W

SECTION 14

ELEVATION:

957FT

UTM X 597,748.27

UTMY 4,208,217.06

ZONE 15

ZONE 15

PLUGGED & ABANDONED **REMARKS**:

WELL TYPE

005077

Private Well

DRILL DATE:

LOG ID:

1938/10/12

TOWNSHIP 38N

RANGE 9W

SECTION 14

ELEVATION:

UTM X

598,348.27

969FT

UTMY

4,208,217.06

DRILL DEPTH: 170FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

120

REMARKS: DRY HOLE TO 150'

LOG ID: 002465

WELL TYPE Private Well

DRILL DATE:

1931/06/00

TOWNSHIP 38N

RANGE SECTION 9W 16

ELEVATION:

693FT

DRILL DEPTH: DEPTH TO BED: 40FT

20FT

UTM X 594,347.26

UTM Y 4,208,418.04

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 002472

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1931/06/

44FT

20FT

12

TOWNSHIP 38N

RANGE 9W

SECTION 16

ELEVATION:

UTM X

594.447.27

UTM Y 4,207,916.02

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

2/27/2007

4,449



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006348

WELL TYPE Private Well

1940/09/16 DRILL DATE:

TOWNSHIP 38N

RANGE SECTION **ELEVATION:**

703FT

DRILL DEPTH:

216FT

9W 16

UTM X

UTMY

DEPTH TO BED:

50FT

594,347.28

4,207,614.01

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

17

20

FT

FT

FT

REMARKS:

LOG ID:

WELL TYPE Private Well

003769 DRILL DATE:

1936/08/

TOWNSHIP

SECTION RANGE

ELEVATION: 712FT

DRILL DEPTH:

93FT

38N 9W 18

UTM X

UTMY

590,803.28

4,207,480.98 ZONE 15

DEPTH TO BED:

25FT

50

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 004760

WELL TYPE Private Well

DRILL DATE:

1938/04/

TOWNSHIP RANGE **SECTION** 18

ELEVATION:

660FT

DRILL DEPTH:

38N

9W

UTM X

DEPTH TO BED:

130FT 15FT

10

UTM Y 591,003.27 4,207,668.99

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 0.25 MI NE FROM RAY PREWETT

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

017178

1958/04/

TOWNSHIP 38N

SECTION RANGE

ELEVATION:

737FT

DRILL DATE: DRILL DEPTH:

130FT

9W 18

UTM X

UTM Y

591,203.27 4,207,855.00

ZONE 15

S.W.L. (BEFORE CASING):

DEPTH TO BED:

FT

REMARKS:

S.W.L. (AFTER CASING):

85



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018305

WELL TYPE Private Well

1959/03/ DRILL DATE:

FT

FT

TOWNSHIP RANGE 38N

SECTION 18

ELEVATION:

837FT

DRILL DEPTH:

228FT 15FT 9W

UTM X

UTMY 4,207,480.99

591,603.28 ZONE 15

S.W.L. (BEFORE CASING):

DEPTH TO BED:

115

DRAWDOWN (DrDwn) TOTAL (T) **REMARKS:**

S.W.L. (AFTER CASING):

WELL TYPE Private Well

DRILL DATE:

LOG ID:

002857

1934/05/00

TOWNSHIP

RANGE

SECTION 23

ELEVATION:

863FT

DRILL DEPTH:

65FT

38N 9W

> **UTM X** 598,345.29

> > ZONE 15

UTMY 4,206,816.02

DEPTH TO BED:

32FT

35

REMARKS:

FORMATION NOT IDENTIFIED - "CAMP CREEK"

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

006252

DRILL DATE:

1940/08/

TOWNSHIP 38N

RANGE SECTION **ELEVATION:**

800FT

DRILL DEPTH:

29FT

9W 24

UTM X

UTM Y

DEPTH TO BED:

10FT

599,662.30 4,206,107.01

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

ON CAMP CREEK, 0.75 MI UP CK FROM SCHOOL ON RT SIDE

S.W.L. (AFTER CASING):

15

LOG ID: 013495

WELL TYPE Private Well

DRILL DATE:

1955/04/

TOWNSHIP

RANGE

SECTION

ELEVATION:

889FT

DRILL DEPTH:

38N

9W

24

DEPTH TO BED:

248FT 35FT

UTM X 598.762.30

UTM Y 4,206,409.01

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

formerly in name of Silas Cook - 0.5 MI W OF COME CREEK CHURCH

S.W.L. (AFTER CASING):

173



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015126

WELL TYPE Private Well

DRILL DATE: 1956/05/

5/ <u>TOWNSHIP</u> 38N RANGE SECTION 9W 24

ELEVATION:

852FT

DRILL DEPTH: 110FT

UTM X

<u>UTM Y</u> 4,206,409.01

DEPTH TO BED:

FT

599,962.30

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

ГІ

REMARKS:

LOG ID: 014569

WELL TYPE Private Well

DRILL DATE:

1956/02/

TOWNSHIP

RANGE SECTION

ELEVATION:

966FT

DRILL DEPTH:

195FT

38N 9W 26

UTM X

UTM Y

DEPTH TO BED:

20FT

150

40

598,532.32

4,204,191.96

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

<u>vG).</u>

LOG ID: 007120

WELL TYPE Private Well

DRILL DATE:

1941/07/

TOWNSHIP RANGE

<u>SECTION</u>

27

ELEVATION:

956FT

DRILL DEPTH:

129FT

38N 9W 27

<u>UTM X</u> 596,924.31 <u>UTM Y</u> 4,205,018.97

DEPTH TO BED:

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 013319 WELL TYPE Private Well

DRILL DATE:

..--..

1955/01/

TOWNSHIP

RANGE SECTION

ELEVATION:

969FT

DRILL DEPTH:

DEPTH TO BED:

155FT

25FT

38N

9W

UTM X UTI

ZONE 15

596,724.32

<u>UTM Y</u> 4,204,814.96

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: DUE N OF DOOLITTLE APPROX. 4 MI

S.W.L. (AFTER CASING): 110

<u>).</u> 110



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015444 WELL TYPE Private Well

DRILL DATE: 1956/10/

<u>TOWNSHIP</u> 38N RANGE SECTION

ELEVATION:

757FT

DRILL DEPTH:

88FT

9W 28

UTM X

<u>UTM Y</u>

DEPTH TO BED:

15FT

594,120.32

4,204,828.94

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

<u>3):</u> 16

LOG ID: 013742

WELL TYPE Private Well

DRILL DATE:

1955/05/

TOWNSHIP

RANGE SECTION

ELEVATION:

761FT

DRILL DEPTH:

60FT

38N 9W 29

UTM X

UTM Y

DEPTH TO BED:

10FT

593,740.32 4,204,825.94

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

. . .

REMARKS:

"FLOWS"

S.W.L. (AFTER CASING):

LOG ID: 014503

WELL TYPE Private Well

DRILL DATE:

1956/02/

<u>TOWNSHIP</u>

RANGE 9W SECTION 20

ELEVATION:

955FT

DRILL DEPTH:

210FT

38N

29

<u>UTM X</u> 592,540.31 <u>UTM Y</u> 4,205,223.94

DEPTH TO BED:

35FT

195

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 015114

WELL TYPE
Private Well

DRILL DATE:

1956/05/

TOWNSHIP

RANGE

SECTION 29 ELEVATION:

808FT

DRILL DEPTH:

38N

9W

UTM X

593,540.31

<u>UTM Y</u> 4,205,025.94

DEPTH TO BED:

125FT 20FT

45

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING): FT

FT

REMARKS:

TICK CREEK ROAD, NEAR WYNN SCHOOL

2/27/2007

4,453



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015383

WELL TYPE Private Well

1956/11/ DRILL DATE:

TOWNSHIP 38N

RANGE SECTION **ELEVATION:**

967FT

DRILL DEPTH:

248FT

9W 29

UTM X

UTMY

DEPTH TO BED:

80FT

592,540.32

4,204,229.92

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: 4 MI N OF HWY 66

S.W.L. (AFTER CASING):

210

LOG ID: 013941

WELL TYPE Private Well

DRILL DATE:

1955/08/

TOWNSHIP

RANGE

SECTION

35

SECTION

ELEVATION:

966FT

DRILL DEPTH:

188FT

38N 9W

UTM X

UTMY 4,203,799.96

DEPTH TO BED:

30FT

134

598,521.33 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

REMARKS: TOTAL (T) DRAW DOWN

LOG ID: 027847

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP RANGE 38N

ELEVATION:

971FT

DRILL DEPTH:

330FT

9W 36

UTM X

UTM Y

DEPTH TO BED:

599,437.34 4,203,290.95 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 007121

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP

SECTION RANGE

ELEVATION:

797FT

DRILL DEPTH:

171FT

38N 9W 7 UTM X

592.201.24

UTM Y 4,209,842.06

DEPTH TO BED:

THOX ROCK ROAD **REMARKS**:

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013321

WELL TYPE Private Well

1955/01/ DRILL DATE:

38N

SECTION 7

ELEVATION:

741FT

4,210,420.08

DRILL DEPTH: 130FT

UTM X **UTMY**

592,001.23

ZONE 15

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

DEPTH TO BED:

FT

FT

FT

67

LOWER FARM HOUSE NEAR THOX ROCK **REMARKS**:

RANGE

9W

S.W.L. (AFTER CASING):

LOG ID: 015123

WELL TYPE Private Well

DRILL DATE:

1956/05/

TOWNSHIP

TOWNSHIP

SECTION RANGE

ELEVATION:

729FT

DRILL DEPTH:

110FT

38N 10W 25

> UTM X 590,453.32

UTMY 4,204,268.91

DEPTH TO BED:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

113

REMARKS:

LOG ID:

WELL TYPE

015127

Private Well

DRILL DATE:

1956/05/

TOWNSHIP 38N

RANGE SECTION **ELEVATION:**

759FT

DRILL DEPTH:

135FT

100

10W 25

> UTM X 590,053.32

UTM Y 4,204,862.92

DEPTH TO BED:

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 014808

WELL TYPE Private Well

DRILL DATE:

1956/04/

TOWNSHIP

RANGE

SECTION 35

ELEVATION:

793FT

DRILL DEPTH:

150FT

38N 10W

UTM X

UTM Y

DEPTH TO BED:

5FT

589.060.34

4,202,871.88

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

ACROSS GASCONADE RIVER FROM SUGAR TREE LODGE

S.W.L. (AFTER CASING):

110



RANGE

10W

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023833

WELL TYPE

Community Public Well

1965/03/27 DRILL DATE:

DRILL DEPTH: 275FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 125

ON GASCONADE RIVER 10 MI W OF ROLLA, SUGAR TREE LODGE **REMARKS**:

SECTION

36

LOG ID: 007164

WELL TYPE Private Well

DRILL DATE:

1941//

130

TOWNSHIP

RANGE 6W

RANGE

NO PRODUCTION DATA

6W

SECTION

ELEVATION:

ELEVATION:

UTM X

590,253.34

ZONE 15

982FT

797FT

UTMY

4,202,650.88

DRILL DEPTH: DEPTH TO BED: 182FT 5FT 39N

TOWNSHIP

39N

39N

TOWNSHIP

38N

1

UTM X

ELEVATION:

UTM X

626,701.01

UTMY

628,169.96

4,220,965.68

1,012FT

UTM Y

4,218,538.59

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: LONG 1 X 2 MI SECTION

S.W.L. (AFTER CASING):

LOG ID: 024227

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1966/04/

200FT

DEPTH TO BED: 25FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 008194

WELL TYPE Private Well

DRILL DATE:

1942//

DRILL DEPTH: DEPTH TO BED: 140FT 5FT

FT

TOWNSHIP

RANGE 6W

SECTION 15

SECTION

14

ELEVATION:

979FT

UTM Y

UTM X

625.981.01 4,218,456.58

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

60

REMARKS:

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027886

DRILL DEPTH:

WELL TYPE Private Well

1971/07/13 DRILL DATE:

220FT

5FT

DEPTH TO BED:

TOWNSHIP RANGE SECTION 39N 6W 16

ELEVATION:

972FT

UTM X 624,157.03

UTMY 4,217,660.55

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

LOG ID: 027588

WELL TYPE Private Well

DRILL DATE:

1970/11/13

TOWNSHIP

RANGE

SECTION ELEVATION: 999FT

DRILL DEPTH: DEPTH TO BED: 240FT 65FT

39N 6W 2

UTM X

UTMY 4,220,563.66

627,173.98

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: SCANNED; LONG 1 X 2 MI SECTION

S.W.L. (AFTER CASING):

LOG ID: 028358

WELL TYPE Private Well

DRILL DATE:

1980/04/09

TOWNSHIP RANGE SECTION 39N 6W 21

ELEVATION:

623,069.06

1,020FT

4,216,146.49

DRILL DEPTH:

333FT

UTM X UTM Y

ZONE 15

DEPTH TO BED: 90FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 014058

WELL TYPE Private Well

DRILL DATE:

1955/10/

SECTION TOWNSHIP RANGE 39N 6W

ELEVATION:

1,032FT

DRILL DEPTH: DEPTH TO BED: 174FT

30FT

26

UTM X

627.614.06

UTM Y 4,214,403.44

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

100



RANGE

6W

SECTION

26

SECTION

28

SECTION

28

TOWNSHIP

39N

TOWNSHIP

39N

TOWNSHIP

39N

REMARKS:

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

627,614.07

ELEVATION:

UTM X

623,978.08

ELEVATION:

UTM X

623,978.07

ZONE 15

ZONE 15

ZONE 15

1,022FT

UTM Y

4,213,997.43

990FT

UTMY

4,214,625.44

958FT

UTM Y

4,215,443.47

LOG ID: 027907

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE:

190FT

DEPTH TO BED: 25FT

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 027253

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1970/04/

240FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

25FT

REMARKS: ON HWY B, 5 MI N OF ST. JAMES

RANGE

RANGE

6W

6W

S.W.L. (AFTER CASING):

LOG ID: 027254

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

180FT

DEPTH TO BED: 15FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 027418

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

65FT

280FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

SECTION TOWNSHIP RANGE 39N

29

6W

ELEVATION: 1,074FT

> UTM X UTM Y

621,763.08 4,215,251.45

ZONE 15

CAVE MATERIAL 165-200' **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019349

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1960// DRILL DATE:

202FT

35FT

110

TOWNSHIP 39N

RANGE

SECTION 3

ELEVATION:

930FT

6W

UTM X 625,564.96

UTMY 4,221,833.70

ZONE 15

S.W.L. (BEFORE CASING):

FT

LONG 1 X 2 MI SECTION; ABT 2 MI E OF ROYAL **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 026808

WELL TYPE Private Well

DRILL DATE:

1969//

TOWNSHIP

RANGE

SECTION

ELEVATION:

936FT

DRILL DEPTH: 210FT 39N 6W

UTM X

UTMY

624,964.97

4,221,833.70 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

@ ROYAL; LONG 1 X 2 MI SECTION

S.W.L. (AFTER CASING):

DEPTH TO BED:

LOG ID: 002386

WELL TYPE Private Well

DRILL DATE:

1930//

TOWNSHIP 39N

RANGE

SECTION 32

3

ELEVATION:

1,064FT

DRILL DEPTH:

105FT

75FT

6W

UTM X 621,575.13

ZONE 15

UTM Y 4,212,417.35

DEPTH TO BED:

25FT

55

FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

027293

DRILL DATE:

TOWNSHIP 39N

RANGE

SECTION

ELEVATION:

1,031FT

DRILL DEPTH:

DEPTH TO BED:

260FT 55FT

6W 33

UTM X 623.984.10

ZONE 15

UTM Y 4,213,421.40

REMARKS:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005019

WELL TYPE Private Well

1938/08/ DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

39N 6W 36 **DRILL DEPTH: 38FT**

UTM X UTM Y DEPTH TO BED: 4,213,793.43

629,241.06

ZONE 15

1,011FT

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 10

LOG ID: 007503

WELL TYPE Private Well

1941// **TOWNSHIP SECTION** DRILL DATE: **RANGE ELEVATION:** 866FT

39N 6W DRILL DEPTH: 108FT

UTM X UTMY DEPTH TO BED: 10FT 623,552.96 4,222,686.73

ZONE 15

LONG 1 X 2 MI SECTION; NO SAMPLES 0-220'

4

S.W.L. (BEFORE CASING): FT **REMARKS:** "GOOD FLOW"; LONG 1 X 2 MI SECTION; ON BOURBOISE RIVER

S.W.L. (AFTER CASING): 50 **NEAR ROYAL**

LOG ID: 024906

WELL TYPE Private Well

DRILL DATE: 1966// **TOWNSHIP RANGE SECTION ELEVATION:** 905FT

39N 6W 5 **DRILL DEPTH:** 300FT

REMARKS:

UTM X UTM Y **DEPTH TO BED:** 220FT 622,333.96 4,223,100.74

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 018313

WELL TYPE Private Well

1959// **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 898FT

39N 6W 6 **DRILL DEPTH:** 155FT UTM X UTM Y

DEPTH TO BED: 10FT 620.909.99 4,221,893.69

ZONE 15

S.W.L. (BEFORE CASING): FT

LONG 1 X 2.1 MI SECTION **REMARKS:** S.W.L. (AFTER CASING): 43



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025529

DRILL DEPTH:

S.W.L. (AFTER CASING):

WELL TYPE Private Well

1968/03/18 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 861FT

> 39N 6W 148FT

UTM X UTM Y **DEPTH TO BED:** 105FT 620,313.03 4,219,360.60

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 25

PHELPS